

USDA-FOREST SERVICE

Index

File No. X-17

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. \_\_\_\_\_

Cor.

No. \_\_\_\_\_

T 4S R. 30E

R.D. Ukiah


County Umatilla

Merid. W.M.

N.F. Umatilla

State Or.

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

Stone 20"x11"x6", stone mound.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

Pine stump, approx. 3 1/2' dia., burned and rotted  
N14°E, 42.2 ft.

PHOTO IDENTIFICATION DATA

Photo No. \_\_\_\_\_

Filed At. \_\_\_\_\_

Object Ident. \_\_\_\_\_

Ident. By \_\_\_\_\_

*Signature*

7

PLANE COORDINATE POSITION DATA

State \_\_\_\_\_ Zone \_\_\_\_\_

X \_\_\_\_\_

Y \_\_\_\_\_

Estab. By \_\_\_\_\_

*Agency*

8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER  
Cor. falls on S.E. slope in scattered timber. Go  
1975' N. along posted property line from 060 rd.

2

3

*Signature*  
*F. J. Munro*

Title  
L.S.

Division

Headquarters

Date

9/26/84

7100-52-(3/68)

4

5

**CORNER RECORD (PERPETUATION)**

**MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

2 1/2" alum. pipe with 3" alum. cap mkd.  
Stone mound around monument.

T4S R30E

1/4  
S34 | S35  
PLS 1832  
1984

**ACCESSORIES: DESCRIBE NEW BT'S, WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

P. pine, 9", N73 1/4° E, 45.3 ft.

D. pipe, 8", S55 1/2° W, 22.4 ft.

BTs have paint, tags & signs.

Work Done By F.S. Munro Title L.S. Date 9/18/84 State Registration No. 1832  
or Agency

Certified Cor. Record Prepared? Yes  No  Filed At: Umatilla Co. Surveyor Date

REMARKS

Index File No. X-17 T. 4S R. 30E M. W.M. Tract or Surv. No. Cor.


Index  
 File No. X-17  
 T 4 S. R. 30 E.  
 Merid. Willamette

**CORNER RECORD (SEARCH)**  
 (Ref. FSM 7151.4)

Tract or  
 Survey No. \_\_\_\_\_  
 Cor. No. \_\_\_\_\_

R.D. Ukiah County Umatilla  
 N.F. Umatilla State Oregon

**CORNER DIAGRAM**



**DESCRIBE CORNER MONUMENT FOUND**

Basalt stone, 20"x12"x6", 5" above ground, good condition. Cannot distinguish markings. Stone sets in circular stone mound.  
 Fits GLO notes.

**DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND**

Mound sets ~~exactly~~ in north-south fence line. An old p. pine, down and badly rotted, bears N. 16° E., approx. 42 ft. (fits GLO notes). This tree was in excess of 30' diam. when alive.

**PHOTO IDENTIFICATION DATA**

Photo No. \_\_\_\_\_  
 Filed At. \_\_\_\_\_  
 Object Ident. \_\_\_\_\_  
 Ident. By \_\_\_\_\_  
*Signature*

**DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER**

Dist. south to ravine, ~~aspect~~ of slope, dist. and bearing to old tree all fit ~~original~~ GLO Notes. Although there is nothing positive here, I assume it to be the true 1/4 corner. There is an old "National Forest boundary" metal sign on east side of 14" p.pine which is in the fence line. There is a wire gate in the fence. This gate is attached to the 14" tree.  
 (cont. in block 12)

**PLANE COORDINATE POSITION DATA**

State \_\_\_\_\_ Zone \_\_\_\_\_  
 X \_\_\_\_\_  
 Y \_\_\_\_\_  
 Estab. By \_\_\_\_\_  
*Agency*

Signature  
 T. Hollamon

Title  
 Eng. Tech.

Division

Headquarters  
 S.O.

Date  
 5/7/74

7100-52-(3/68)

6

7

8

2

3

4

5

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

I placed a location poster on the 14" p. pine in fence line (approx. 12 ft. north of stone mound).

I placed a blank B.T. tag on the down tree which I assume to be the B.T.

10

Work Done By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_ State Registration No. or Agency \_\_\_\_\_

Certified Cor. Record Prepared ? Yes No Filed At: \_\_\_\_\_ Date \_\_\_\_\_ 11

REMARKS

(Cont. from block 4)

Assumed corner location is about 100 ft. south of crest of hogback and location is visible from end of primitive road about 300 ft. west (on hogback).

12

Index File No. T. R. M. Tract or Surv. No. Cor. 13