

CORNER RECORD (SEARCH)
(Ref. FSM 5151.4)

T. 6 S. R. 34 E.

R.D. North Fork John Day


County Umatilla

Merid. Willamette

N.F. Umatilla

State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

Found a 3 1/4" aluminum cap, set flush with the ground.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

16" Douglas Fir Snag, N. 20 W., 17.5 feet, with scribing visible on burnt double blaze.
 16" Subalpine Fir Snag, S. 75 1/2 W., 25.3 feet, with scribing visible on double blaze.

PHOTO IDENTIFICATION DATA

Photo No.
 Filed At.
 Object Ident.
 Ident. By

Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

From the jct. Of roads 5226 and 5226-200 travel southeasterly on 5226 approx. 0.16 miles. The corner is located approx. 200 feet southerly of the road.

PLANE COORDINATE POSITION DATA

State: Zone:

X:

Y:

Datum:

Signature

D. Schlaich

Title

Land Surveyor

Division

Headquarters

S.O.

Date

10/27/1997

FS-7100-52 (3/97)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

14" Douglas Fir, N. 6 E., 36.5 feet, scribed "WB/244" "BT" on double blaze.
11" Douglas Fir, S. 76 1/2 E., 45.0 feet, scribed "WB/244" "BT" on double blaze.

Work Done By D. Schlaich

Title Land Surveyor

Date 10/27/1997

State Registration No.
or Agency

Certified Corner Record Prepared ?

Yes

No

Filed At

Date

REMARKS

Index

File No.

T. 6 S. R. 34 E.

Merid. WILLAMETTE

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. NFJD

N.F. UMATILLA

County UMATILLA

State OREGON


Tract or

Survey No. Tower Unit

Cor.

No. AP-244

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

NONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE

PHOTO IDENTIFICATION DATA

Photo No.:

Filed At.:

Object Ident.:

Ident. By:

Signature

DESCRIBE CORNER RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

From the jct. of FS rds. 5226 and 5226-200 travel southeasterly on 5226 approx. 0.16 miles. The corner is located approx. 200 southerly of the road.

PLANE COORDINATE POSITION

State: Oregon Zone: North

X: 2,500,616.01'

Y: 510,953.24'

Datum: NAD1927

Signature

D. Schlaich

Title

Land Surveyor.

*Division**Headquarters*

S.O.

Date

09-1993

FS-7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

5/8" by 36" rebar, with a 3 1/4" aluminum cap, flush with the ground, marked "NFJD WILDERNESS TOWER UNIT AP-244 RLS2308 1993".

ACCESSORIES: DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

15" Fir, N. 20° W., 17.5 ft., mkd. "WB/244""BT" on double blaze.

16" Fir, S. 74° W., 25.3 ft., mkd. "WB/244"BT" on double blaze.

Work Done By **D. Schlaich**

Title **Land Surveyor**

Date **09-1993**

State Registration No.
or Agency

Certified Cor. Record Prepared? **NO**

Filed At:

Date

REMARKS

Index File No.

T.

6 S.

R.

34 E.

M.

W.M.

Tract or Survey No.

Cor.

AP-244