


CORNER RECORD (SEARCH)
(Ref. FSM 5151.4)

Tract or Survey No. **North Fork John Dav Unit**
Cor. No. **AP-595**

T. 6 S. R. 34 E.
Merid. Willamette

R.D. North Fork John Day
N.F. Umatilla
County Umatilla
State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

Found a 3 1/4" aluminum cap, set flush with the ground.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

10" Lodgepole Pine, N. 73 W., 34.3 feet, with pitched over double blaze.
10" Lodgepole Pine, N. 29 W., 36.6 feet, with pitched over double blaze.

PHOTO IDENTIFICATION DATA

Photo No.
Filed At.
Object Ident.
Ident. By
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

The corner is located at a point 200 feet southeasterly of the thread of winom creek and 200 feet southwesterly of the centerline of road 5200-440 on the westerly side of a meadow.

PLANE COORDINATE POSITION DATA

State: Zone:
X:
Y:
Datum:

Signature
D. Schlaich

Title
Land Surveyor

Division

Headquarters
S.O.

Date
10/22/1997

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By D. Schlaich

Title Land Surveyor

Date 10/22/1997

State Registration No.
or Agency

Certified Corner Record Prepared ?

Yes

No

Filed At:

Date

REMARKS

Index

File No.

T. 6 S. R. 34 E.
Merid. WILLAMETTE

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)


R.D. NFJD
N.F. UMATILLA

County UMATILLA
State OREGON

Tract or
Survey No. NFJD Unit

Cor.
No. AP-595

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

NONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE

DESCRIBE CORNER RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

The corner is located at a point 200 feet southeasterly of the thread of Winom creek and 200 feet southwesterly of the centerline of road 5200-440

PHOTO IDENTIFICATION DATA

Photo No.:
Filed At.:
Object Ident.:
Ident. By: *Signature*

PLANE COORDINATE POSITION DATA

State: Oregon Zone: North
X: 2,480,694.49'
Y: 495,995.05'
Datum: NAD1927

Signature
D. Schlaich

Title
Land Surveyor

Division

Headquarters
S.O.

Date
07-1993

FS-7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

5/8" by 36" rebar, with a 3 1/4" aluminum cap, flush with the ground, marked "NFJD WILDERNESS AP-595 RLS 2308 1993".

ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

9" Pondersoa Pine, N. 70° W., 34.3 ft., mkd. "WB/595""BT" on double blaze.

9" Pondersoa Pine, N. 25° W., 36.8 ft., mkd. "WB/595"BT" on double blaze.

Both BT's have a 3/4" brass washer stamped "RLS 2308" nailed next to "BT" scribing on lower blaze.

Work Done By **D. Schlaich**

Title Land Surveyor

Date 07-1993

State Registration No.
or Agency

Certified Cor. Record Prepared? NO

Filed At:

Date

REMARKS

Index File No.

T.

6 S.

R.

34 E.

M.

W.M.

Tract or Survey No.

NFJD Unit

Cor.

AP-595