


T. 6 S. R. 34 E.  
Merid. WillametteR.D. North Fork John Day  
N.F. UmatillaCounty Umatilla  
State Oregon

## CORNER DIAGRAM



## DESCRIBE CORNER MONUMENT FOUND

Found a 5/8" rebar with a 1 1/2" aluminum cap, projecting 3" out of the ground.

## DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

11" Western Larch Snag, N. 73 E., 29.4 feet, with burnt out double blaze.  
17" Western Larch Snag, N. 11 W., 9.7feet, with scribing visible on burnt double blaze.

## PHOTO IDENTIFICATION DATA

Photo No.  
Filed At.  
Object Ident.  
Ident. By

Signature

## DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

The corner is located on a spur ridge.

## PLANE COORDINATE POSITION DATA

State: \_\_\_\_\_ Zone: \_\_\_\_\_

X:

Y:

Datum:

Signature

D. Schlaich

Title

Land Surveyor

Division

Headquarters

S.O.

Date

10/31/1997

FS-7100-52 (3/97)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

RM, 5/8" X 24" rebar with yellow plastic cap stamped "UMATILLA N.F." set 22" in the ground, N. 49 1/2 E., 16.95 feet.  
RM, 5/8" X 24" rebar with red plastic cap stamped "UMATILLA N.F." set 21" in the ground, S. 35 E., 16.5 feet.

Work Done By D. Schlaich

Title Land Surveyor

Date 10/31/1997

State Registration No.  
or Agency

Certified Corner Record Prepared ?

Yes

No

Filed At:

Date

REMARKS

USDA-FOREST SERVICE

Index  
File No.

**CORNER RECORD (SEARCH)**  
(Ref. FSM 7151.4)

Tract or  
Survey No. Tower Unit


Cor.  
No. AP-637

T. 6 S. R. 34 E.  
Merid. WILAMETTE

R.D. NFJD  
N.F. UMATILLA

County UMATILLA  
State OREGON

**CORNER DIAGRAM**



**DESCRIBE CORNER MONUMENT FOUND**

5/8" rebar, with a 1 1/2" aluminum cap, projecting 1" out of the ground, marked "USDA-FS WB 637 1991 LS 1636".

**DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND**

12" Western Larch, N. 73° E., 29.4 ft., mkd. "WB/637""BT" on double blaze.  
17" Western Larch, N. 7° W., 9.7 ft., mkd. "WB/637""BT" on double blaze.  
Both BT's have 3/4" brass washer mkd. "PLS 1636" nailed next to "BT" scribing.

**PHOTO IDENTIFICATION DATA**

Photo No.:  
Filed At.:  
Object Ident.:  
Ident. By:

*Signature*

**DESCRIBE CORNER RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER**

The corner is located on a spur ridge.

**PLANE COORDINATE POSITION DATA**

State: Oregon Zone: North  
X: 2,479,529.49'  
Y: 500,179.90'  
Datum: NAD1927

Signature  
D. Schlaich

Title  
Land Surveyor

Division

Headquarters  
S.O.

Date  
08-1993

FS-7100-52 (3/68)

**CORNER RECORD (PERPETUATION)**

**MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

**ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

Work Done By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_ State Registration No. or Agency \_\_\_\_\_

Certified Cor. Record Prepared ? **NO** Filed At \_\_\_\_\_ Date \_\_\_\_\_

**REMARKS**

Index File No. \_\_\_\_\_ T. 6 S. R. 34 E. M. W.M. Tract or Survey No. Tower Unit Cor. AP-637