

ROAD NO
354.

Road No 354 Law

Report of Viewers, field notes and plat of Survey of Road No 354 in Multnomah County, Oregon, Commencing at an angle stake at a point 68 rods South of the Center of Section 27 Town 4 North of Range 36 E.W.M. and running thence West about 1/2 mile in the most practical and best ground for a road to a point about 15 rods North of the South West corner of the North West 1/4 of the South West 1/4 of South West 1/4 of said Section 27, thence North on Section line between Sections 27 & 28 in said Town & Range to the intersection of the County Road at the South West corner of the North West 1/4 of the North West 1/4 of said Sec 27 in said Sp or

Report of Viewers on Road No 354
 Weston Or Jan'y 28/1891.
 To the Honourable County Court for the County of Multnomah State of Oregon
 Gentlemen

We the undersigned Viewers on the Road beginning at a point or angle stake set by J.C. Arnold County Surveyor 68 rods South of the Center of Sec 27 T4 NR. 36 E.W.M. and running thence West about half mile to a point about 15 rods North of the SW corner of NW 1/4 of SW 1/4 of said Sec 27 Thence North on Section line between Sections 27 & 28 said T & Range to the intersection of County Road at the SW corner of the NW 1/4 of the NW 1/4 of said Section 27. We recommend that the said described road be granted

Witness
 P. A. Worthington
 J. Baling
 John C. Davis

Filed Mar 4 - 1891
 W.M.P. Area Clerk

Report
 Mr. Wm. Martin County Judge,
 Sir
 In regard to Road No 354, I will have to report not favorable

the ground is favorable but the lat of the road is not good that connects with it also if this Road is excepted it will only be a short time till there will be a petition for it to be changed as there is a better location and will be more satisfactory to the people that travel the road and for the community in which the road is located in the right place and which I will recommend the road to be put is to Commence at the School House & run 2600 feet South on Section line between Sec 27 & 28 then angle South East across Sec 27 up a small draw to the line between Sec 22 & 27 & follow this line till it intersects the road that is now located

Filed Mar 11 - 1891
W. M. Paice Clerk

Yours Respectfully
Isa J. Croft

Field Notes of Road Survey No 354 in
Umatilla County Oregon

I met full board of Viewers at Weston Wednesday Jan'y 27th 1891 we called A. L. Adams and Wm Marston to act as chain men and markers each of whom was duly qualified as directed by law I set initial post at a point about 68 rods South of the Center of Section 27 1/2nd Twp N.R. 36 E. 10. N. and ran West

West 2600 set angle stake

North 2300 set terminal post 30 ft from line

I hereby certify that the foregoing field notes of Road Survey No 354 for Umatilla County Oregon are correct

Filed Mar 11 - 1891
W. M. Paice Clerk

J. H. Lawray
Surveyor

I hereby certify the following to be a correct plot of the
 No 354 Road Survey as made by me Jan'y 27. 1891.

J. H. Lawry
 Surveyor.

Sp 11

MP 36 E. W. M.

| | | | | | |
|----|----|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| 7 | 8 | 9 | 10 | 11 | 12 |
| 18 | 17 | 16 | 15 | 14 | 13 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 30 | 29 | 28 | 27 | 26 | 25 |
| 31 | 32 | 33 | 34 | 35 | 36 |

A vertical line is drawn between columns 3 and 4, labeled "Section" in red. A horizontal line is drawn between rows 4 and 5, labeled "Section" in red. A red L-shaped line is drawn at the intersection of these two lines, with the label "Initial Point" in red.

Filed Mar 11 - 1891
 W. M. Pierce Clerk

Jan 9 1891 H 648-712