

Index  
 File No. \_\_\_\_\_  
 T 1N R. 35E  
 Merid. Will

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No. U I R Cor. No. 46 M

R.D. WALLA WALLA County UMATILLA

N.F. UMATILLA State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

ORIGINAL CORNER STONE IS SOLIDLY SET IN PLACE & MARKED 66 M (??) ON SOUTH FACE & WITH OTHER ILLEGIBLE MARKS ON WEST & NORTH FACES. A LARGE M.O.S. N70°W, 4 FEET. A RED

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

STEEL FENCE POST 1 FOOT NORTH 20° EAST. ORIGINAL 36", NOW 42" PONDEROSA PINE IS LIVE WITH SCRIBES VISIBLE ON PREVIOUSLY OPENED BLAZE. BEARS 526°30'E, 466 LINKS. HAS BLM BT SIGN ATTACHED, I PLACE LSM SIGN ON BACK.

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

CORNER IS ABOUT 600 FEET S20°W FROM ROAD 010.

PHOTO IDENTIFICATION DATA

Photo No. \_\_\_\_\_  
 Filed At. \_\_\_\_\_  
 Object Ident. \_\_\_\_\_  
 Ident. By \_\_\_\_\_  
*Signature*

PLANE COORDINATE POSITION DATA

State \_\_\_\_\_ Zone \_\_\_\_\_  
 X \_\_\_\_\_  
 Y \_\_\_\_\_  
 Estab. By \_\_\_\_\_  
*Agency*

Signature

Title

Division

Headquarters

Date

FS-7100-52 (3/68)

Dennis L. Layland

PLS 1636

S.O.

8-30-89

**CORNER RECORD (PERPETUATION)**

**MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

9

**ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

10

Work Done By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_ State Registration No. or Agency \_\_\_\_\_

Certified Cor. Record Prepared ? Yes No Filed At: \_\_\_\_\_ Date \_\_\_\_\_

11

**REMARKS**

Index File No. T. R. M. Tract or Surv. No. Cor. 12

13

Index  
File No. \_\_\_\_\_

**CORNER RECORD (SEARCH)**  
(Ref. FSM 7151.4)

Tract or Survey No. VIR Cor. No. MP 46


T 1 N R. 35 E

R.D. U.I.R. County \_\_\_\_\_

Merid. Willamette

N.F. \_\_\_\_\_ State Oregon

**CORNER DIAGRAM**



**DESCRIBE CORNER MONUMENT FOUND**

Mound of stone w/ scribed stone marked 46 M on North s' U.R. on west face.

**DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND**

Notes do not call for BT but there is a B.T. standing.

From memory: 40" P. Pine S.E. of corner approx. 4 chains.

**PHOTO IDENTIFICATION DATA**

Photo No. \_\_\_\_\_  
Filed At. \_\_\_\_\_  
Object Ident. \_\_\_\_\_  
Ident. By \_\_\_\_\_

*Signature*

**PLANE COORDINATE POSITION DATA**

State \_\_\_\_\_ Zone \_\_\_\_\_  
X \_\_\_\_\_  
Y \_\_\_\_\_  
Estab. By \_\_\_\_\_

*Agency*

Signature  
ERICKSON

Title  
Crew Mgr.

Division

Headquarters  
Baker, Ore.

Date  
1-21-75

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

Set steel post & locatum tag.

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_ State Registration No. or Agency \_\_\_\_\_

Certified Cor. Record Prepared ? Yes No Filed At: \_\_\_\_\_ Date \_\_\_\_\_

REMARKS

Index File No. T. R. M. Tract or Surv. No. Cor. U.S. G.P.O. 1977-725-576/586