

Index

File No. V-25

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. \_\_\_\_\_

Cor.

No. \_\_\_\_\_

T 2N R. 36E

R.D. Walla Walla

County Umatilla


Merid. Willamette

N.F. Umatilla

State Oregon

CORNER DIAGRAM. Sec.36

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND 2

Orig. 4" Tamarack now a 12" sawed D-Fir stump S71W-11.2 ft. scribing on opened blaze on log next to stump.  
 Orig. 5" now a 10" sawed Tamarack stump N60W-20.5 ft. scribing on opened blaze on log next to stump.

PHOTO IDENTIFICATION DATA

Photo No. 1280-49

Filed At. Umatilla N.F.

Object Ident. two I.P.'s

Ident. By L. B. King  
*Signature*

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER 3

From its junction with Rd.#3128 follow Rd.#3128-070 approx. 2 miles to the second logging spur, right after crossing East line of Section 36- follow spur North along West side of creek to its end. Corner is North 20°East 400 feet.

PLANE COORDINATE POSITION DATA

State \_\_\_\_\_ Zone \_\_\_\_\_

X \_\_\_\_\_

Y \_\_\_\_\_

Estob. By \_\_\_\_\_  
*Agency*

Signature Larry D. King

Title Land Surveyor

Division \_\_\_\_\_

Headquarters \_\_\_\_\_

Date

6/83

7100-52-(3/68)

**CORNER RECORD (PERPETUATION)**

**MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

Set 2½" x 30" Aluminum pipe with a 2½" Aluminum cap.

**ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

12" D-Fir N87½W-21.8 ft. scribed T2NR36ES25BT and with a 1" Brass disk stamped PLS 896.  
11" Wh.Fir S11½W-16.5 ft. scribed T2NR36ES36BT and with a 1" Brass disk stamped PLS 896.

Work Done By Larry D. Bishop Title Surveyor Date 6/83 State Registration No. 896  
or Agency

Certified Cor. Record Prepared? Yes No  Filed At: \_\_\_\_\_ Date \_\_\_\_\_

**REMARKS**

Set guard posts South and West with signs 54-2 and 54-4.  
Nailed 54-4 and BT signs to BT's and painted band and blazes red.


Index  
File No. V-25  
T 2N R. 36E  
Merid. Will

CORNER RECORD (SEARCH)  
(Ref. FSM 7151.4)

Tract or  
Survey No. \_\_\_\_\_  
Cor. No. \_\_\_\_\_

S.D. WALLA WALLA County UMATILLA  
N.F. UMATILLA State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

NONE - ORIGINAL POST IS GONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ORIG. 4" TAMARACK IS A 7" SAWN STUMP. LOG LAYING ALONGSIDE HAS A HEALED BLAZE. I OPEN & FIND SCRIBING & REVERSE "S36". BEARS S71°W, 11.2ft.  
ORIG. 5" TAMARACK IS A 7" SAWN STUMP. LOG LYING ALONGSIDE HAS A HEALED BLAZE. I OPEN & FIND SCRIBING & REVERSE "S25" BEARS N60°W, 20.5ft.

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER  
ORIG. BT'S TO EAST ARE GONE.

CORNER  $\frac{36 \text{ S.}}{31 \text{ E.}}$  IS 53 FT. SOUTH.

PHOTO IDENTIFICATION DATA

Photo No. \_\_\_\_\_  
Filed At. \_\_\_\_\_  
Object Ident. \_\_\_\_\_  
Ident. By \_\_\_\_\_  
Signature \_\_\_\_\_

PLANE COORDINATE POSITION DATA

State \_\_\_\_\_ Zone \_\_\_\_\_  
X \_\_\_\_\_  
Y \_\_\_\_\_  
Estab. By \_\_\_\_\_  
Agency \_\_\_\_\_

Signature Dennis L. Layloel Title \_\_\_\_\_ Division PLS 1636 Headquarters \_\_\_\_\_ Date 7-15-82  
7100-52 (3. 68)

**CORNER RECORD (PERPETUATION)**

**MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

**ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

**Work Done By** \_\_\_\_\_ **Title** \_\_\_\_\_ **Date** \_\_\_\_\_ **State Registration No.** \_\_\_\_\_  
**or Agency** \_\_\_\_\_

**Certified Cor. Record Prepared ?** Yes No **Filed At:** \_\_\_\_\_ **Date** \_\_\_\_\_

**REMARKS**

**Index File No.** \_\_\_\_\_ **T.** \_\_\_\_\_ **R.** \_\_\_\_\_ **M.** \_\_\_\_\_ **Tract or Surv. No.** \_\_\_\_\_ **Cor.** \_\_\_\_\_