

USDA-FOREST SERVICE


Index File No. N-25
 T 3S R. 31E
 Merid. Willamette

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Ukiah County Umatilla Tract or Survey No. Sec 24 Cor. No. NE Cor
 N.F. Umatilla State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A 22" dia Pine Stump bears N38°W 34.98 ft dist tagged S38°E 34.98 ft dist with visible scribing "T3S R31E" (original BT)

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Yellow Jacket Road South to road #5415, then East on road #5415 to road #050, then North along road #050 approximately 1 1/2 miles to fork the West on jeep road across ridge North of Bridge Creek turning North approximately 1/4 mi to hard Right turn, then West 50 ft to fence and North 350 ft to corner along fence just below crest of North slope in timber.

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
Agency

Signature William R. Wells Title PLS 1106 Division _____ Headquarters _____ Date October 10, 1982 7100-52-(3.68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

Set 2 1/2" brass cap on 2 1/2" x 30" l. pipe 20" in ground with mound of stone.
 Set steel fence post with 54-2 and 4 signs attached, North of corner. Cap marked:

T3S
 S13 | S20
 S24 |
 R31E R32E
 1982
 PLS 1106

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A 17" dia R Fir bears N20 1/2°W 27.1 ft dist marked: T3S R31E S13 BT.
 A 13" dia P. Pine bears S87°W 37.3 ft dist marked: T3S R31E S24 BT.
 Blaze faces and 6" band around bearing trees are painted red. Trees tagged with 54-3 and 4 signs. Each new BT has lower blaze, scribed BT, with brass washer stamped PLS 1106 nailed flush.

Work Done By W.R. Wells Title Surveyor Date 10/5/82 State Registration No. PLS 1106
 or Agency

Certified Cor. Record Prepared? Yes No Filed At: Umatilla County Surveyor Office Date

REMARKS

Witnessed by: Leslie E. Wilson

USDA-FOREST SERVICE

Index File No. N-25

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____ Cor. No. _____


T 35 R. 31E

R.D. UKIAH County UMATILLA

Merid. WILL.

N.F. UMATILLA State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

NONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ORIG. 12" PINE IS NOW A 20" POIND, PINE
 SAWN STUMP, BEARS N 38° W, 34⁹⁸ FT, I
 OPEN & FIND SCRIBING & REVERSE, "T35R31E S13
 BT" NOTHING REMAINS OF THE OTHER 3
 ORIGINAL B.T.'S.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

THIS CORNER IS AT A 3 WAY FENCE CORNER
 (N-S-W)

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature Dennis L. Gaylord Title _____ Division PLS Headquarters 1636 Date 11-4-80
 7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. _____
or Agency _____
Certified Cor. Record Prepared ? Yes No Filed At _____ Date _____

REMARKS

Index File No. T. R. M. Tract or Surv. No. Cor.