

USDA-FOREST SERVICE

Index  
File No. T-13  
T 3S R. 32E  
Merid. Willamette

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Ukiah County Umatilla State Oregon  
Tract or Survey No. Sec 27 Cor. No. W 1/4  
N.F. Umatilla

CORNER DIAGRAM  
T3S R32E  
1/4  
S28 | S27  
N  
6

DESCRIBE CORNER MONUMENT FOUND  
None.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND  
A 10" dia T.Snag brs N67°W 44lk dist tagg S67°E 44lk dist (old BT)  
Open blaze to reveal visable scribing.

PHOTO IDENTIFICATION DATA  
Photo No. 616140-680-297  
Filed At: Umatilla Nat. Forest  
Object Ident. trees  
Ident. By \_\_\_\_\_  
*Signature*

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER  
Road #54 to road #5412, then West to road #5415, then North to road #020, then along road #020 approximately 5/8 mile then North 400 ft to corner.

PLANE COORDINATE POSITION DATA  
State \_\_\_\_\_ Zone \_\_\_\_\_  
X \_\_\_\_\_  
Y \_\_\_\_\_  
Estab. By \_\_\_\_\_  
*Agency*

Signature William R. Walk Title PLS 1106 Division \_\_\_\_\_ Headquarters \_\_\_\_\_ Date September 23, 1982  
7100-52-(3, 68)

**CORNER RECORD (PERPETUATION)**

**MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

Set 3" brass cap on 2 1/2" x 30 l. pipe 24" in ground. Cap marked:

T3S R32E  
1/4  
S28 S27  
1982  
PLS 1106

**ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

A 7" dia. W. Fir. brs. N52°W 28.4 ft dist marked: 1/4 S28 BT.

A 12" dia. R. Fir. bears N24°E 6.2 ft dist marked: 1/4 S27 BT.

Painted 6" band around bearing trees and blaze faces red. Tagged trees with 54-3 and 4 signs, as needed. Each new BT has lower blaze, scribed BT, with brass washer stamped PLS 1106 nailed flush. Set steel fence post with 54-4 sign on section line near corner.

Work Done By W.R. Wells Title Surveyor Date 9/23/82 State Registration No. PLS 1106  
or Agency

Certified Cor. Record Prepared? Yes  No  Filed At: Umatilla County Surveyor Office Date

**REMARKS**

Witnessed by: D.L. Kaufman PLS

Index File No.  
T-13

T.

3S

R.

32E

M.

W.M.

Tract or Surv. No.

Sec 27

Cor.


W 1/4

# LAND CORNER RECORD

5680-2

1. T 3S R 32E No. T13 Cor. 1/4 Mer. Will State Oregon (Rectangular) N. F. Umatilla Dist. Ukiah **8**

## 2. Corner Status



3. Original Description \_\_\_\_\_ Vol. \_\_\_\_\_ Page \_\_\_\_\_ Where Recorded \_\_\_\_\_

4. Description of Corners: A 8" pine on SW slope Marked 1/4 8 on W side.  
4" larch N56E 13 lks Marked 1/4 S BT  
10" larch N67W 44 lks Marked 1/4 S BT

5. Investigation Notes: Cor found. Dead lodgepole pine, 10" DEH, on ground, Marking still readable. Accessory found 14" Wilarch N 67 W 44 lks Dead.

## 7. Photo Identification

Photo No. \_\_\_\_\_  
Ident. By: \_\_\_\_\_

## 8. Plane Coordinate Position Data

State \_\_\_\_\_ Zone \_\_\_\_\_  
X \_\_\_\_\_  
Y \_\_\_\_\_  
Estab. By \_\_\_\_\_  
Field Book No. \_\_\_\_\_  
Where Filed \_\_\_\_\_

## 9. Evaluation

Authentic X  
Needs Verif. Monument No  
Re-estab. Survey  
Land Status P.D.

6. Signed \_\_\_\_\_ Title \_\_\_\_\_ Date 167

# PERPETUATION RECORD

10. Monument:

11. Accessories

Field Book \_\_\_\_\_ Page \_\_\_\_\_

12. Set By \_\_\_\_\_ Title \_\_\_\_\_

License \_\_\_\_\_ Agency \_\_\_\_\_ Date \_\_\_\_\_

13. Recorded By \_\_\_\_\_ Volume \_\_\_\_\_ Page \_\_\_\_\_

(Agency)

(Date)

(City)

(County)

(State)

14. Remarks:

T-13