

FIELD NOTES

Of the survey of the Rose
Lines of Trs North Rqs 32, 33, 34, and
35 East Willamette Meridian, Oregon,
as surveyed by Jos Purrier and Jos E. Holland
U. S. Deputy Surveyor, under ^{their} ~~his~~ Contract No. _____
dated May 7th, 1887.

Survey commenced, June 8th, 1887.

Survey completed, June 14th, 1887.

NAMES AND DUTIES OF ASSISTANTS.

- L. F. Wooley, Compassman.
- J. S. Medley, Chainman.
- W. N. Medley, Chainman.
- Frank Belokan, Chainman.
- G. M. Henry, Chainman.
- G. W. Davis, Chainman.
- W. Rush, Axman.
- H. Vreatch, Axman.
- _____, Flagman.

PRELIMINARY OATHS OF ASSISTANTS.

²
We, *J. W. Henry Frank Belshaw*
J. D. Medley W. H. Medley


do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in the survey

of the *Base* lines of *Range 1 North*
Rps 32, 33, 34, and 35 - East Willamette Meridian, Oregon.

J. W. Henry, Chainman.
J. D. Medley, Chainman.
W. H. Medley, Chainman.
Frank Belshaw, Chainman.

Subscribed and sworn to before me this *8th*

day of *June*, 188*7*

 [SEAL.] *James P. Currier*
U.S. Deputy Surveyor.

We, *R. Rush* and
H. Beatch, do solemnly


swear that we will well and truly perform the duties of Axmen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the

Base Lines of Range 1 North Ranges 32, 33, 34 & 35 - East. Willamette Meridian, Oregon.

R. Rush, Axman.
H. Beatch, Axman.

Subscribed and sworn to before me this *8th*

day of *June*, 188*7*

 [SEAL.] *James P. Currier*
U.S. Deputy Surveyor.

Base line of T. 1 North R. 32 East
Willamette Meridian, Oregon.

(8093-10 M.)

The mound of earth and pits have been destroyed and the post is badly decayed, marks on it being mostly illegible. But it is affirmed by old settlers to be in the exact place of the

original location of cor. ^{Remarkd cor ~~is~~ repaired} The mound of stone
Thence I run due East
on random on S. bdy. of
secs 35th and 36 Va. 20° East
Set temporary sec. and 1/4 sec.
corners at proper distances
and at 2 miles intersect
Nth and S line at cor to
Tps. 1 N. Rgs 32nd and 33rd Q.
This cor. has been
nearly destroyed only old
pits and mound remaining
to be seen.

Base line of T. 1 North R. 32 East
Willamette Meridian, Oregon.

After reestablishing this cor.
by setting a basalt stone
16 x 14 x 10 ins 11 ins in the
ground for standard cor
to Tps 1 N Rgs 32nd & 33^d E
marked S. C. with 6
notches on N. E. ^{and} edges
^{and} raised mound of stone
2 ft high 4 1/2 ft base over it.

Thence West on true line
on S bdy see 36
Va 20° East

1870 Closing cor. to Tps. 1 S.
Rgs 32nd & 33^d E. which is a
marked stone (X) in mound
of stone

1915 Dry gulch course N. W.
4000 Set basalt stone 12 x 8 x 7 ins
8 ins in the ground for 1/4
sec. cor. marked 1/4 S. out face

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Joe P. Currier
and Joe E. Roland, U. S. Deputy Surveyor, to assist in
running, measuring, and marking the lines and corners described in the
foregoing field notes of the survey of the
Rose lines of Tras 1 North
Secs 22, 23, 34 and 35 East Willamette Meridian, Oregon,
showing the respective capacities in which they acted:

- L. J. Woolley, Compassman.
- J. S. Medley, Chainman.
- W. H. Medley, Chainman.
- J. W. Henry, Chainman.
- Frank Belshaw, Chainman.
- R. R. Bush, Axman.
- H. W. Beach, Axman.
- _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Joe P. Currier and
Joe E. Roland, U. S. Deputy Surveyor, in surveying
all those parts or portions of the Rose line
of Tras 1 North
Secs. 22, 23, 34 and 35 East Willamette Meridian, Oregon,
as represented in the foregoing field notes as having been surveyed by
him and under his direction; and that said survey has been in all respects,
to the best of our knowledge and belief, well and faithfully surveyed,
and the corner monuments established, according to the instructions
furnished by the U. S. Surveyor General of Oregon.

- L. J. Woolley, Compassman.
- J. W. Henry, Chainman.
- J. S. Medley, Chainman.
- W. H. Medley, Chainman.
- Frank Belshaw, Chainman.
- R. R. Bush, Axman.
- H. W. Beach, Axman.
- _____, Flagman.

Subscribed and sworn to before me this fourteenth day of
June, 1887

[SEAL.] James P. Currier
U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

We, James P. Plummer and James E. Holman, United States
Deputy Surveyors, do solemnly swear that in pursuance of instructions
received from Douglas W Taylor, U. S.
Surveyor General for Oregon, bearing date of the 18th

day of May, 1887, I have well, faithfully,
and truly, in ~~my~~ ^{our} own proper person, and in strict conformity with the
instructions furnished by the U. S. Surveyor General for Oregon, the
Surveying Manual, and the laws of the United States, surveying all

those parts or portions of Base line in

Tps 1 North Rgs 32, 33, 34 and 35 - East

Willamette Meridian, in the State of Oregon, as are represented in the
foregoing field notes as having been surveyed by me and under my
directions; and I do further solemnly swear that all the corners of said
survey have been established and perpetuated in strict accordance with
the Surveying Manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Oregon, and in the specific man-
ner described in the field notes, and that the foregoing are the *true* field
notes of such survey, and should any fraud be detected I will suffer the
penalty of perjury under the provisions of an act of Congress approved
August 8, 1846.

James P. Plummer & James E. Holman
U. S. Deputy Surveyors.

Subscribed and sworn to before me this 23rd

day of February, 1885

Ale Woodcock
Notary Public
for Oregon

Office of U. S. Surveyor General,

Portland, Oregon, *May 4th*, 1888.The following ^{firearms} Field Notes of the Survey of theBase Line through Townships
1 North Ranges 32-33-34 and
35 East Will Mer Oregonexecuted by James S. Curren and James C. Stalans
Special Agents U. S. Deputy Surveyors
under ~~his~~ Contract No. _____, dated *May**4th*, 1887, having been critically examined,
the necessary corrections and explanations made, the
said Field Notes and the survey they describe, are
hereby approved.*Douglas W. Taylor*
Surveyor General.