

FIELD NOTES

Of the survey of the SubdivisionalLines of App. D. R. 32535 EastWillamette Meridian, Oregon,as surveyed by James P. Currin and James E. NolanU. S. Deputy Surveyor, under ^{their special} ~~his~~ Contract No. _____dated May 4th, 1887Survey commenced, June 29th, 1887Survey completed, July 15th, 1887

NAMES AND DUTIES OF ASSISTANTS.

_____, Compassman.
~~J. S. Medley~~ _____, Chainman.
~~H. H. Medley~~ _____, Chainman.
 Frank Belshaw _____, Chainman.
 Guy Davis _____, Chainman.
 W. B. Crowner _____, Axman.
 _____, Axman.
 _____, Flagman.

186

PRELIMINARY OATHS OF ASSISTANTS.

We, *Frank Belshaw Guy, Davis*


do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in the survey

of the *Subdivisional* lines of *T. 35 East* *T. 32 South* Willamette Meridian, Oregon.

~~*J. S. Madley*~~, Chainman.
~~*W. R. Madley*~~, Chainman.
Frank Belshaw, Chainman.
Guy Davis, Chainman.

Subscribed and sworn to before me this *29th*

day of *June*, 188*7*



James E. Holand
U.S. Deputy Surveyor

We, *D. B. B. Browne* and

D. B. B. Browne, do solemnly swear that we will well and truly perform the duties of Axmen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the

Subdivisional Line of Tps. 1 South Willamette Meridian, Oregon.
Rs. 32 + 35 East

B B Browne, Axman.
~~*J R Madley*~~, Axman.

Subscribed and sworn to before me this *29th*

day of *June*, 188*7*



James E. Holand
U.S. Deputy Surveyor

INDEX

Referring the Lines to the Pages of the Field Notes.

T.s. *1 South* R. *32 & 35 East* Will. Mer.
(R 35 East) *(R. 32 East)*

| | | | | | | | | | |
|-----------|-----------|-----------|-----------|-----------|----------|----------|-----------|-----------|----|
| 6 | <i>17</i> | 5 | 6 | 4 | <i>1</i> | 3 | 2 | <i>42</i> | 1 |
| <i>19</i> | ⊙ | <i>18</i> | ⊙ | <i>7</i> | ⊙ | <i>3</i> | <i>41</i> | <i>40</i> | |
| 7 | <i>20</i> | 8 | <i>8</i> | 9 | <i>4</i> | 10 | 11 | <i>39</i> | 12 |
| <i>22</i> | ⊙ | <i>21</i> | ⊙ | <i>10</i> | | | <i>38</i> | <i>36</i> | |
| 18 | <i>23</i> | 17 | <i>11</i> | 16 | | 15 | 14 | <i>37</i> | 13 |
| <i>25</i> | ⊙ | <i>24</i> | ⊙ | <i>13</i> | | | | <i>35</i> | |
| 19 | <i>26</i> | 20 | <i>14</i> | 21 | | 22 | 23 | | 24 |
| <i>29</i> | ⊙ | <i>28</i> | ⊙ | <i>15</i> | | | | | |
| 30 | <i>30</i> | 29 | <i>16</i> | 28 | | 27 | 26 | | 25 |
| <i>32</i> | | <i>31</i> | | | | | | | |
| 31 | <i>33</i> | 32 | | 33 | | 34 | 35 | | 36 |

Meanders of _____, Pages _____ to _____

Meanders of _____, Pages _____ to _____

33223

Subdivision of T. 1 South R. 35 East
Willamette Meridian, Oregon.

(8093-10 M.)

South on True line bet. Secs. 31 & 32
Var $19^{\circ}30'E$

3275 Summit of Table land +800
Enter timber

4000 Set a post $36 \times 3 \times 3$ in 24 ins. in
The ground for $\frac{1}{4}$ Sec. Cor. Mkd.
 $\frac{1}{4}$ S. on W. face. From which a
Pine 36 ins. in dia. bs. $N 30^{\circ} E$ dist
35 lks mkd. $\frac{1}{4}$ S. B.P. A pine 30 ins.
in diam. bs. $S 45^{\circ} W$ dist. 45 lks.
Mkd. $\frac{1}{4}$ S. B.P.

8584 Intersect. E. ldy. of Tsp. 9.00 chs.
E. of $\frac{1}{4}$ Sec. Cor. Set a post 4x4
4x4 ins 2 ft in ground for ^{closing cor} 10
Secs 31 & 32 marked T. 1 S. S 32 m
N.E. R 35 S. 31 on N.W. T. 2 S. S. 6 m
S.E.C. on ^{faces} N + 5 notches on E + 1 on
Wedgs. from which a pine 10 ins ^{N.} $N 30^{\circ} E$
dist 34 lks mkd. T. 1 S. R. 35 E. S. 32 B.P. a pine 18 ins
bs. ^{N. 45 W.} $N 85^{\circ} W$ dist 45 lks mkd. S 31 B.P. no other tree
Raised md of stone above grade
in limits. Land maintained. Soil 3 x 2 rate
good pine & Fir on table land 8584

237
FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by James P. Curran
and James E. Noland, U. S. Deputy Surveyors, to assist in
running, measuring, and marking the lines and corners described in the
foregoing field notes of the survey of the Subdivisional
lines of Sp. 1 South R. 32
and 33 East Willamette Meridian, Oregon,
showing the respective capacities in which they acted:

....., Compassman.
Frank Belshaw....., Chainman.
Guy Davis....., Chainman.
....., Chainman.
....., Chainman.
B. B. Crommer....., Axman.
....., Axman.
....., Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted James E. Noland
and James P. Curran, U. S. Deputy Surveyor, in surveying
all those parts or portions of the Sp. 1 South R. 32
and 33 East of
..... Willamette Meridian, Oregon,
as represented in the foregoing field notes as having been surveyed by
him and under his direction; and that said survey has been in all respects,
to the best of our knowledge and belief, well and faithfully surveyed,
and the corner monuments established, according to the instructions
furnished by the U. S. Surveyor General of Oregon.

....., Compassman.
....., Chainman.
....., Chainman.
Frank Belshaw....., Chainman.
Guy Davis....., Chainman.
B. B. Crommer....., Axman.
....., Axman.
....., Flagman.

Subscribed and sworn to before me this 15th day of

July, 1887



James E. Noland
U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

We, *James E. Toland* ^{and James P. Currier}, United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from *Douglas N. Taylor*, U. S. Surveyor General for Oregon, bearing date of the *13th* day of *May*, 188*7*, I have well, faithfully, and truly, in ~~my~~ ^{our} own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all those parts or portions of *Twp. South Rs. 32 & 35 East*

Willamette Meridian, in the State of Oregon, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an act of Congress approved August 8, 1846.

James P. Currier *James E. Toland*
U. S. Deputy Surveyors

Subscribed and sworn to before me this *Fifteenth* day of *February*, 188*8*

Abner Woodcock
Notary Public
for Oregon

Office of U. S. Surveyor General,

Portland, Oregon, July 14th, 1888.

The ^{foregoing} ~~following~~ Field Notes of the Survey of the
 Subdivisional lines of Township
 1 South Ranges 32 & 35 East
 Willamette Meridian Oregon
 executed by James J. Currier and Jas. E. Moland
 under ^{Special Joint} ~~his~~ Contract No. _____, U.S. Deputy Surveyors,
 dated May 4th
 _____, 1887, having been critically examined,
 the necessary corrections and explanations made, the
 said Field Notes and the survey they describe, are
 hereby approved.

Douglas W. Taylor.
 Surveyor General.