

1000 Hz

Field Notes of the subdivisions of Townships  
2 North of Range 2 East of the Willamette  
Meridian, in the State of Oregon, by  
Ebenezer E. Haft Deputy Surveyor, under  
his contract N<sup>o</sup> 93 bearing date the 11<sup>th</sup> day of  
September 1860

Commenced October 6<sup>th</sup> 1860

Completed October 11<sup>th</sup> 1860

Index Diagram.

6 33	5 32	4 25	3 19	2 12	1 6
7 31	8 31	9 24	10 18	11 11	12 5
18 30	17 29	16 23	15 17	14 10	13 4
19 28	20 28	21 21	22 15	23 9	24 3
30 27	29 26	28 20	27 14	26 8	25 1
31 26	32 20	33 13	34 7	35 1	36



Subdivision commenced October 6<sup>th</sup> 1860

Chain From the corner to sec 1, 2, 35 & 36  
on the South boundary of the  
Township I run

North between sec 35 & 36

Descend gradually

40.00 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set a post for corner to sec. 25, 26  
35 and 36 in mound with trench  
and pits, and deposited 1 pint charcoal  
as per instructions

Soil 3<sup>rd</sup> rate producing grass. Soil gradually  
descending to the north

East on a random line between sec 25 & 36

Mar 20<sup>th</sup> 61

40.00 Set a post for Temp gr see corner

79.65 Intersect East boundary of Town-<sup>ship</sup> 2 & links  
South of the corner to sec  
25, 26, 35 & 36

from which corner I run  
S 89° 48' W. on a true line between sec 25 & 36



(21)  
Township 2 N Range 27 E

## Chains

- 39.82½ Set a post for gr see corner in mound  
with trench and pits and  
deposited 1 pint of charcoal  
as per instructions  
79.65 The corner to secs 25, 36, 26, 43, 5  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate producing  
grass. Sand high and rolling

## North between Secs 25 &amp; 26

- 40.00 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint charcoal as per instructions  
80.00 Set a post for corner to Secs  
23, 24, 25, and 26 in mound  
with trench and pits and  
deposited 1 pint of charcoal  
as per instructions  
The soil is of a light  
porous nature, producing  
abundance of bunch grass  
Sand high and rolling



(3)

Township 2 N Range 27 E 103.

Chains East on a random line between sec 24 & 25

Mar 19<sup>th</sup> 55<sup>th</sup> E

40.00 Set a post for Temp gr sec corner

79.45 Intersect East boundary of <sup>township</sup> 40 links South  
of the corner to sec's 24, 25, 19 & 30

from which corner I run  
S 89<sup>th</sup> 43' W on a true line between sec's 24 & 25

39.72 $\frac{1}{2}$  Set a post for gr sec corner in mound  
with trench & pits and deposited  
1 pint of Charcoal, as per instructions

79.45 The corner to sec's 23, 24, 25 & 26  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land high and rolling

---

North between sec's 23 & 24

40.00 Set a post for gr sec corner in mound  
with trench & pits and deposited  
1 pint of Charcoal as per instructions

80.00 Set a post for corner to sec's 13, 14, 23 & 24  
in mound with trench and pits and deposited  
1 pint of Charcoal as per instructions  
Soil 3<sup>rd</sup> rate producing grass  
Land high and rolling



(4)  
Township 2 N. Range 27 E

Chains East on a random line between sec 13 & 24

Mar 19<sup>th</sup> 45<sup>th</sup> E

40.00 Set a post for temp gr see corner

79.80 Intersect <sup>v East boundary of Township</sup> ~~Township Line~~ 65 links

South of the corner to sees 13, 14, 18 & 19

from which corner I run

S 89° 32' W on a True line between sees 13 & 24

39.90 Set a post for gr see corner in ground

with trench and pits and deposited

1 pint of charcoal as per instructions

79.80 The corner to sees 13, 14, 23 & 24

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass

Land high and rolling

Norther between sees 13 & 14

40.00 Set a post for gr see corner in ground

with trench and pits and deposited

1 pint of charcoal as per instructions

80.00 Set a post for corner to sees 13, 14, 18 & 12

in ground with trench and pits, and

deposited 1 pint charcoal, as per instructions

Soil 3<sup>rd</sup> rate producing grass

Land rolling & descending to the North



(5)  
Township 2 N Range 27 East 105

Chain East on a random line between sec 12 & 13

Mar 19<sup>th</sup> 50<sup>th</sup> E

- 40.00 Set a post for temp gr sec corner  
49.50 Intersect East boundary of the Township  
50 links South of the corner to sec 12, 13  
7 & 18 from which corner I run  
S 89° 39' W on a true line between sec 12 & 13  
39.75 Set a post for gr sec corner in mound  
with trench & pits and deposited  
1 pint of charcoal, as per instructions  
79.50 The corner to sec 11, 12, 13 & 14  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
Lower rolling

North between sec 11 & 12

- 17.00 Enter Butter creek bottom, bearing N. E. & S. W  
40.00 Set post for gr sec corner in mound  
with trench, and pits and deposited  
1 pint of charcoal as per instructions  
78.25 Butter Creek (dry) runs N. E.  
80.00 Set post for corner to sec 9, 11, 12 & 20 in  
mound with trench and pits and deposited  
1 pint of charcoal as per instructions  
Soil on Butter creek bottom 1<sup>st</sup> rate, black  
loam, and low level, remainder rolling  
3<sup>rd</sup> rate



106

(6)  
Township Co. N. Range 29 East

Chain East On a random line between sec 18/2

Bar 19°45'E

40.00 Set a post for temp gr sec corner  
79.85 Intersect the East boundary of  
the Township 41 links South  
of the corner to sec 1. 12. 687

from which corner I run  
S 89°42' W on true line between sec 18/2

39.92 1/2 Set a post for gr sec corner in ground  
with trench and pits and deposited  
1 pint of charcoal as per instructions

46.00 Enter Butter Creek bottom

79.45. Enter Butter Creek, at this place  
it is dry, and bears N.E

79.75 Leave Butter Creek

79.85 The corner to sec, 1. 2. 11812

Soil on Butter Creek bottom is 1<sup>st</sup> rate  
rich black loam, and a little alkali  
and sand level, On the East part it  
is 3<sup>rd</sup> rate and rolling



( 7 )  
Township 2. N. Range 27 East

107

Chains North on a random line between sec 142

40.00 Set a post for Temp gr see corner

80.80 Intersect the North boundary of the Township

35 links west of the corner to sec

1.2. 35836. from which corner I run

$S 0^{\circ} 15' N$  on a true line between sec 142

1200 ~~Corner~~ Butter Creek bottom

40.80 Set a post for gr see corner in mound

with trench and pits and deposited

1 pint of Charcoal as per instructions

80.80 The corner to sec 1.2. 11412

Soil on Butter Creek bottom level 15<sup>th</sup> rate

Remained rolling and 3<sup>rd</sup> rate Oct 6<sup>th</sup> 1860

October 7<sup>th</sup> 1860

North between sec 34 & 35

40.00 Set a post for gr see corner in

mound with trench and pits and

deposited 1 pint Charcoal as per instructions

80.00 Set a post for the corner to sec 26. 27. 34 &

35 in mound with trench & pits and deposited

1 pint of Charcoal as per instructions

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass

Soil high and rolling



Township ( 8 ) 2<sup>d</sup> Range 27 E

Chains East on a random line between sec's 26 & 35

Mar 20<sup>th</sup>

- 40.00 Set a post for temp gr sec corner  
 80.40 Intersect N & S line 20 lks South  
 of the corner to sec's 25, 26, 35 and 36  
 from which corner I run  
 S 89° 51' W on a true line between sec's 26 & 35  
 40.20 Set a post for gr sec corner in ground  
 with trench and pits and deposited  
 1 pint of charcoal as per instructions  
 80.40 The corner to sec's 26, 27, 34 & 35  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate producing grass  
 Land gently rolling

North between sec's 26 & 27

- 40.00 Set a post for gr sec corner in ground  
 with trench and pits and deposited  
 1 pint of charcoal as per instructions  
 80.00 Set post for corner to sec's 22, 23, 26 & 27  
 in ground with trench and pits and dep-  
 osited 1 pint charcoal as per instructions  
 Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate producing grass  
 Land rolling



( 9 ) D. D. N. & 24 E 109

Chains East on a random line between sec's 23 & 26

Mar 19<sup>th</sup> 45<sup>th</sup> E

- 40.00 Set a post for temp gr sec corner  
39.79 On terrace N 85 line 5 links north of  
the corner to sec's 23, 24, 25 & 26  
from which corner I run  
N 89° 58' W on a true line between sec's 23 & 26  
39.89½ Set a post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions  
49.79 The corner to sec's 22, 23, 26 & 27  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land gently rolling

---

North between sec's 22 & 23

- 40.00 Set a post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions  
71.10 Butter Creek 20 links wide runs N N E  
80.00 Set a post for corner to sec's 14, 15, 22 & 23  
in mound with trench and pits and deposited  
1 pint of charcoal as per instructions  
Land on South part rolling 3<sup>rd</sup> rate, on North part level 1<sup>st</sup> rate



Chain East On a random line between sec 14 & 23  
 Mar 19<sup>th</sup> 45<sup>th</sup> E

40.00 Set a post for Temp gr sec corner  
 79.60 Intersect N. & S. line 25 lbs South of  
 The corner to sec 13, 14, 23 & 24 from which corner  
 I run

S 89° 49' W on a true line between sec 14 & 23

39.84 Set a post for gr sec corner in mound  
 with trench and pits and deposited  
 1 pint of Charcoal as per instructions  
 74.60 Enter Butter creek bottom & leave rolling ground  
 77.05 Butter creek 25 lbs wide runs N. N. E.  
 79.60 The corner to sec 14, 15, 22 & 23

Sound on Butter creek bottom level & 1<sup>st</sup> rate  
 Remainder rolling. 2<sup>nd</sup> & 3<sup>rd</sup> rate

North between sec 14 & 15

40.00 Set a post for gr sec corner in mound  
 with trench and pits and deposited  
 1 pint of Charcoal as per instructions  
 80.00 Set a post for corner to sec 10, 11, 14, & 15  
 in mound with trench and pits and deposited  
 1 pint of Charcoal as per instructions  
 Sound level & sail 1<sup>st</sup> rate and 2<sup>nd</sup> rate  
 Some sage wood -



Township 2 N Range 27 East !!!

Chain East On a random line between sec 11 & 14  
~~40.00 Set post for temp. gr. sec corner~~

40.00 Mar 19<sup>th</sup> 50<sup>th</sup> E  
Set post for temp. gr. sec corner  
39.53 Intersect N 85' line 2 lks South  
of the corner to sec 11, 12, 13 & 14

from which corner I run  
S 89° 59' W. On a true line between sec 11 & 14

24.50 Enter Butter Creek bottom course N. E

39.00 Enter Butter Creek which is dry  
at this place

39.76 1/2 Set a post for the gr. sec corner in  
the Butter Creek channel  
from which

A Balm 12 in dia bears N 90° E 12 lks  
" Kaw tree 4 " " " 328° W 26 "

40.00 Leave Butter Creek

39.53 The corner to sec 10, 11, 14 & 15  
Lies on Butter Creek bottom 1<sup>st</sup> rail  
Remainder ~~is~~ rolling producing  
grass with some sage wood

---

North between sec 10 & 11

37.00 Trail up Butter Creek course S. W

40.00 Set a post for gr. sec corner in  
mound with trench and pits and  
trail N. E



112

(12)

Township 2 N. Range 27 E

Chains deposited 1 pint of charcoal

as per instructions

Leave Butter Creek bottom and ascend hill

55.00 Top of the hill 100 ft high bearing N 84 S W

80.00 Set a post for corner to sec 10, 11, 2 &amp; 3

in mound with trench and pits and deposited

1 pint of charcoal as per instructions

Soil on Butter Creek bottom 1<sup>st</sup> rate andSoil level, on north part of line 3<sup>rd</sup> rate

and lully

East on a random line between sec 14 &amp; 2

Bar 19° 55' E

40.00 Set a post for Temp gr see corner

79.80 Intersect at 8 S. line 7 links north of

the corner to sec 12, 11 &amp; 12, from which corner run

N 89° 57' W on a true line between sec 14 &amp; 12

39.90 Set a post for gr see corner in mound

with trench and pits, and deposited

1 pint of charcoal as per instructions

50.70 Road up Butter Creek S. S. W, ascend hill

79.80 The corner to sec 10, 11, 2 &amp; 3

Soil on Butter Creek, level 4<sup>th</sup> rate Remainder  
hill 4<sup>th</sup> rate



(13)  
Township 2 N Range 27 East

113

Chains North on a random line between sec 33 & 2

40.00 Set post for temp gr see corner

80.54 Intersect the North boundary of the Township

10 lks West of the corner to sec 2, 3, 34 & 35

from which corner Four

S. 0 4' W on a true line between sec 2 & 3

41.50 The main road from the Dolles to  
Malla walla course N. E

40.54 Set a post for gr see corner in mound

and deposited 1 pint charcoal, and made

trench and pits, as per instructions

80.54 The corner to sec 1, 2, 11 & 12

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass

Land high and rolling Oct. 7<sup>th</sup> 1860

October 8<sup>th</sup> 1860

North between sec 33 & 34

Passing over the edge of a bluff

25.00 Entered Butler creek valley course N. W

41.00 Set a post for gr see corner in mound

with trench and pits and deposited

1 pint of charcoal as per instructions

43.40 Butler creek 15 lks wide course N. W

71.00 Leave Butler creek valley and ascend steep bluff

80.00 Set a post for corner to sec 27, 28, 33 & 34



114

(14)

Township 2 N. Range 27 E

Chains in ground with trench and

pits, and deposited 1 pint of charcoal, as per instructions on top of bluff 100 ft high Soil on Butter creek bottom 1<sup>st</sup> rate remainder 2<sup>nd</sup> & 3<sup>rd</sup> rate

The corner to sec 27, 28, 33 & 34 is the N. & E. corner of <sup>Chains</sup> ~~the~~ ~~sec~~ ~~27~~ ~~28~~ ~~33~~ ~~34~~

East on a random line between sec 27 & 34

Bar 19° 45' E

40.00 Set a post for temp gr see corner

80.25 Or intersect N. & S. line 28 miles

South of the corner to sec 26, 27, 34 & 35

from which corner I run S 89° 48' W an true line between sec 27 & 34

40.12 1/2 Set a post for gr see corner in ground with trench and pits and deposited 1 pint of charcoal as per instructions

80.25 The corner to sec 27, 28, 33 & 34

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate proemary grass Land rolling







## Township 2 N. Range 27 East

## Chains

- 39.90 Intersection N & S line 33 lks South  
of the corner to Secs 22, 23, 26 & 27  
from, which corner I run  
S 89° 46' W. on true line between Secs 22 & 27.
- 39.95 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions  
Enter Butter Creek bottom
- 57.10 Butter Creek 20 lks wide runs N & E  
at the intersection it is dry.
- 79.90 The corner to Secs 21, 22, 27 & 28  
Soil on bottom first rate land level  
Remainder land hilly soil 3<sup>rd</sup> rate

## North between Secs 21 &amp; 22

- 40.00 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions
- 45.00 Trail up Butter Creek being S S. W  
Leave bottom & enter high land
- 80.00 Set a post for corner to Secs 15, 16, 21 & 22  
in mound with trench and pits and deposited  
1 pint of charcoal as per instructions  
Soil 1<sup>st</sup> & 2<sup>nd</sup> rate land on bottom level



{ 14 }  
Township 2 N. Range 27 East 117

Chains East On a random line between Sec 15 & 22

Mar 19<sup>th</sup> '80

210.00 Set a post ~~for~~ <sup>at</sup> ~~the~~ <sup>the</sup> corner ~~in~~ <sup>in</sup> mound  
Enter Butter Creek.

80.20 Intersect N. & S' line 22 lks South  
of the corner to Sec 15. 14. 23 & 22  
from which corner I run

S 89° 51' W on a true line between Sec 15 & 22

40.10 Set a post for ~~the~~ <sup>at</sup> ~~the~~ <sup>the</sup> corner in mound  
with trench and pits and deposited  
1 pint of char coal as per instructions

59.00 Trail up Butter Creek bear S 44  
Enter high land & leave bottom

80.20 The corner to Secs 15. 16. 21 & 22  
Soil principally 2<sup>nd</sup> & 3<sup>rd</sup> rate  
on the bottom level with some sage

---

North between Secs 15 & 16

40.00 Set a post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of char coal as per instructions

80.00 Set post <sup>for</sup> corner to Secs 10. 15 & 16  
in mound with trench and pits and  
deposited 1 pint char coal as per instructions  
Send rolling soil 3<sup>rd</sup> rate



Township 2 North Range 27 E

random line

Chain East ~~on~~ between sec 10 & 15

Bar 19° 20' E

40.00 Set a post for temp gr see corner

80.21 Intersect N & S. line 5 links South of the corner to sec 10. 11. 14 & 15

from which corner I run S 89° 58' 30" on a true line between sec 10 & 15

17.00 Trail up Butter creek bears S 77

40.1042 Set a post for gr see corner in mound with trench and pits and deposited 1 pint of charcoal as per instruction Low bottom and enter hills

80.21 The corner to sec 10. 9. 16 & 15 Soil 1<sup>st</sup> & 2<sup>nd</sup> rate, The bottom is principally covered with sage wood

North between sec 9 & 10

40.00 Set a post for gr see corner in mound with trench and pits and deposited 1 pint of charcoal

80.00 Set post for corner to sec 9. 10. 3 & 4 in mound with trench and pits and deposited 1 pint of charcoal, as per instructions Soil 3<sup>rd</sup> rate producing grass. Land rolling



(19)  
Township 2. N. Range 27 E 119

Chains East on a random line between sec's 3 & 10

Var  $20^{\circ} 5' E$

- 40.00 Set a post for Temp gr see corner  
79.98 Intersect N & S line 5 lks North  
of the corner to sec's 2, 3, 10 & 11  
from which corner I run  
N  $89^{\circ} 58' W$  on a true line between sec's 3 & 10  
39.99 Set a post for gr see corner in mound  
with trench and pits, and deposited  
1 pint of Charcoal as per instructions  
79.98 The corner to sec's 3, 4, 9 & 10  
Soil 3<sup>rd</sup> rate. Land high & rolling

North on a random line between sec's 3 & 4

- 40.00 Set post for Temp gr see corner  
80.56 Intersect North boundary of Township  
2 lks West of corner to sec's 3, 4, 33 & 34 from which, I run  
S  $0^{\circ} 1' W$  on a true line between sec's 3 & 4  
26.50 Road from Dalles to Walla Walla bearing E. N. E  
40.56 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of Charcoal as per instructions  
80.56 The corner to sec's 3, 4, 9 & 10  
Soil 3<sup>rd</sup> rate Land high & rolling  
Oct. 8<sup>th</sup> 1860



120

(201

Township 2 N. Range 27 East

October 9<sup>th</sup> 1860

Chains - North between Sec 32 &amp; 33

- 40.00 Set a post for gr sec corner in mound  
with trench and pits and deposited  
1 pair of charcoal as per instructions
- 80.00 Set a post for corner to sec 32, 33, 28 & 29  
in mound with trench and pits and de-  
posited 1 pair of charcoal as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Some rolling

East On a random line between Sec 33 & 28  
Mar 19<sup>th</sup> 30<sup>th</sup> E

- 40.00 Set a post for temp gr sec corner
- 80.02 Intersect N & S line 32 lbs south of the  
corner to Secs 27, 28, 33 & 34 from which I run  
S 89° 46' N on a true line between Secs 28 & 33
- 1.0.00 Set end a steep rocky bluff 80 ft high
- 5.50 Foot of bluff & enter Butter creek bottom
- 14.00 Raders house bears south 1.00 chain
- 16.00 Enter timber & undergrowth
- 18.00 Butter creek 20 lbs wide runs North
- 18.50 Leave brush and timber. Trail up Butter creek
- 40.01 Set a post for gr sec corner in mound  
with trench and pits and deposited



Township 2 N. Range 27 East 121

Chains 1 pint of charcoal, as per instructions

52.00 Leave Butter creek bottom and ascend

80.02 The corner to Secs 23, 28 & 29

Soil on Butter creek bottom 1<sup>st</sup> rate  
Remainder 3<sup>rd</sup> rate

North between Sec's 28 & 29

40.00 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set a post for corner to Secs 28 & 29 & 21  
in mound with trench, and pits and deposited  
1 pint of charcoal, as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Sand rolling

East on a random line between Sec's 21 & 28  
Mar 19<sup>th</sup> 30<sup>th</sup> 21

40.00 Set a post for temp gr see corner

49.77 Intersect N & S line 35 lks South  
of the corner to Secs, 21, 22, 27 & 28  
from which corner run

S 89° 45' W on a true line between Secs 21 & 28

19.50 Leave Butter creek bottom and ascend



(22)  
122 Township 2 N. Range 27 East

Chains high rolling ground

21.00 Trail up Butter Creek, bears South

3988 $\frac{1}{2}$  Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of Charcoal as per instructions

4999 The corner to Secs 20, 21, 28 & 29

Soil on Butter Creek bottom 1<sup>st</sup> rate

Remainder Land rolling 2<sup>nd</sup> & 3<sup>rd</sup> rate

---

North between Secs 20 & 21

40.00 Set a post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set post for corner to Secs 16, 17

20 & 21 in mound with trench  
and pits and deposited 1 pint of

Charcoal as per instructions

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing

grass Land high and rolling  
declining towards the North



## Township 2 N. Range 27 East

123

Chains East on a random line between sec's 16 &amp; 21

Mar 19<sup>th</sup> 30<sup>th</sup> E

40.00 Set a post for temp gr see corner  
 49.93 Intersect N. & S line, 30 lbs South of the  
 corner to Sec's 15, 16, 21 & 22

from which corner I run  
 S 89° 47' 44" on a true line between sec's 16 & 21

39.96 1/2 Set a post for gr see corner in mound  
 with trench and pits and deposited  
 1 pint of Charcoal as per instruction

49.93 The corner to sections 16, 17, 20 & 21  
 Soil 3<sup>rd</sup> rate producing grass  
 Sand rolling

North between Sec's 16 &amp; 17

40.00 Set a post for gr see corner in mound  
 with trench and pits, and deposited  
 1 pint of Charcoal, as per instructions

80.00 Set a post for corner to Sec's 8, 9, 16 & 17  
 in mound with trench and pits and  
 deposited 1 pint of Charcoal  
 as per instructions



(24)  
124 Township 2 N. Range 27 East

Chain East on a random line between Sec 9 & 16

Mar 19<sup>th</sup> 45<sup>th</sup> E

- 40.00 Set a post for Temp gr sec corner  
79.70 Intersect N & S line 31 lks South  
of the corner to Sec 9, 10, 15 & 16  
from which corner I run  
S 89° 47' W on a true line between Sec 9 & 16  
39.85 Set a post for gr sec corner in mound with  
trench and pits and deposited 1 pint  
of Charcoal as per instructions  
79.70 ~~The corner~~ to Sec 8, 9, 16 & 17  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate producing grass  
Land gently rolling
- 

North between Sec 8 & 9

- 40.00 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of Charcoal as per instructions  
80.00 Set post for corner to Sec 4, 5, 8 & 9  
in mound with trench and pits, and  
deposited 1 pint of Charcoal as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land gently rolling.



Township 2 N Range 27 East

Chains East on random <sup>v line</sup> between Secs 4 & 9  
on 19° 40' E

40.00 Set a post for temp gr see corner  
79.70 Intersect at 3 line 28 links South  
of the corner to Secs 3, 4, 9 & 10  
from which corner I run

89° 48' on a true line between Secs 4 & 9

39.85 Set a post for gr see corner in mound  
with trench and pits and deposited  
a pair of charcoal as per instructions

79.70 The corner to Secs 4, 5, 8 & 9  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land level & rolling

North on random <sup>v line</sup> between Secs 4 & 5

40.00 Set a post for temp gr see corner  
80.61 Intersect North boundary of Township  
55 links East of corner to Secs 4, 5, 32 & 33  
from which corner I run  
S 0° 24' E on true line between Secs 4 & 5

40.61 Set a post for gr see corner in mound  
with trench and pits and deposited  
a pair of charcoal as per instructions

56.20 Road from Dolles to Malheur bears E. N. E

80.61 The corner to Secs 4, 5, 8 & 9  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate land rolling Oct. 9<sup>th</sup> 1860.



126

(26)

Township 2 N Range 27 E.

October 10<sup>th</sup> 1860

Chain North between Sec 3 1832

- 40.00 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of Charcoal as per instructions
- 80.00 Set post for corner to Sec 29.30.31 & 32  
in mound with trench and pits and  
deposited 1 pint of charcoal as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Sand rolling

East on a random line between Sec 29 &amp; 32

- 40.00 Set post for temp gr see corner  
Bar 19° 45' E
- 80.30 Intersect N & S. line 25 lbs North  
of the corner to Secs 32.33.28 & 29  
from which corner I run  
N 89° 49' W on true line between Sec 29 & 32
- 40.15 Set post for ~~gr see~~ corner  
in mound with trench and pits  
and deposited 1 pint charcoal, as per instruction
- 80.30 The corner to Secs 29.30.31 & 32  
Soil 3<sup>rd</sup> rate producing grass  
Sand rolling



( 27 )

Township 2 N Range 27 East <sup>127</sup>

Chain West on a random line between sec 30 & 31

40.00 Set post for temp gr sec corner

85.90 Intersect West boundary of Township  
30 lks South of the corner to sec <sup>v36</sup> 30, 31, 25 &

in mound with trench and pits and deposited  
1 pint of charcoal, as per instructions  
from which corner I run

S 89° 48' E on true line between sec 30 & 31

45.90 Set post for gr sec corner in mound  
with trench and pits and deposited

85.90 1 pint of charcoal as per instructions  
The corner to sec 29, 30, 31 & 32  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land level and rolling

North between sec 29 & 30

40.00 Set post for gr sec corner in mound  
with trench and pits and deposited

1 pint of charcoal, as per instructions

80.00 Set post for corner to sec 19, 20, 29 & 30  
in mound with trench and pits and  
deposited 1 pint charcoal as per instructions

Soil 3<sup>rd</sup> rate producing grass  
Land gently rolling



128

(28)

Township 2 N Range 27 East

Chain East on a random line between sec<sup>s</sup> 20 & 29Var  $19^{\circ}40' E$ 

40.00 Set a post for temp gr sec corner

80.50 Intersect N & S line 26 lks North  
of the corner to sec<sup>s</sup> 20, 21, 28 & 29

from which corner I run

 $N 89^{\circ}49' W$  on a true line between sec<sup>s</sup> 24 & 29

40.25 Set post for gr sec corner in mound

with trench and pits, and deposited 1

pint of charcoal, as per instructions

80.50 The corner to sec<sup>s</sup> 19, 21, 29 & 30Soil 3<sup>rd</sup> rate producing grass

Land rolling

West on a random <sup>line</sup> between sec<sup>s</sup> 19 & 30

40.00 Set post for temp gr sec corner

86.00 Intersect West boundary of Township

16 lks South of the corner to sec<sup>s</sup> 24, 25, 19 & 30

from which corner I run

 $S 89^{\circ}54' E$  on true line between sec<sup>s</sup> 19 & 30

46.00 Set post for gr sec corner in mound

with trench and pits and deposited

1 pint of charcoal as per instructions

86.00 The corner to sec<sup>s</sup> 19, 20, 29 & 30Soil 3<sup>rd</sup> rate Land rolling



(29)  
Township 2 N. Range 27 East <sup>129</sup>

Chains North between Sec 19 & 20

40.00 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions

80.00 Set post for corner to Sec 17, 18, 19 & 20  
in mound with trench and pits and  
deposited 1 pint charcoal as per instructions  
Soil 3<sup>rd</sup> rate producing grass  
Land level and rolling

---

East on a random line between Sec 17 & 20

Var  $19^{\circ}50'E$

40.00 Set post for Temp gr see corner

80.15 Intersect N. & S line 400 lks North  
of the corner to Sec 16, 17, 20 & 21  
from which corner I run

$N 89^{\circ}43'W$  on true line between Sec 17 & 20

40.07 $\frac{1}{2}$  Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions

80.15 The corner to Sec 17, 18, 19 & 20  
Soil 3<sup>rd</sup> rate producing grass  
Land gently rolling



139

(30)

Township 2 N Range 27 East

Chains West on a random line between sec 18 & 19

40.00 Set post for Temp gr sec corner

85.81 Intersect west boundary of township  
18 lks North of the corner to sec 18, 19, 20 & 24  
from which corner I run

N 89° 52' E on true line between sec 18 & 19

45.81 Set post for gr sec corner in mound with  
trench and pits and deposited 1 pint  
of charcoal as per instructions

85.81 The corner to sec 17, 18, 19 & 24  
Soil 3<sup>rd</sup> rate producing bunch grass  
Land gently rolling. Oct. 10<sup>th</sup> 1860.

October 11<sup>th</sup> 1860

North between sec 17 & 18

40.00 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions

80.00 Set post for corner to sec 7, 8, 17 & 18  
in mound with trench and pits and dep.  
1 pint charcoal as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass  
Land level and rolling



Township 2 N. Range 27 East 131

Chain East on random <sup>line</sup> between sec 8 & 17

40.00 <sup>40.00</sup> Mar 20<sup>5</sup> E  
40.00 Set post for gr see corner in mound

80.50 <sup>80.50</sup> with trench and pits and deposited  
81.50 Intersect ~~west boundary~~ N. & S line  
of mound ~~at~~ as per instructions  
47 links North of the corner to sec

8.9.16 & 17 from which corner I run  
N 89° 40' W on true line between sec 8 & 17

40.25 <sup>40.25</sup>  
40.25 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions

80.50 <sup>80.50</sup>  
81.50 The corner to sec 7.8.17 & 18  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate Land rolling

---

40.00 <sup>40.00</sup> West on random <sup>line</sup> between sec 7 & 18  
40.00 Set post for Temp gr see corner

85.62 <sup>85.62</sup>  
85.62 Intersect west boundary of Township  
5 links North of corner to sec 12.13.7 & 18  
from which corner I run

45.62 <sup>45.62</sup> N 89° 58' E between sec 7 & 18  
45.62 Set post for gr see corner in mound  
with trench and pits and deposited

85.62 <sup>85.62</sup> 1 pint charcoal as per instructions  
85.62 The corner to sec 7.8.17 & 18

Soil 3<sup>rd</sup> rate Land rolling



132

(321)

Township 2 N Range 27 E

Chains North between sec's 7 &amp; 8

40.00 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint charcoal as per instructions

76.20 Road from Dallas to Wallawalla  
bears E. N. E. 74.5° W

80.00 Set post corner for sec's  
5, 6, 7 and 8 in mound with  
trench and pits and deposited  
1 pint of charcoal as per instructions  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Land high and rolling

East on random line between sec's 5 & 8  
bears 20° E

40.00 Set post for trap gr see corner

80.60 Intersect N and S. line 35 lks

North of the corner to sec's 4, 5, 8 & 9

from which corner I run

N 89° 45' W on true line between sec's 5 & 8

40.30 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per  
instructions



Chains

69.20

69.20 Road from Jaller to Wellawella bears E.N.E.

80.60 The corner to sees 5.6.7 & 8

80.60

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate producing grass

Land high and rolling

40.00

West on Random line between sec 6 & 7

40.00 Ser post for temp gr. see corner in mound

85.51

with trench

85.51 Intersect west boundary of Township

6 lks south of the corner to sees 6.7

1 & 12 from which corner I run

S 89° 57' E on true line between sec 6 & 7

45.51

45.51 Ser post for gr see corner in mound

with trench and pits and deposited

85.51

1 priv charcoal as per instructions

85.51 The corner to sees 5.6.7 & 8

Soil 3<sup>rd</sup> rate producing grass

Land high and rolling



134

(341

Township 2 N. Range 27 East

Chains North on Random <sup>line</sup> between Secs 5 & 6

40.00 Set post for Temp gr sec corner

80.01 Intersect North boundary of township

25 links East of the corner to sec

31.32.586, from which corner I run

S 0° 11' E on true line between Secs 5 &amp; 6

40.01 Set post for ~~Temp~~ gr sec corner

in mound with trench and pits

and deposited 1 pint charcoal

as per instructions

80.01 The corner to sec 5.6.7 &amp; 8

Soil 3<sup>rd</sup> rate producing grass

Land high and rolling

October 11<sup>th</sup> 1865



General Description

This Township is adapted principally to grazing purposes, producing abundance of good bunch grass. The soil is light and porous, its quality as yet not being fully tested. On Butter creek bottom the soil is rich black loam, in some places injured by Alkali. The land rises in beautiful tables on each side of Butter creek and sinks gradually towards the Columbia river. Butter creek is principally dry in this township at this season, but one small cabin has been built in the township.



A list of the names of the individuals  
employed to assist in running  
measuring, or marking, the lines and corners  
described in the foregoing field notes  
of Township No 2 North, of Range No  
27 East of the Willamette meridian  
showing the respective capacities in  
which they acted

Jacob M<sup>c</sup> Daniel } Chairman  
C. H. Miller } Chairman  
F. M. Mansfield } Axeman



We hereby certify that we assisted

Ebenezer O. Craft Deputy Surveyor

in subdividing Township Number

two (2) North of the baseline of Range

Number 27 East of the Willamette Meridian

and that said Township has been

in all respects

to the best of our knowledge and

belief well and faithfully surveyed,

and the boundary monuments

planted according to the instructions

furnished by the Surveyor General.

Jacob McDaniel, Chairman

L. H. Miller, Chairman

F. M. Mansfield, Axeman

Subscribed and sworn to by Jacob

McDaniel, C. H. Miller and F. M. Mansfield, before

me a Justice of the Peace for Wasco County

in the State of Oregon this 30<sup>th</sup> day of


October 30<sup>th</sup> 1860

S. B. Hodgdon.

Justice of the Peace



I, Ebenezer E Hoast, deputy Surveyor  
do solemnly swear, that in pursuance  
of a contract with W. W. Chapman  
Surveyor of the public lands of the United  
States, in the State of Oregon, bearing date  
the 11<sup>th</sup> day of September 1860, and in  
strict conformity to the laws of the United  
States, and the instructions furnished  
by the said Surveyor General, I have  
faithfully surveyed the subdivision  
of Township No 2 North of the Base line  
of Range No 27 East of the Willamette  
Meridian, in the State aforesaid, and do  
further solemnly swear that the fore-  
going are the true and original field  
notes of such Survey.

 Ebenezer E Hoast

Deputy Surveyor

Subscribed, and sworn to by said Ebenezer E Hoast  
deputy Surveyor, before me a Notary Public  
for Lane County in the State of Oregon this  
11<sup>th</sup> day of November A.D. 1860

A. W. Patterson  
Not. Pub.



Sur. General's Office.

Eugene City, Decr 31<sup>st</sup> 1860.

The foregoing field notes of  
the survey of the subdivisions  
of Township No. 2 North Range  
No 27 East of the Willamette  
Meridian, Oregon - executed by  
Ebenezer C. Haft, deputy Surveyor  
under his Contract of the 11<sup>th</sup> day  
of September 1860 - having been  
critically examined, the necessa-  
ry corrections and explanations  
made, the said field notes and  
the surveys they describe are  
hereby approved.

W. W. Chapman  
Sur. Genl of Oregon,