

Field Notes of the Survey of the
Exterior boundaries of Township 2
North of Range 28 East of the Willamette
Meridian in the State of Oregon by
David P. Thompson, deputy Surveyor
under his contract No. 83 bearing
date the 23rd day of July 1859

46 506

D. W. R. 28. E.

chains North between Secs 7 & 12

Variation $20^{\circ}30'$ East

4000 Set post for $\frac{1}{4}$ Sec corner in Monna of Earth &c as per instructions

8000 Set post for corner to Secs 6, 7, 11 & 12 in Monna of Earth &c as per instructions
Land gently rolling Soil good 2nd rate

North on line between Secs 18 & 6

Variation $20^{\circ}10'$ East

4000 Set post for $\frac{1}{4}$ Sec corner in Monna of Earth &c as per instructions

8000 Set post for corner to Townships 28 & 3 North of Ranges 27 & 28 East in Monna of Earth &c as per instructions
Land Level Soil 1st rate

From the corner to Township 28 & 3 North of Range 27 & 28 East I run a random line between said Townships East setting temporary half mile and mile posts at 40.00 & 80.00 chains I find the line to be 5 miles 78 chains & 36 links and the falling to be 420 links North of Township

47
507

corner The correction will be 1.64 links West and 70 links North per mile

corner. From the corner to Townships 283 North of Ranges 28 & 29 East
O. P. Run

chains N 89° 30' W on true line between Secs 18 & 36

4000 Set post for 1/4 Sec corner in mound of Earth & c as per instructions

8000 Set post for corner to Secs 1, 2, 35 & 36 in mound of Earth & c as per instructions
Same Level Soil 1st rate

N 89° 30' W on true line between Secs 28 & 35
Variation 20° 30' East

15:00 Ironen Trail bears N E & S W

4000 Set post for 1/4 Sec corner in mound of Earth & c as per instructions

8000 Set post for corner to Secs 2, 3, 34 & 35 in mound of Earth & c as per instructions

Same Level Soil 1st rate

October 3rd 1859

48 508
Dy N P 28 E

chains N 89° 30' W on true line between Secs 3 & 34
Variation 20° 15' East

1400 Indian Trail bears N & S

4000 Set post for 1/4 Sec corner in mound of Earth & c
as per instructions

8000 Set post for corner to Secs 3, 4, 33 & 34
in mound of Earth & c as per instructions
Sand Level Soil good 2nd rate

N 89° 30' W on true line between Secs 4 & 33
Variation 19° 30' East

3200 Indian Trail bears N & S

4000 Set post for 1/4 Sec corner in mound of
Earth & c as per instructions

8000 Set post for corner to Secs 4, 5, 32 & 33
in mound of Earth & c as per instructions,
Sand Level Soil good 2nd rate.

J. D. H. P. 28. E.

47
509

N 89° 30' W on true line between Secs 5 & 32
Chains Variation 19° 40' East

4000 Set post for 1/4 Sec corner in mound of earth
as per instructions

8000 Set post for corner to Secs 5, 6, 31, & 32
in mound of earth as per instructions
Same Level Soil 1st rate

N 89° 30' W on true line between Secs 6 & 31
Variation 20° 45' East

4000 Set post for 1/4 Sec corner in mound of earth
as per instructions

78,36 The corner to Townships 2 & 3 North
of Range 27 & 28 East

Variation 20° East
Same Level 1st rate
Oct 4th 1859

General Description

The quality of Land in this Township is generally 1st rate Level Prairie covered with Grass

This Township will admit of a large settlement and should therefore be subdivided

List of Names

A list of of the names of the individuals employed to assist in measuring and marking the lines and corners described in the foregoing field notes of the Exterior boundaries of Townships 18 & North of Ranges Nos 28, 29, & 30 East of the Willamette Meridian Showing the respective capacities in which they acted

J. H. Townall (Chairman)
 Allen Thompson "
 Benj. Athey Axeman

We hereby certify that we assisted
 David P. Thompson deputy surveyor
 in surveying the Exterior boundaries
 of Townships Nos 1 & 2 North of the
 Base Line of Ranges Nos 28, 29, &
 30 East of the Willamette Meridian
 and that said Townships have been
 in all respects to the best of our
 knowledge and belief well and faithfully
 surveyed and the boundary monuments
 planted according to the instructions
 furnished by the Surveyor General

D. J. Fournell

Allen Thompson

Benjamin H. H. H.

Sworn and Subscribed to before
 me this 18th day of October 1859

W. C. Mowbray

County Clerk
 Wasco County Oregon

I David P. Thompson deputy Surveyor do
 Solemnly Swear that in pursuance of
 a contract with W. W. Chapman Surveyor
 of the public Lands of the United States
 in the State of Oregon bearing date
 the 22nd day of July 1859 and in strict
 conformity to the laws of the United States
 and the instructions furnished by the said
 Surveyor General I have faithfully surveyed
 the exterior boundaries of Townships Nos
 18 & 19 North of the Base Line of Ranges 28
 29 & 30 East of the Willamette Meridian in the
 State aforesaid and do further Solemnly
 swear that the foregoing are the true and original
 field notes of such Survey

David P. Thompson Dep't Sur

Sworn and subscribed to before this 1st day
 of November 1859 at Salem Oregon
 L. C. White
 Not Pub

Surveyor General's Office,

Eugene City January 31st 1860

The foregoing field notes of the surveys of the Exterior boundaries of Townships 1 & 2 North of Ranges 28, 29 & 30 East of the Willamette Meridian, Oregon, executed by David P. Thompson, deputy Surveyor under his Contract of the 22^d day of July 1859, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

W. W. Chapman
Sur. Genl. of Oregon.