

Nov 3 24

539

Cont'd.

Examined & corrected

Conts - 83

Thompson

Field Notes

Subdivision Township 2 North of  
Range 29 East

commenced Sept 5<sup>th</sup> 1859

completed Sept 10<sup>th</sup> 1859

32 - 140

Washington transcript made  
C. P. J.

Manuscript compared with  
Notes T. C.

I <sup>do</sup> William Gedamke do Solemnly  
 Swear that I will faithfully ex-  
 -cute the duties of chain carrier  
 that I will level the chain upon  
 uneven ground and plumb the  
 tally pins whether sticking  
 or dropping the same that I  
 will report the true distance  
 to all notable objects on line  
 and the true length of all lines  
 that I assist in measuring to  
 to the best of my skill and ability  
 William Gedamke

Sworn and subscribed to before  
 me at Dallas City this 18<sup>th</sup> day  
 of August 1859

Wm. W. W. W.  
 County Clerk  
 Tarrant County Tex

540 1/2  
540 A

Field notes of the Survey of the Sub-  
-division lines of Township No 2  
North of Range No. 29 East of the  
Willamette Meridian in the State  
of Oregon by David T. Thompson  
deputy Surveyor under his con-  
-tract "No 83" bearing date the 22<sup>nd</sup> day  
of July 1857

Township 2 North of Range 29 East

6	32	5	24	4	18	3	12	2	6	1
31		31		23		17		11		5
7	31	8	23	9	17	10	4	11	5	12
30		30		22		16		10		4
18	27	17	22	16	16	15	10	14	4	13
29		28		21		15		9		3
19	28	20	21	21	15	22	9	23	3	24
27		27		20		14		8		2
30	28	29	20	28	4	27	8	26	2	25
26		25		19		13		7		1
31	25	32	19	33	13	34	7	35	1	36

1541

T2N R29E

Subdivisions of T2N. R29E.

chains North between Secs 35 & 36

Dist.   
 1/4 mile

Descend hill

12.00 Foot of hill. Ravine American Gravel bears N. W. & S. E.

40.00 Set post for 1/4 Sec corner in corner of Stone

80.00 Set post for corner to Secs 35, 36, 25 & 26 in corner of Earth 8<sup>c</sup> as per instructions Land hilly Soil 2<sup>o</sup> rate

East on reunion Line between Secs 25 & 36

40.00 Set Temp. 1/4 Sec post

79.94 Intersect East boundary 20 miles north of corner to Secs 25 & 36

North 89° 52' W. on true line between Secs 25 & 36

39.97 Set post for 1/4 Sec corner in corner of Earth 8<sup>c</sup> as per instructions

79.94 The corner to Secs 25, 26, 35 & 36

Land gently rolling  
Soil 2<sup>o</sup> rate

Chains North between Secs 25 & 26  
Variation 20' 10" East

40.00 Set post for  $\frac{1}{4}$  Sec corner in mound  
of Earth & as per instructions

80.00 Set post for corner to Secs 23, 24, 25  
& 26 in mound of Earth & as per instruc-  
tions

Land gently rolling  
Soil good 2<sup>nd</sup> rate

East on random line between Secs 24 & 25

40.00 Set post for  $\frac{1}{4}$  Sec corner

79.83 Intersect East boundary 18 links north  
of Sec corner

N 89° 33' W on true line between Secs 24 & 25

39.92 Set post for  $\frac{1}{4}$  Sec corner in mound

of Earth & as per instructions  
79.83 The corner to Secs 23, 24, 25 & 26

Land gently rolling  
Soil good 2<sup>nd</sup> rate

3543

D. & N. R. S. E.

Chains North between Secs 23 & 24  
 Variation 20° 10' East

40.00 Set post for 1/4 Sec corner in corner  
 of Stone

80.00 Set post for corner to Secs 13, 14, 23 & 24  
 in corner of Earth & as per instructions  
 Land gently rolling Soil <sup>23 & 24</sup> good rate

East on remain line between Secs 13 & 24

40.00 Set temp 1/4 Sec post

80.00 Intersect East boundary 20 links  
 North of Sec corner

N 89° 52' W on true line between Secs 13 & 24

40.00 Set post for 1/4 Sec corner in corner of  
 Earth & as per instructions

80.00 Set post for corner to Secs 13, 14, 23 & 24  
 corner gently rolling  
 Soil good <sup>23 & 24</sup> rate

Meins North between Secs 13 & 14

Variation 1930' E

40.00 Set post for  $\frac{1}{4}$  Sec corner in mound of Earth  
as per instructions

80.00 Set post for corner to Secs 11, 12, 13 & 14 in  
mound of Earth as per instructions.

Land gently rolling Soil 2<sup>nd</sup> rate

---

East on random line between Secs 12 & 13

40.00 Set temp  $\frac{1}{4}$  Sec corner

80.30 Intersect East boundary 12 links South  
of Sec corner

S 89° 35' W on true line between Secs 12 & 13

40.15 Set post for  $\frac{1}{4}$  Sec corner in mound of Stone

80.30 The corner to Secs 11, 12, 13 & 14 in mound  
of Earth

Land gently rolling

Soil good 2<sup>nd</sup> rate

W. N. P. 27. E.

chains North between Secs. 11 & 12  
 Variation 18° 30' East

40.00 Set post for 1/4 Sec corner in corner of  
 Earth & as per instructions

80.00 Set post for corner to Secs 1, 2, 11 & 12  
 in corner of Earth & as per instructions  
 Land gently rolling  
 Soil good & a rate

East on range between Secs 18 & 12

40.00 Set post for temp 1/4 Sec corner

80.45 Intersect East boundary 18 links  
 South of Sec corner

S 89° 52' W on true line between Secs 18 & 12  
 23.00 Ravine bears N 8 S

40.22 Set post for 1/4 Sec corner in corner of  
 Earth & as per instructions

80.45 They corner to Secs 1, 2, 11 & 12  
 Same good & a rate gently rolling



O. W. R., 29.8.

6  
546

chains North on random line between Secs 182

Variation  $19^{\circ}30'$  East

40.00 Set post for temp  $\frac{1}{4}$  Sec corner

79.65 Intersect North boundary 35 links West  
of Sec corner

S. 15' W on true line, between Secs 182

39.65 Set post for  $\frac{1}{4}$  Sec corner in mound of  
Earth as per instructions

79.65 The corner to Secs 12, 11 & 12

Land gently rolling

Soil good 90<sup>th</sup> rate

September 5<sup>th</sup> 1859

547 No 2 N P 298

chains North between Secs 34 & 35

40.00 Set post for 1/4 Sec corner in Monna of Earth  
&c as per instructions

80.00 Set post for corner to Secs 26, 27, 34 & 35  
in Monna of Earth &c as per instructions  
Land gently rolling. Soil 1<sup>st</sup> rate

East on random between Secs 26 & 35

40.00 Set post for <sup>temp</sup> 1/4 Sec corner in Monna of

79.50 Intersect N & S <sup>70</sup> links South of  
Sec corner

S 89° 30' W on true line between Secs 26 & 35

39.75 Set post for 1/4 Sec corner in Monna of Stone

39.01 Indian Trail to Butter Creek bears N W & S E

63.00 dry creek in Ravine bears N W & S E

79.50 The corner to Secs 26, 27, 34 & 35

Land hilly  
Soil 2<sup>nd</sup> rate

Chains North between Secs 26 & 27  
 Variation 19° East  
 2000 Dry creek in Ravine bears N W & S E  
 4000 Set post for 1/4 Sec corner in Monna of  
 Earth &c as per instructions  
 8000 Set post for corner to Secs 22, 23, 26 & 27  
 Land gently rolling Soil good 2<sup>nd</sup> rate

---

East between Secs 23 & 26, on remain Line  
 4000 Set temp 1/4 Sec corner  
 7985 Intersect N & S. 70 links South of  
 Sec corner  
 S 89° 30' W on true line between Secs 23 & 26  
 3992 Set post for 1/4 Sec corner in Monna of Earth  
 &c as per instructions  
 7988 The corner to Secs 22, 23, 26 & 27  
 Land gently rolling  
 Soil 2<sup>nd</sup> rate

9 <sup>549</sup> J. A. K. D. E.

chains North between Secs 22 & 23

Variation 20° East

.50 Dueren Trail from Musatilla River to  
Butter Creek

40.00 Set post for  $\frac{1}{4}$  Sec corner in mound of earth  
8° as per instructions

80.00 Set post for corner to Secs 22, 23, 14 & 15  
in mound of earth 8° as per instructions  
Land gently rolling  
Soil good & fertile

---

East between Secs 14 & 23 on remainder line

40.00 Set chain  $\frac{1}{4}$  Sec corner

79.50 Intersect N. & S. Line 70 links South of  
Sec corner

S 89° 30' W on true line between Secs 14 & 23

39.75 Set post for  $\frac{1}{4}$  Sec corner in mound  
of earth 8° as per instructions

79.50 The corner to Secs 14 & 15 - 22 & 23  
Land gently rolling  
Soil good & fertile

chains North between Secs 14 & 15  
 Variation 20° 10' East  
 40.00 Set post for 1/4 Sec corner in corner  
 of Earth 8<sup>c</sup> as per instructions  
 80.00 Set post for corner to Secs 10, 11, 14 & 15  
 in corner of Earth 8<sup>c</sup> as per instructions  
 Land gently rolling  
 Soil good & separate

East on random line between Secs 11 & 14  
 40.00 Set temp 1/4 Sec corner  
 79.25 Intersect N & S line 33 links South  
 of Sec corner  
 S 89° 45' W. on true line between Secs 11 & 14  
 39.62 Set post for 1/4 Sec corner in corner  
 of Earth 8<sup>c</sup> as per instructions  
 79.25 True corner to Secs 10, 11, 14 & 15  
 Soil good & separate  
 Land gently rolling

chains north between Secs 10 & 11

Variation 20° 10' East

4000 Set post for 1/4 Sec corner in name of Earth & as per instructions

8000 Set post for corner to Secs 2, 3, 10 & 11 in name of Earth & as per instructions  
Land quite rolling Soil 2 <sup>and</sup> <sub>1/2</sub> cuts

East on random line between Secs 2 & 11

4000 Set post for 1/4 Sec corner

79.40 Intersect N & S Line 35 links south of Sec corner

S 89° 45' W on true line between Secs 2 & 11

39.70 Set post for 1/4 Sec corner in name of Earth & as per instructions

79.40 ~~The corner~~ to Secs 2, 3, 10 & 11  
Land quite rolling  
Soil good 2 <sup>and</sup> <sub>1/2</sub> cuts

O. J. N. C. P. D. E.

12 12  
552

North between Secs 2 & 3 on section line  
Variation 20° 10' East

40.00 Set temp. 1/4 sec corner

80.10 Intersect North boundary 21 links  
East of Sec corner

S. 9' East on true line between Secs 2 & 3

40.10 Set post for 1/4 sec corner in corner  
of earth & as per instructions

80.10 The corner to Secs 2, 3, 10 & 11

Land gently rolling

Soil good 2000<sup>th</sup> rate

September 6<sup>th</sup> 1859

chains North between Secs 33 & 34

4000 Set post for 1/4 Sec corner in corner of  
Earth &c as per instructions

8000 Set post for corner to Secs 27, 28, 33 & 34  
in corner of Earth &c as per instructions  
Land gently rolling Soil 2<sup>nd</sup> rate

East on random line between Secs 27 & 34

4000 Set post 1/4 Sec corner  
8080 Intersect N & S line 80 links South  
of Sec corner

S 89° 26' W on true line between Secs 27 & 34

4040 Set post for 1/4 Sec corner in corner  
of Earth &c as per instructions

8080 The corner to Secs 27, 28, 33 & 34

Land gently rolling Soil 1<sup>st</sup> rate



O. W. P. P. E.

14  
14  
534

Chains North between Secs 27 & 28  
Variation 2010' East  
40.00 set post for 1/4 sec corner in corner  
of Earth & as per instructions  
80.00 set post for corner to Secs 21, 22,  
27 & 28 in corner of Earth & as per  
instructions  
Some gently rolling Soil 2<sup>nd</sup> rate

East on random line between Secs 22 & 27  
40.00 set temp 1/4 sec corner  
81.00 set post at N & S line 70 links South  
of Sec corner  
N 89° 30' W on true line between Secs 22 & 27  
40.50 set post for 1/4 sec corner in corner of  
Earth & as per instructions  
81.00 The corner to Secs 21, 22, 27 & 28  
Some gently rolling Soil 2<sup>nd</sup> rate

13-

555

S. N.

P. 29. 8.

chains North between Secs 21 & 22

Variation 1930 East

40.00 Set post for 1/4 Sec corner in corner of  
Earth &c as per instructions

80.00 Set post for corner to Secs 21, 22, 15 & 16  
in corner of Earth &c as per instructions  
Land gently rolling Soil 2<sup>nd</sup> grade

---

East on remainder line between Secs 15 & 22

40.00 Set post for temp 1/4 Sec corner

81.00 Intersect N & S line 80 links South of  
Sec corner

S 89° 26' W on true line between Secs 15 & 22

10.00 Premium Gravel from Matilla No. Butter  
creek bears N. W. & S. E.

40.50 Set post for 1/4 Sec corner in corner of Earth  
&c as per instructions

81.00 The corner to Secs 15, 16, 21 & 22  
Land 2<sup>nd</sup> grade rolling

North between Secs 15 & 16

chains

Variation 20°30' East

4000 Set post for 1/4 Sec corner in mound of earth  
&c as per instructions

8000 Set post for corner to Secs 9, 10, 15 & 16  
in mound of earth &c as per instructions  
Land gently rolling Soil 2<sup>nd</sup> rate

---

East on remainder between Secs 10 & 15-

chains

4000 Set temp 1/4 Sec post

8110 Intersect N & S Line 100 links North of  
Sec corner

S 89°17' W. on true line between Secs 10 & 15-

3140 American Trail bears N. W. & S. E.

4035 Set post for 1/4 Sec corner in mound  
of earth &c as per instructions

8110 The corner to Secs 9, 10, 15 & 16  
in mound of earth

Land gently rolling  
Soil good 2<sup>nd</sup> rate

September 7<sup>th</sup> 1859

177

557

D. W. P. 29 E.

chains North between Secs 9 & 10  
 Variation 20° East

40.00 Set post for 1/4 Sec corner in mound of  
 earth &c as per instructions

80.00 Set post for corner to Secs 3, 4, 9 & 10 in mound  
 of earth &c as per instructions  
 Land gently rolling Soil good 2<sup>nd</sup> rate

chains East on remainder line between Secs 3 & 10

40.00 Set post for temp. 1/4 Sec corner

81.10 Intersect N & line 100 links South of Sec  
 corner

89.17 W on true line between Secs 3 & 10

63.17 Indian Creek bears N.W. & S.E.

40.33 Set post for 1/4 Sec corner in mound of earth  
 &c as per instructions

81.10 The corner to Secs 3, 4, 9 & 10  
 Land rolling Soil good 2<sup>nd</sup> rate

Chains North on random between Secs 384

Variation 20° 05' East

4000 Set post for <sup>1/4</sup> Sec corner in ~~meadow~~

80.55 Intersect North boundary 70 links West of Sec corner

S. 30° W on true line between Secs 384

4055 Set post for 1/4 Sec corner in ~~meadow~~ of Earth &c as per instructions

80.55 The corner to Secs 384, 98111

~~meadow~~  
= ~~meadow~~

Land gently rolling  
Soil good <sup>20</sup>/<sub>100</sub> rate

19 559  
19 O. S. N. P. 29. E.

North between Secs 32 & 33  
chains  
40.00 Set post for  $\frac{1}{4}$  Sec corner in morning  
of Earth & as per instructions  
80.00 Set post for corner to Secs 28, 29, 32 & 33  
in morning of Earth & as per instructions  
Land gently rolling  
Soil good good rate

East on Benson line between Secs 28 & 33  
40.00 Set post for temp  $\frac{1}{4}$  Sec corner  
79.44 Intersect N & S line 70 links South of  
Sec corner  
S  $89^{\circ}30'$  Now true line between Secs 28 & 33  
39.72 Set post for  $\frac{1}{4}$  Sec corner in morning of Earth,  
& as per instructions  
79.44 The corner to Secs 28, 29, 32 & 33  
Land gently rolling  
Soil good good rate

P. N. P. 298.

20  
560

North between Secs 28 & 29

Variation 20° 10' East

4000 Set post for  $\frac{1}{4}$  Sec corner in *Mound of Earth*

8000 Set post for corner to Secs 20, 21, 28 & 29  
in *Mound of Earth* & as per instructions  
Land gently rolling Soil good rate

---

East on railroad line between Secs 21 & 28

4000 Set temp.  $\frac{1}{4}$  Sec corner

79.94 Intersect N & S Line 70' South of  
Sec corner

$N 89^{\circ} 30' W$ . On true line between Secs 21 & 28

39.97 Set post for  $\frac{1}{4}$  Sec corner in *Mound*  
of *Earth* & as per instructions

79.94 The corner to Secs 28, 29, 20 & 21  
Land gently rolling Soil good rate

21 561

J. N. R. & Co.

chains North between Secs 20 & 21

Variation  $18^{\circ}15'$  East

4000 Set post for  $\frac{1}{4}$  Sec corner in mound  
of Earth & as per instructions

8000 Set post for corner to Secs 16, 17, 20 & 21  
in mound of Earth & as per instructions  
Same gently rolling Soil good 2<sup>nd</sup> rate

---

Easton ran across between Secs 16 & 21

4000 Set post for  $\frac{1}{4}$  Sec corner

8010 Intersect N & S line 70 South of  
Sec corner

$S 89^{\circ}30' W.$  on line between Secs 16 & 21

4005 Set post for  $\frac{1}{4}$  Sec corner in mound of  
Earth & as per instructions

8010 Set corner to Secs 16, 17, 20 & 21

Same gently rolling Soil good 2<sup>nd</sup> rate



M. W. P. 29, E.

22  
22  
562

chains North between Secs 16 & 17

Variation 19° 35' East

4000 Set post for 14 sec corner in corner  
of Earth & as per instructions

8000 Set post for corner to Secs 8, 9, 16 & 17  
in corner of Earth & as per instructions

Land good 2<sup>nd</sup> rate rolling

---

East on reunion line between Secs 9 & 16

4000 Set post for 14 sec corner

79.91 Intersect N & S line 76 links

South of sec corner

S 89° 27' W on true line between Secs 9 & 16

39.96 Set post for 14 sec corner in corner of  
Earth & as per instructions

79.91 The corner to Secs 8, 9, 16 & 17

Land rolling Soil good 2<sup>nd</sup> rate

Sept 8<sup>th</sup> 1859

N. W. P. 29. E.

North between Secs 889.

chains Variation 21°30' East

2650 Revine bears N 10° E 110° W

4000 Set post for 1/4 sec corner in Mound of  
Earth & as per instructions

8000 Set post for corner to Secs 4, 5, 8, 89  
in Mound of Earth & as per instructions  
Lana gently rolling. Soil concrete

East on reversion line between Secs 489

4000 Set post for temp 1/4 sec corner

80.40 Set post on N & S Line 78 links South  
of sec corner

S 89° 27' W on true line between Secs 489

40.20 Set post for 1/4 sec corner in Mound  
of Earth & as per instructions

80.40

The corner to Secs 4, 5, 8, 89  
Lana good ground rolling  
Soil good concrete

Ogden, W. P. 29.8.

24  
24  
564

- North on random line between Secs 48 & 51  
Variation 1945' East
- 4100 Set post for temp. 1/4 sec corner ~~in~~
- 8100 Intersect at north boundary 52 links  
West of Sec corner
- Ch. 22: Non true line between Secs 48 & 51
- 2000 Three springs 20 links East of line
- 4100 Set post for 1/4 sec corner in corner  
of Earth & as per instructions
- 8100 The corner to Secs 4, 5, 8 & 9  
Land 1st rate level

25 565

25-

N. 2. W. P. 298.

chain North between Secs 31 & 32

4000 set post for  $\frac{1}{4}$  sec in Monna of Earth  
& as per instructions

8000 set post for corner to Secs 29, 30, 31 & 32  
in Monna of Earth & as per instructions  
Land gently rolling Soil 1<sup>st</sup> rate

---

East on remain line between Secs 29 & 30

4000 set post for temp  $\frac{1}{4}$  sec corner

8000 Intersect. N. 2. W. line 70 links South  
of Sec corner

N. 89° 30' W. on true line between Secs 29 & 32

4000 set post for  $\frac{1}{4}$  sec corner in Monna of  
Earth & as per instructions

8000 The corner to Secs 29, 30, 31 & 32

Land gently rolling  
Soil 1<sup>st</sup> rate

chains ~~Weston~~ a remeasured line between Secs <sup>30831</sup>  
 40.00 Set temp 1/4 sec corner  
 86.25 Intersect West boundary 40 links north  
 of sec corner  
 189°43' E on true line between Secs <sup>30831</sup>  
 12.00 Indian Trail bears N. W. & E.  
 46.25 Set post for 1/4 sec corner in mound of  
 Earth &c as per instructions  
 86.25 The corner to Secs 29, 30, 31 & 32.  
 Land gently rolling  
 Soil good 2<sup>nd</sup> rate

---

North between Secs 29 & 30  
 Variation 20° East  
 40.00 Set post for 1/4 sec corner in mound of  
 Earth &c as per instructions  
 80.00 Set post for corner to Secs 19, 20, 29 & 30  
 in mound of Earth &c as per instructions  
 Land gently rolling Soil 2<sup>nd</sup> rate

27  
28

567

O. W. P. P. 29 E.

chains East on a random line between secs 20 & 29

40.00 Set post for temp 1/4 sec corner

79.80 Intersect N & S line 70 links South of  
Sec corner

S 89° 30' W on true line between secs 20 & 29

89.90 Set post for 1/4 sec corner in mound  
of earth & as per instructions

79.80 The corner to secs 19, 20, 29 & 30

Land gently rolling Soil 2<sup>nd</sup> rate

---

chains West on random line between secs 19 & 30

40.00 Set Temp 1/4 sec corner

86.76 Intersect West boundary 70 links  
North of Sec corner

N 89° 30' East on true line between secs 19 & 30

17.40 Quieren. Trail bears N. W. & S. E.

86.76 Set post for 1/4 sec corner in mound of  
earth & as per instructions

86.76 The corner to secs 19, 20, 29 & 30

Land gently rolling Soil 2<sup>nd</sup> rate

O. G. N. P. 29. E.

28  
28  
568

chains north between Secs 19 & 20

Variation  $20^{\circ} 15'$  East

4000 Set post for  $\frac{1}{4}$  sec corner in mound of  
Earth &c as per instructions

8000 Set post for corner to Secs 17, 18, 19 & 20  
in mound of Earth &c as per instructions  
Ground gently rolling Soil  $\frac{1}{4}$  rate

---

East on a remainder line between Secs 17 & 20

4000 Set post for temp.  $\frac{1}{4}$  sec corner

79.91 Intersect N & S Line 70 links South of  
corner

S  $89^{\circ} 30'$  W on true line between Secs 17 & 20

3996 Set post for  $\frac{1}{4}$  sec corner in mound  
of Earth &c as per instructions

6350. Range bears N & S

79.91 The corner to Secs 17, 18, 19 & 20

Ground gently rolling Soil  $\frac{1}{4}$  rate  
September 9<sup>th</sup> 1859

O. S. W. R. L. E.

569

chains W. on ~~Ranston~~ line between Secs 18 & 19  
 4000 Set post for temporary  $\frac{1}{4}$  Sec corner  
 8735 Intersect West boundary 12 links north of  
 Sec corner

18935 E. on true line between Secs 18 & 19  
 4735 Set post for  $\frac{1}{4}$  Sec corner in corner  
 of Earth &c as per instructions  
 8735 The corner to Secs 17, 18, 19 & 20  
 found quite <sup>very</sup> soil good rate

North between Secs 17 & 18

Variation 20° 15' East

4000 Set post for  $\frac{1}{4}$  Sec corner in corner of Earth  
 &c as per instructions  
 8000 Set post for corner to Secs 17, 18, 17 & 18  
 in corner of Earth with pit trench &c  
 as per instructions  
 Since quite rolling  
 Soil good rate



O. J. W. B. S. E.

30

570

chains East on remainder line between Secs 8817  
40.00 Set post for temporary  $\frac{1}{4}$  sec corner  
80.44 Intersect N & S Line 70 links south  
of sec corner

S 89° 30' W on true line between Secs 8817  
40.92 Set post for  $\frac{1}{4}$  sec corner in Monna of Earth  
& as per instructions  
80.04 The corner to Secs 7, 8, 17 & 18.  
Land gently rolling soil 1<sup>st</sup> rate

---

West on remainder line between Secs 7818  
40.00 Set temp  $\frac{1}{4}$  Sec corner  
87.90 Intersect West boundary at sec corner  
East on true line between Secs 7818  
26.46 Precious Gravel bears S. W. & N. E.  
47.90 Set post for  $\frac{1}{4}$  sec corner in Monna of  
Earth & as per instructions  
87.90 The corner to Secs 7, 8, 17 & 18  
Land gently rolling  
Soil good 2<sup>nd</sup> rate

571 N. 2. N. R. 29. E.

chains North between Secs 7 & 8  
Variations 20° East

4000 Set post for 1/4 Sec corner in corner of  
Earth & as per instructions

8000 Set post for corner to Secs 3, 6, 7 & 8  
in corner of Earth & as per instructions  
Land gently rolling  
Soil concrete

East on remainder line between Secs 5 & 8

4000 Set post for <sup>temporary</sup> 1/4 Sec corner in corner of  
Earth & as per instructions

7978 Intersect N & S line 74 links South of  
corner to Secs 4, 5, 8, & 9

N. 89° 28' W. on true line between Secs 5 & 8

3989 Set post for 1/4 Sec corner in corner of  
Earth & as per instructions

7998 The corner to Secs 3, 6, 7 & 8  
Land gently rolling  
Soil good concrete

D. J. W. P. 29, E.

32  
32  
572

West on a remeasured line between Secs 687

4000 Set ~~port for~~ <sup>temporary</sup> 1/4 Sec corner in mound of Earth 80° as per instructions.

8818 Intersect West boundary 40 links South of Sec corner.

S 89° 43' East on true line between Secs 687

4468 Indian Trail bears 110° 45' W  
4818 Set port for 1/4 Sec corner in mound of Earth as per instructions

8818 The corner to Secs 5, 6, 7, 8  
Land gently rolling  
Soil 1st rate

North on remeasured line between Secs 386

Variation 19° 45' East

4000 Set <sup>port for</sup> temp 1/4 Sec corner in mound of Earth 80° as per instructions

8100 Intersect North boundary 21 links East of Sec corner

S. 9° East on true line between Secs 386

4100 Set port for 1/4 Sec corner in mound of Earth 80° as per instructions

8100 The corner to Secs 5, 6, 7, 8  
Level Level . Soil 2nd rate. Sept 10<sup>th</sup> / 59

## General Description

The quality of Land in this Township is good <sup>of a</sup> rate rolling Prairie covered with a thick growth of Excellent Bunch Grass

There are numerous Springs of clear fresh water in the North part of the Township.

There is no Lumber in the Township but can easily be procured from the Mountains South of it

---

## List of names

A list of the names of the individuals employed to assist in measuring or marking the lines and corners described in the foregoing field notes of Township No. 2 North of Range No. 29 East of the Willamette Meridian showing the respective capacities in which they acted

Allen Thompson (Chairman)

William Geamtee "

Bery Athey Steward

We hereby certify that we assisted  
David P Thompson deputy Surveyor  
in subdividing Township No. 2 North  
of Range No. 39 East of the Willamette  
Meridian and that said Township  
has been in all respects to the best  
of our knowledge and belief well  
and faithfully surveyed and the  
boundary monuments planted  
according to the instructions furnished  
by the Surveyor General

Allen Thompson  
William Gedamke  
Benjamin They

Sworn and subscribed before  
me this 18<sup>th</sup> day of October 1859

W. O. Messersmith  
County Clerk  
Wasco County, Oregon

I David P. Thompson deputy Surveyor do solemnly swear that in pursuance of a contract with W. W. Chapman Surveyor of the public lands of the United States in the State of Oregon bearing date the 22<sup>nd</sup> day of July 1859 I have faithfully surveyed the subdivisions of Township No. 2 north of the base line of Range No. 29 East of the Willamette Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such Survey.

David P. Thompson  
deputy Surveyor

Sworn and subscribed to before me this  
1<sup>st</sup> day of November 1859 at Salem

Oregon  
J. J. Carter  
Not. Pub.

577

Surveyor General's Office,

Eugene City, January 3<sup>rd</sup> 1860

The foregoing field notes of the survey of the subdivisions of Township 2 North of Range 29 East of the Willamette Meridian, Oregon, executed by David P. Thompson, deputy Surveyor, under his contract of the 22<sup>nd</sup> day of July 1859, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

H. W. Chapman

Surv. Gen. of Oregon.