

209

Township 2N R. 33E

6	240	5	232	4	226	3	220	2	215	1
240	239	231	225	220	214					
7	239	8	230	9	225	10	219	11	214	12
238	238	230	224	219	213					
18	237	17	229	16	224	15	218	14	213	13
237	236	229	223	218	212					
19	236	20	228	21	223	22	217	23	212	24
235	235	228	222	217	211					
30	234	29	227	28	222	27	216	26	211	25
234	233	227	221	216	210					
31	233	32	226	33	221	34	215	35	210	36

T 2 N. R. 33 East Hill Mer. 210
North between Secs 35 + 36.

4000 Set Stone 15 + 15 + 4 for $\frac{1}{4}$ Sec. cor.

8000 Set Post and Stone mound for cor li
Secs 35, 36, 25 + 26.

Land rolling. Soil good 2^d rate -
Good grass.

East on random between Secs 25 + 36.
Variation 21° E.

4000 Set temporary $\frac{1}{4}$ Sec. corner

8000 Antisected N + S. line 10 ft of cor.

N 89° 50' West on true line.

40.00
4000

Set post and made mound of
Earth for $\frac{1}{4}$ Sec. corner

60.50 Bricks, 4 lbs. flows N + S.

8000 Toloman

Land rolling. Soil 2^d rate -
Good grass.

T 2 N. R. 33 E. Well. Mer.

chs. North between Secs 25 + 26.
23.50 A. Spring, bears E. about 2 chains.
40.00 Set Stone 14 + 12 + 4, for 14 Sec. Corner
80.00 Set Post and made mound of Earth
for cor. to Secs 25, 26, 23 + 24
Land rolling, Soil 2^d rate.
Good grass.

East on random between Secs 24 + 25
Variation $21^{\circ}30'E$

40.00 Set temporary 14 Sec. Corner
80.00 Interrupted N + S line 17 chs S of cor.
 $S 89^{\circ}53'$ West on true line
40.00 Set Stone 14 + 12 + 4 for 14 Sec. Corner
80.00 To Corner.
Land rolling, Soil 2^d rate
Good Grass.

T 2 N. R. 33 E. Mill. Meridian. 219

chs.

North between Secs 23 + 24

40.00

Set post and made mound of Earth for $\frac{1}{4}$ S. Cor.

80.00

Set post and made mound of Earth for cor. to

Secs. 23, 24, 13 + 14.

Land level Soil $1\frac{1}{2}$ rods. Good grass.

East on random between Secs 13 + 24

Var. 21° East

40.00

Set temporary $\frac{1}{4}$ Sec corner

79.90

Intersected N. + S. line 14 N of cor.

A. $89^{\circ}54'$ West on true line

22.45

Brook, 8 chs, flows N. W.

39.95

Set Stone 14 + 14 + 9 for $\frac{1}{4}$ Sec. Cor.

79.90

Corner

Land level. Soil $1\frac{1}{2}$ rods.

Good grass

chs. North between Secs. 13 & 14

12,000 La Grand and Pendleton roads
course E & W.

40,000 Set post and made mound of
Earth for 1/4 Sec. corner

80,000 Set post and made mound of
Earth for cor. to Secs. 13, 14, 11, 12.
Land level. Soil 1st rate. good grass

East on random between Secs 12 & 13.

Var. 21° East

40,000 Set temporary 1/4 Sec. corner

80,100 Intersected N. & S. line 25 chs
S of corner

S 89° 50' W. on true line

40,000 Set post and made Earth mound
for 1/4 Sec. corner

78,500 Brook. 10 chs. flows. N.E.

80,100 To corner

Land level. Soil 1st rate
Good grass.

T 2 N. R. 33. E. Mill Spr. 218

214

chs.
1.50
2.50

North between Secs 11 & 12.
Wagon road E + W
Brook, 10 lbs. flows N + W.

37.00

Entire river bottom

40.00

Set post for 1/4 Sec. corner from which
A cottonwood, 15 in dia base S 75° N. 4 1/2 in

63.50

Tomatilla river 2 chs wide flows N 20° W

80.00

Set stone, 20 x 15 x 12 for corner to Secs
1, 2, 11, 12.

Land level, Soil 2^d rate - bottom
subject to inundations

East on meadow between Secs 1 & 12

Var. 21° East

40.00

Set temporary 1/4 Sec corner

79.80

Intersected N. + S. line 50 ft of line
N 89° 38' W. on true line.

21.50

Entire field N + S.

39.90

Set post and ~~stone~~ mound for 1/4 S. cor.

61.50
1.150

Leave field

79.80

To corner.

Land level, Soil 1st rate.

21 T 2 N. R. 33. E. Hill. Mex.

- chs. North on random between Secs 1 + 2
4000 Set temporary 1/4 Sec. corner
8020 Intersected North boundary, 25' E of cor.
S 00° 10' E, on true line.
4020 Set stone 15 + 12 + 10 for 1/4 Sec. corner in
river bottom.
8030 Tolomou
Land level. Soil 1st rate.
May 23. 1871

- North between Secs 34 + 35
4000 Set stone 15 + 12 + 10 for 1/4 Sec. corner
8000 Set stone 18 + 15 + 10 for corner
to Secs 34, 35, 26 + 27.
Land level. Soil 1st rate

T2 N.R. 33 E. Mill. Mer. 216^S

216^S

chs.

East on random between Secs 26 + 30 -

Var. 21° East.

4000

Set temporary 1/4 Sec. corner

80.94

Intersected N + S. line 21 S. of post

S. 89° 51' W. on true line

4007

Set post and made Earth mound for 1/4 S. cor.

80.14

To corner.

Land level. Soil 1st rate

North between Secs 26 + 27

4000

Set post and made Earth mound
for 1/4 Sec. corner.

5000

Set post and made Earth mound
for corner Secs 26, 27, 22, 23.

Land level. Soil 1st rate

21 T2 N. R. 33. E. Will mer.

chs. East on random between Secs 23 + 24.

Variation, 21° East.

4000 Set temporary 1/4 Sec. corner

79.94 Intersected N. & S. line 168 of corner

S. 8953' N. on true line

39.97 Set post and made mound of earth

for 1/4 Sec. corner

79.94 Pole corner

Land level, Soil 1st/₁₁ + 2^d/₁₁ rotē.

North between Secs 22 + 23.

4000 Set up ~~posts~~ and made earth mound for 1/4 Sec. corner

8000 Set post and raised earth mound

for corner to Secs

22, 23, 14 + 15

Land level, Soil 1st/₁₁ rotē

T 2 N. R. 33. E. Mill. Mer.

218

chs. East on random between Secs 14 + 238
Var. 21°30' East.

4000 Set temporary 1/4 Sec. corner
7992 Intersected n. + s. line 10 ft off cor.
N. 89°56' W. on true line.

3996 Set post and made mound of earth
for 1/4 Sec. corner
7992 To corner.
Land level. Soil 1st rate.

North between Secs 14 + 15.

3000 La Grand + Puddleton road
corner N. W. + S. E.

4000 Set post and made mound of
earth for 1/4 Sec. corner

8000 Set post and made mound
of earth for cor. to Secs. 14, 15, 10, 11.
Land N 1/2 rolling. S 1/2 level
Soil 1st + 2^d rate.

219

T. 2. N. R. 33. E. Hill. Mex.

- chs. East on random between Secs 11+14,
 4000 Set-temporary ^{N. 20° E} 1/4 Sec. corner.
 7996 Intersected N. + S. line 1/4 N of cor.
 N 89° 54' W on true line.
 3998 Set-post and made mound of
 Earth for 1/4 Sec. corner.
 7996 Tolomer
 Land level. Soil 2^d rate.

- North. between Secs 10+11.
 1000 Wagon road E + W
 3500 Enter field.
 4000 Set Stone 18+15+8 for 1/4 Sec corner
 5250 Leave field.
 6300umatilla river N.W.
 8000 Set post corner to Secs 10, 11, 2 + 3
 from which An Alder today bears N 75° W - 43 lks
 A Balm 10 de de S. 80° W - 30 de.
 Land level. Soil 1st rate in
 fields

T 2 N. R. 33, E. Mill. Mer. 818

220

chs

East on random between Secs 2 + 11,

Var 21° East

4 0 00

Set temporary 1/4 Sec corner

8 0 10

Intersected N. + S. line 12 thro S of com

8955' N. on true line.

28.50

Entire field.

3 0 00

Same same

4 0 05

Set post and make stone mound 1/4 S. Cor.

8 0 10

Tools

North on random between Secs 2 + 3.

4 0 00

Set temporary 1/4 Sec. cor

8 0 54

Intersected north line 21. E of com

500° 9' E on true line.

4 0 54

Set stone 14 + 12 + 10 for 1/4 Sec. corner

5 0 00

Entire river bottom

8 0 54

Tools

Land rolling. Soil 2d rate

May 24, 1871

221 T. 2 N. R. 33. E. Hill. Mer.

chs.
40.00 North between Secs 33 + 34
Set post and make bank mound
for 1/4 Sec. corner
62.50 Tiedie Millers & chs. flow NW
80.00 Set post and make mound of
Earth for corner to Secs. 33. 34. 27. 28.
Land level. Soil 1st/₁₁ rate

East on random between Secs 27 + 34
Var. 21° 30' E.

40.00 Set temporary 1/4 Sec. post
80.00 Intersected N. + S. line 14 N of E on
N 89° 54' W. on true line
40.00 Set post and make mound
of Earth for 1/4 Sec. corner
80.00 Tolomer.
Land level. Soil 1st/₁₁ rate

T 2 N. R. 33 E. T11b. Mer. 116

chs. North between Secs. 27 + 28. 222

4000 Set post for 1/4 Sec. corner and raised Earth mound

8000 Set post and made mound of Earth for corner Secs 27, 28, 21, 22. Land level. Soil 1 1/2 rate.

East on random between Secs 22 + 27
Var. 21° 30' East-

4000 Set temporary 1/4 Sec corner

7998 Substituted N. & S. line 14 N of corner

39.99 N 89° 54' W. on true line

5999 Set post and made mound of Earth for 1/4 Sec. corner

7998 To corner

Land level. Soil 1 1/2 rate.

T 2 N. R. 33. East. Mill. Mer.

- chs. North between Secs 21 + 22.
- 4000 Set post and made mound of Earth
for $\frac{1}{4}$ Sec. corner.
- 8000 Set post and made mound of
Earth for corner Secs 21, 22, 16 + 17
Land gently rolling, Soil 2^d rate

East on random between Secs. 15 + 22
Var. 20° East;

- 4000 Set temporary $\frac{1}{4}$ Sec. corner
- 8014 Intersected N. + S. line 22 S of Cor.
S 89° 51' W on true line
- 4007 Set post and made mound
of Earth for $\frac{1}{4}$ Sec. corner
- 8014 Tolon
Land rolling, Soil 1st rate

T2. N.R. 33. E. Will. mer.

222

224

chs.
40.00

North between Secs 15 & 16
Set post and made mound of earth
for 1/4 Sec. corner.

6.00

La Grand and Pendleton roads E & W.

80.00

Set post and made mound of
earth for corner to Secs, 15, 16, 9 & 10.
Land rolling, soil 2^d rate.

East on random between Secs 10 + 15
Var. 2075' East.

40.00
79.90

Set temporary 1/4 Sec. corner

79.90

Intersected Sr + S line 24 No. cor.

39.95

N 89° 50' W. on true line

39.95

Set post and made mound of
earth for 1/4 Sec. corner

47.00

Agency building bear N 15° W.

79.90

Toler. The Agency building
bear N. 45° E.

Land rolling. Soil sandy.

225

T 2 N.R. 33 E. Mill Run.

chs.	North between Secs 9 & 10.
15.00	Wagon road, corner E & N.
32.50	Enter field
35.50	Spring Branch 10. chs flows N.W.
40.00	A Balm tree 15 in dia for 1/4 Sec. cor.
60.00	Leave field and enter timber.
75.00	Umatilla river 2 chs. flows N.W.
80.00	Set post and made stone mound for. corner to Secs 9, 10, 3 & 4. Land generally level, soil 1st rate in fields.

East on random between Secs 3 & 10
Var. 21° East

40.00	Set temporary 1/4 Sec. corner
80.25	Intersected N.E.S. line 21.5 of Cor. S. 89° 51' N. on true line
40.02	Set post on bank of river for 1/4 Sec. cor A Balm tree dia bears N 45° E. 25 ft
80.25	Traverse Land subject to inundations.

T 2 N. R. 33. East. Hill M^{rs} 226

chs. North on random between Secs 3 & 4
4000 Set temporary 1/4 Sec corner
8018 Intersected North boundary, 24 lks
W. of corner.

800° 10' N. on true line
4018 Set post + stone mound for 1/4 S. corner
6000 House, bears N. about 2 chains
8018 Pole corner

Land level, soil 1st rate.
May 25, 1871

North between Secs 32 & 33.
4000 Set post and raised mound
of earth for 1/4 Sec. corner
8000 Set post and made mound of
earth, for cor. to Secs. 32, 33, 28 & 29.
Land level, soil 1st rate.

227

T. 2 N. R. 33. E. Mill. Men.

chs.

East on random between Secs. 28 + 33

Var. 21° East

40.00

Set temporary $\frac{1}{4}$ Sec corner.

79.84

Intersected N + S. line 34 lks S. of cor.

 $S 89^{\circ} 44' N.$ on true line.

2.00

Tudic Millow, 10 lks. flows N.

39.92

Set post and made mound of Earth

for $\frac{1}{4}$ Sec. corner

79.84

To corner.

Land level, Soil 1st rate.

North between Secs 28 + 29

40.00

Set post and made mound of

Earth for $\frac{1}{4}$ Sec. corner

12.00

Tudic Millow, 10 lks flows N. N.

80.00

Set post and made mound

of Earth for cor to Secs 28, 29, 20 + 21,

Land level, Soil 2^d rate.

T 2 N. R. 33. E. Mill. Mer.

228

chs

East on random between Secs 21 + 28.

Var. 21° East.

4000

Set temporary $\frac{1}{4}$ Sec. corner

8000

Intersected A.T.S. line 28 chs S. of l or

S. $89^{\circ} 48'$ N. on true line

4000

Set post and made mound of Earth

for $\frac{1}{4}$ Sec. corner

8000

Poloniu.

Land level, soil $1\frac{1}{2}$ rate.

North between Secs 21 + 20

3250

Entire field E + N.

4000

Set post and made mound of

Earth for $\frac{1}{4}$ Sec corner.

4500

Leave field E + N.

8000

Set post and made mound of

Earth for corner to Secs 20, 21, 16 + 17.

Land level, soil $1\frac{1}{2}$ rate.

223 J 2 N.R. 33. E. Mill. mer.

chs.	East on random between Secs 16 + 21 Var 21° East
4000	Set temporary 1/4 Sec. corner
8000	Intersected N + S line 16 thro S. of cor. S. 89° 53' W. on true line
4000	Set post and made mound of Earth for 1/4 Sec. corner.
8000	To corner. Land level. Soil 1 st rate.

	North between Secs 16 + 17
4000	Set post and made mound of Earth for 1/4 Sec. corner
6000	La Grand & Pendleton roads.
8000	Set post and made mound of Earth for cor to Secs 16. 17. 8 + 9. Land level. Soil 1 st rate.

T 2 N. R. 33 E. Hill. Mar. 230

chs

East on random between Secs 9 & 16
Variation, 21° East.

4000

Set temporary $\frac{1}{4}$ Sec. corner

79.40

Subsected N & S line 24 lks S of cor.
S 89° 50' W. on true line.

39.70

Set post and made stone mound
for $\frac{1}{4}$ Sec. Corner

79.40

Id corner.

Land level. Soil 1st rate.

North between Secs 8 & 9.

1750

Wagon road, corner E & N.

4000

Set stone 14 + 14 + 8 for $\frac{1}{4}$
Section corner.

7250

Wmatilla river, 2 chains
wide, flows W.

8000

Set stone 18 + 14 + 9 for corner
to Secs 8, 9, 4, 5.

Land generally level. Soil
2^d rate on river. Timber
Cottonwood.

chs.

East on random between Secs 4 + 9
Variation $21^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ Section corner

80.10 Intersected N + S line 32 lbs.

S. of corner

S $89^{\circ}47'$ Non true line

35.00

Enter Indian field.

40.05

Set Stone 18 + 12 + 8 for $\frac{1}{4}$ Sec. corner

50.00

Leave field.

80.10

To corner.

Land, gravelly. Soil 2^d rate

T 2 N R 33. East. Hill Meridian

232

chs.	North on random between Secs 4 + 5.
4000	Set temporary 1/4 Sec. corner
8020	Intersected North boundary 1/4 blks. E of corner 800' of E. on true line
4020	Set post and made mound for 1/4 Sec. corner.
8020	To corner. Land level. Soil 1 st 70th

May 26. 1871

233 2, N. R. 33, E. Mill. Mer.

chs. North between Secs 31 + 32,
40.00 Set post and made mound of
Earth for 1/4 Sec. corner.
80.00 Set post and made mound
of Earth for cor. to Secs 31, 32, 30 + 29.
Land rolling, Soil 1st rate,

East on random between Secs 29 + 32
Variation, 2° E.
40.00 Set temporary 1/4 Sec. corner
79.60 Intersected N. + S. line 18 lks
S. of cor.
S. 89° 52' N. on true line
39.80 Set post and made mound for
1/4 Section corner
79.60 To corner.
Land level, Soil 1st rate.
Good grass

T. 2 N. R. 33. East Hill Mur.

234

chs. West on random between Secs 30+31.
4000 Set temporary $\frac{1}{4}$ Sec. corner
79.54 Intersected At S line 14 $\frac{1}{4}$ Sec of line
S $89^{\circ}54'$ E. on true line
39.54 Set post and made mound of
Earth for $\frac{1}{4}$ Sec. corner.
79.54 To corner.
Land level. Soil 1 $\frac{1}{2}$ rods.

North between Secs 29+30.
4000 Set post and made mound of
Earth for $\frac{1}{4}$ Sec. corner
5000 Set post and made mound of
Earth for cor. to Secs 29.30. 19.20
Land level. Soil 1 $\frac{1}{2}$ rods
Good grass.

237 2, N.R. 33 East, Hill. Meridian,

chs

East on random between Secs
20 + 29.

Variation, $20^{\circ}30'$ East,

40.00 Set temporary $\frac{1}{4}$ Sec. corner.

80.14 Intersected N. + S. line 12 lbs N of cor.

N $89^{\circ}55'$ W. on true line

40.07 Set post and made mound
of earth for $\frac{1}{4}$ Sec. corner.

80.14 To corner

Land rolling. Soil 1st rate

West on random between Secs 19 + 30.
40.00 Set temporary $\frac{1}{4}$ Sec. corner.

79.80 Intersected N. + S. line at corner

East on true line

39.80 Set post and made mound
of earth for $\frac{1}{4}$ Sec. corner

79.80 To corner.

Land gently rolling.

Soil 1st rate. Good grass

T. 2 N. R. 33. E. T11. Mer. 236

chs. North between Secs 19 & 20.
4000 Set post and made mound
of Earth for 1/4 Sec. corner.
6000 Cut in Tudy Willow bottom.
8000 Set post and made mound of
Earth for cor. to Secs 19, 20, 17, 18.
Land rolling. Soil 1st rate.

East on random between Secs
17 & 20. Variation, 22° E.
4000 Set temporary 1/4 Sec. corner
8012 Intersected N. & S. line 14 N of
the corner
N. 89° 54' N on true line.
4000 Set post and made Earth mound
for 1/4 Sec. corner
5000 Tudy Willow, flows N. W.
8012 To corner.
Land level. Soil 1st rate

T. A. R. 33. E. Mill. Mer.

chs. West on random between Secs
 18+19. 1
 40.00 Set temporary 1/4 Sec. corner
 79.82 Subsected N. & S. line 17th to N of cor.
 N 89° 53' East on true line
 39.82 Set post and made Earth mound
 for 1/4 Sec. corner.
 50.50 Enter Tudie Willow bottom
 79.82 To corner
 Land level. Soil 1st rate.

North between Secs 17 & 18
 30.00 Tudie Willow, flows N. W. & E. W.
 40.00 Set post and made mound of
 Earth for 1/4 Sec. corner
 70.00 ~~Set~~ Grande and Puddle for
 Wagon road, E & W.
 80.00 Set post and made mound
 of Earth for corner to Secs 17, 18,
 7 & 8.
 Land rolling. Soil 1st rate.

T. 2. N. R. 33 East Hill ²³⁸

chs.	East on random between Secs 8 & 14 Vari. 21°30' East
40.00	Set temporary 1/4 Sec. corner.
80.00	Intersected N. & S. line at corner
✓	West on true line
40.00	Set post and made mound of Earth for 1/4 Sec. corner.
73.00	Wagon road N. E. & S. W.
80.00	Tolerance - Soil 1 1/4 rods May 27. 1871
40.00	West on random between Secs 7 & 18.
79.90	Set temporary 1/4 S. E. cor.
	Intersected N. & S. line at cor
	East on true line
1000	La Grande and Paudelatin
	Wagon road, corner N. W. & S. E.
39.90	Set post and made mound of Earth for 1/4 Sec. corner
79.90	Tolerance.
1990	Land levil. Soil 1 1/4 rods

233 T. 2, N. R. 33. E. Hill. Mex.

chs.	North between Secs 7 & 8.
40.00	Set post and made mound of Earth for $\frac{1}{4}$ Sec. cor.
59.00	Enter field in river bottom.
75.00	Leave field.
80.00	Set post for cor. Secs 7, 8, 5 & 6, and made stone mound, Land level, See 1 st gate
East on random bet. Secs 5 & 8. Var. 20° E.	
40.00	Set temporary $\frac{1}{4}$ Sec. corner
80.10	Intersected N. & S. line 12 lks S. of cor
	S. 89° 55' N. on true line.
80.05	Set Stone 17 + 14 + 10 for $\frac{1}{4}$ S. cor
42.30	Unrotilla river 2 cho wide flows N. W.
80.10	Telecomer
	Land level, See 2 ^d gate

T. J. AR 33. E. Hill Run, 249
240

chs
4.000 West on random bet. Secs 6 + 7
79.54 Set temporary 1/4 Sec. corner
Intersected N. + S. line at cor.
East on true line
3.000 Monument 2 chs wide
flows S W
79.54 Set Stone 14 + 14 + 9 for 1/4 S. cor.
79.54 Pole cor.
Land level, Soil groovy.

4.000 North on random bet. Secs 5 + 6.
80.60 Set temporary 1/4 Sec. corner.
Intersected N. boundary 14
lbs N. of cor.
S. 00° 0' N. true line.
40.60 Set Stone 18 + 17 + 10 for 1/4
Sec. corner
70.00 Monument 2.50 lbs
flows N.
50.60 Pole corner
Land level, Soil 1 3/4' white
from river bottom
May 29. 1871.

Surveyor General's Office
C Eugene City Nov 11 1871

The foregoing field notes of the survey
of the Subdivisional lines of G 2 A
P 33 & Will Aer Orquid executed
by Z. F. Moody deputy Surveyor
under his contract No 145 bear
ing date the 23rd day of April
1871 having been critically ex
amined the necessary explan
ations and corrections made
the said field notes and the
Survey they describe are
herby approved

W. H. Odell
Surveyor