

FIELD NOTES

Of the survey of the Sub-Subdivisional

Lines of Townships 2nd & 3rd North

Range 33 East Willamette Meridian,

Oregon, as surveyed by Jas. P. Curran & Jas. O. Notland

U. S. Deputy Surveyor, ^{their} under his Contract No. _____

dated May 4th 1887

Survey commenced, Oct 20th 1887

Survey completed, Oct 28th 1887

NAMES AND DUTIES OF ASSISTANTS,

J. M. Hooley _____, **Compassman.**

J. H. Hadley _____, **Chainman.**

Guy Davis _____, **Chainman.**

O. S. Raper _____, **Chainman.**

O. J. Perry _____, **Chainman.**

C. Moore _____, **Axeman.**

J. H. Herndon _____, **Axeman.**

_____, **Flagman.**

PRELIMINARY OATHS OF ASSISTANTS.

We, W. G. Perry, Guy Davis
J. R. Hadley, O. S. Kaper

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Sub-Subdivisional

lines of Trs 2 and 3 N

Range 33 East Willamette Meridian, Oregon.

W. G. Perry, Chainman.

Guy Davis, Chainman.

J. R. Hadley, Chainman.

O. S. Kaper, Chainman.

Subscribed and sworn to before me, this the 20th

day of Oct 1887

[SEAL.] James E. Toland
U. S. Dept. Surveyor

We, C. Moses and
J. H. Hendon

do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability,

in the survey of the Sub-Subdivisional lines

of Trs 2 & 3 N, R. 33 E. Willamette Meridian, Oregon.

C. Moses, Axeman.

J. H. Hendon, Axeman.

Subscribed and sworn to before me, this Twentieth

day of October 1887

[SEAL.] James E. Toland
U. S. Dept. Surveyor

INDEX

Referring the Lines to the Pages of the Field Notes.

T. *20 North* R. *33 East* Will. Mer.

	54	20			
6	5 52	4 19	3	2	1
	50	17			
7 82	8 48	9 15	10	11	12
80	46	13			
78	44	11			
18 76	17 42	16 9	15	14	13
74	40	7			
72	38	5			
19 70	20 36	21 3	22	23	24
68	34	1			
66	32				
30 64	29 30	28	27	26	25
62	28				
60	26				
31 58	32 24	33	34	35	36
56	22				

Meanders of _____ Pages _____ to _____

Meanders of _____ Pages _____ to _____

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

East on ran. through S^h of sec 21
Va. 20 1/4° East

Commencing at 1/4 sec. cor. 20 chains
N of S. W. cor. of sec 21

Set temporary 1/4 sec. cor. at
24.40 and 60 chains and at

7990 Intersect Ebdy at 1/4 sec. cor.
Thence West on true line

1997 Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug pits
18 x 18 x 12 ins E and W. of stake
5 1/2 ft. dia raised mound of earth
1 1/2 ft high 3 1/2 ft base over it and
in E pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked 1/4 S on N face

3995 Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug pits
18 x 18 x 12 ins E and W. of stake 5 1/2 ft
dia raised mound of earth 1 1/2 ft
high 3 1/2 ft base over it and in E.

2

222

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

pit drove stake 2ft long 2ins square
12ins in the ground marked
1/16 S on N face

5992 Deposited charred stake 12ins
in the ground for 1/16 sec. cor.
dug pits 18x18x12 ins E. and W. of stake
5 1/2 ft dist. raised mound of
earth 1 1/2 ft. high. 3 1/2 ft. base
over it and in E pit drove
stake 2ft long 2ins square
12ins in the ground marked
1/16 S on N face

6300 Ravine course N.W. -20

7990 To point of beginning
Land Level
Soil 1st rate
Not Cultivated

Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

Course ran through center of
Sec 21

Ca 20 1/2 East

Commencing at 1/4 sec. cor. bet sec
20 and 21. Set temporary ~~high~~ ^{low} ~~marks~~ ^{corners}
at 20, 40 and 60 chains and at

7980. Intersect E. bdy. 23 lbs N of 1/4 sec.
cor. Thence N 89° 50' W on true line

1995 Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug pits
18x18x12 ins E and W. of stake 5 1/2 ft.
dist raised mound of earth 1 1/2 ft.
high, 3 1/2 ft. base over it and in E.
pit drove stake 2 ft. long 2 ins
square 12 ins. in the ground
marked 1/4 S. on N. face.

3990 Deposited charred stake 12 ins
in the ground for 1/4 sec. cor.
dug pits 18x18x12 ins E and W.
of stake 5 1/2 ft. dist, raised mound
of earth 1 1/2 ft high 3 1/2 ft. base.

4

224

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

over it and in Epir drove
stake 2 ft long 2 ins square
12 ins in the ground marked
1/4 S. on N. face.

5985 Deposited charred stake 12 ins
in the ground for 1/16 sec. cor.
cor. dug pits 18 x 18 x 12 ins
E and W. of stake 5 1/2 ft dist
raised mound of earth 1 1/2 ft.
high 3 1/2 ft. base over it and
in E. spir drove stake 2 ft long
2 ins square 12 ins in
the ground marked
1/16 S on N. face

7980 1/16 sec. cor. point of beginning
Land level Soil 1st rate
Good farming land
Not cultivated

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

East on ran. through N^h. of sec.
21

By 21° East

Commencing at $\frac{1}{16}$ sec cor 20 chains
N of $\frac{1}{4}$ sec. cor. bet sec 20 and 21
Set temporary ~~sec~~ cor at
20, 40 and 60 chains and at

1972 Intersect Q. bdry. 25 ft. S of $\frac{1}{16}$
sec. cor. Thence N 89° 49' W on true line

1993 Set post 9 ft long 3 ins square
24 ins in the ground for $\frac{1}{16}$
sec. cor. marked $\frac{1}{16}$ S. on N.
face and raised mound of
stone 1½ ft. high, 3½ ft base
over it pits impracticable

3986 Deposited charred stake 12
ins in the ground for $\frac{1}{16}$
sec. cor. dug pits 18 x 18 x 12
ins Q and N. of stake 5½ ft
diam raised mound of earth
1½ ft high 3½ ft base over it

Sub-Subdivision T. 2 North R. 39 East

Willamette Meridian, Oregon.

(8093-10 M.)

- And in E. side drove stake
2 ft. long. 2 ins. square
12 ins in the ground
marked $\frac{1}{16}$ S. on N. face.
- 5979 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec.
cor. dug pits 18 x 18 x 12 ins
E. and W. of stake $5\frac{1}{2}$ ft diam
raised mounds of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base over
it and in E. side drove
stake 2 ft long 2 ins
square 12 ins in the
ground marked $\frac{1}{16}$ S.
on N. face
- 7972 To point of beginning
Land gently rolling
Soil generally good
Not Cultivated

Sub-Subdivisions of T. 2 North R. 33 East
 Willamette Meridian, Oregon.

East on ran through S¹/₂ of sec
 16

On 21° East

beginning at ¹/₁₆ sec. cor. 20 chains
 N of S. W. cor of sec 16
 Set temporary cor. at
 20, 40th & 60 chains and at

7972 Intersect E by 50 lks N of
¹/₁₆ sec. cor. Thence N 89° 39' W
 on true line

1993 Deposited charred stake 12 ins in
 the ground for ¹/₁₆ sec. cor.
 dug pits 18 x 18 x 12 ins E and N
 of stake 5 1/2 ft dia raised
 mound of earth 1 1/2 ft high,
 3 1/2 ft base over it and in E
 pit drove stake 2 ft long 2 ins
 square 12 ins in the ground
 marked ¹/₁₆ S. on N face.

3986 Deposited charred stake 12
 ins in the ground for

Sub-Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

East on ran. through center of
see 16

On 21° East

Commencing at 1/4 sec. cor. bet.
secs. 16 and 17

Let temporary ~~...~~ cor. 2
at 20, 40 and 60 chains and at

7980

Intersect E. bdy 50 lks N of 1/4
sec. cor. Then on N 89° 39' W
on true line

1995

Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug
pit 18x18x12 ins End W. of stake
5 1/2 ft dist. raised mound of earth
1 1/2 ft high 3 1/2 ft base over it
and in E. pit drove stake 2 ft
long 2 ins square 12 ins in
the ground marked 1/4 S on
N face.

3990

Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug.

Sub-Subdivisions of T. 2 North R. 30 East
 Willamette Meridian, Oregon.

(8093-10 M.)

5985

pits 18x18x12 ins Q. and W.
 of stake 5 1/2 ft. dist raised
 mound of earth 1 1/2 ft. high
 3 1/2 ft base over it and in
 E. pier drove stake 2 ft long
 2 ins square 12 ins in the
 ground marked 1/4 S. on N. face.
 Deposited, charred stake 12 ins
 in the ground for 1/6 sec. cor.
 dug pits 18x18x12 ins Q. and W.
 of stake 5 1/2 ft. dist raised mound
 of earth 1 1/2 ft high 3 1/2 ft base
 over it and in E. pier drove stake
 2 ft long 2 ins square 12 ins
 in the ground marked
 1/6 S. on N. face.

7980

To point of beginning
 Land level mostly
 Soil 1st rate

Sub-Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

East on ran. Through N 1/2
of sec 16

On 21° East

beginning at 1/4 sec. cor. 20 chains
N of 1/4 sec. cor. bet sees. 16 and 17
Set temporary corners at
20, 40 and 60 chains and at

1992 Intersect E. bdy. 55 lks N. of
1/4 sec. cor. Thence N 89° 36' W
on true line.

1998 Deposited charred stake 12 ins in the
ground. for 1/4 sec. cor. dug pits
18 x 18 x 12 ins E and W. of stake
5/8 ft. diam. raised mound of
earth 1 1/2 ft high 3 1/2 ft base over
it and in E pit drove stake 2 ft.
long. 2 ins square 12 ins in the
ground marked 1/4 S on N. face

3996 Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug
pits 18 x 18 x 12 ins E and W. of stake

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

5994

5 1/2 ft dist. raised mound of earth
1 1/2 ft high 3 1/2 ft base over it
and in E. pit drove stake
2 ft. long, 2 ins square 12 ins in
the ground marked 1/4 S on
N. face

Deposited carved stake 12 ins
in the ground for 1/16 sec. cor.
dug pit 15 x 15 x 12 ins E. and W.
stake 5 1/2 ft dist. raised mound
of earth 1 1/2 ft. high 3 1/2 ft base
over it and in E. pit drove
stake 2 ft long 2 ins square
12 ins in the ground marked
1/4 S. on N. face

7992

To point of beginning
land level soil 1st rate
Not cultivated

Sub-Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

- East on ran through S $\frac{1}{2}$ of sec
9
Va 21° East
Commencing at $\frac{1}{16}$ sec. cor. 20 chains
N. of S. W. cor of sec 9
For temporary ~~mark~~ cor. at
20.40 and 60 chains and at
- 7985 Intersect Q. bay 70 lbs N. of $\frac{1}{16}$ sec
cor Thence N 89° 30' W on true line
- 1620 Wagon road bears N.
- 1996 For post 3 ft long 3 ins square
24 ins in the ground for $\frac{1}{16}$ sec.
cor. marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E and W
of post 5 $\frac{1}{2}$ ft diam and raised
mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around it
- 2170 Wagon road bears N. W.
- 3992 For post 3 ft long 3 ins square
24 ins in the ground marked
 $\frac{1}{16}$ S on N. face for $\frac{1}{16}$ sec. cor.

Sub-Divisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

dug pits 18x18x12 ins. @ mid Pt. of stake 5 1/2 ft dist raised mound of earth 1 1/2 ft high 9 1/2 ft base around it

4500

Wagon road bears N. W.

5988

Iron post 9 ft long 9 ins square 24 ins in the ground for 1/16 sec. cor. marked 1/16

On N face, dug pits 18x18x12 ins @ mid Pt. of stake 5 1/2 ft dist raised mound of earth 1 1/2 ft high 9 1/2 ft base around it

6325

Wagon Road North

7985

To point of beginning Land rolling Soil 1st rate Not cultivated

Sub Subdivision T. 2 North R. 33 East

Willamette Meridian, Oregon.

East on ran through center
of sec 9

Var. 21° East

Commencing at 1/4 sec. cor. bet.
secs 8 and 9 Set temporary
corners at 20, 40 and 60 chain and at

1992 Intersect E. bdy 70 lks N. of
1/4 sec. cor. Thine N. 89° 30' W.
on true line

1450 Spring branch 5 lks runs N. E.

1998 Set basalt stone 12 x 8 x 8 ins
8 ins in the ground for
1/4 sec. cor. marked 1/4 on
N. face and raised mound
of earth and stone 1 1/2 ft high 3 1/2 ft
base over it;

3670 Wagon road bears N. W.

3996 Set post 3 ft long 3 ins square
24 ins in the ground for 1/4
sec. cor. marked 1/4 S. on N. face
dug pits 18 x 18 x 12 ins E. and W. of post

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

5 1/2 ft. dia. And raised mound of earth 1 1/2 ft high 3 1/2 ft base around it.

5650 Cross roads courses NE & NW.

5994 Iron post 3 ft long, 3/4 in square 2 1/4 in in the ground for 1/16 sec. cor, marked 1/16 S on N face dug pits 18 x 18 x 12 ins E & W of post 5 1/2 ft dia. And raised mound of earth 1 1/2 ft high 3 1/2 ft base around it.

6250 Grave yard

7992 Rock point of beginning Land level.

Soil 1st rate

Grass fair.

The remainder of this sec is not fit for cultivation

Oct 20 - 1887

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

East on ran. through S $\frac{1}{2}$ of
sec 4

Wa 20' East

Commencing at $\frac{1}{16}$ sec. cor. 20 chains
N. of S. W. cor. of sec. 4

For temporary ~~200~~ cor. at
20.40 and 60 chains and at

7980

Intersect E. bdy 15 lks N of
 $\frac{1}{16}$ sec cor. Thence N $89^{\circ}54'$ W
on true line

250

Same and wagon road to Agency N. & S.
House bears S. E. about 300 lks.

1995

For post 3 ft long. 3 ins square
24 ins in the ground for
 $\frac{1}{16}$ sec. cor. marked $\frac{1}{16}$ S on
N face dug pits 18 x 18 x 12 ins
E and W. of stake $5\frac{1}{2}$ ft dist
and raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around it

3990

For post 3 ft long. 3 ins square
24 ins in the ground for

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

	<p>$\frac{1}{16}$ sec. cor. marked $\frac{1}{16}$ S on N face, dug pits 18x18x12 ins E and W. of post 5$\frac{1}{2}$ ft dist and raised mound of earth 1$\frac{1}{2}$ ft high 3$\frac{1}{2}$ ft base ^{around it}</p>
4225	<p>Wagon road and fence N. and S.</p>
5985	<p>For post 3 ft long 3 ins square</p>
	<p>24 ins in the ground for</p>
	<p>$\frac{1}{16}$ sec. cor. marked $\frac{1}{16}$ S on</p>
	<p>N. face, dug pits 18x18x12</p>
	<p>ins E and W. of post 5$\frac{1}{2}$ ft</p>
	<p>dist and raised mound of earth</p>
	<p>1$\frac{1}{2}$ ft high. 3$\frac{1}{2}$ ft base ^{around it}</p>
7980	<p>To point of beginning</p>
	<p>Land gently rolling</p>
	<p>Soil 1st rate</p>
	<p>Not cultivated.</p>

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

East on ran. through center
of sec 4

Pa. 21° East

Commencing at $\frac{1}{4}$ sec. cor. bet sec
4 and 5 Set temporary ~~...~~ cor.
at 20, 40 and 60 chains and at

7992 Intersect E. bdy. 15 lbs N of $\frac{1}{4}$ sec
cor. thence N. $89^{\circ} 54'$ N. on true line

1998 Set post 3 ft. long, 3 ins. square, 24
ins. in the ground marked $\frac{1}{16}$ S on
N. face for $\frac{1}{4}$ sec. cor. dug pits
18x18x12 ins. E. and W. of stake $5\frac{1}{2}$ ft
dist. and raised mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base around it

3600 Canon. bears S.

-100

3996 Top of ridge bears S. and set
post 3 ft. long, 3 ins. square, 24 ins. in
the ground for $\frac{1}{4}$ sec. cor. dug pits
18x18x12 ins. E. and W. of stake $5\frac{1}{2}$ ft
dist. and raised mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around it

20240

Subdivisions of T. 2 North R. 3 East

Willamette Meridian, Oregon.

(8093-10 M.)

5994 And marked post $\frac{1}{4}$ S. on N. face
 Set post 3 ft. long, 3 ins square
 24 ins in the ground for $\frac{1}{16}$
 see cor. marked $\frac{1}{16}$ S. on
 N. face, dug pits 18 x 18 x 12 ins
 East and N. of post $5\frac{1}{2}$ ft
 dist and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around it.

7992 Second
 To point of beginning
 Land very rolling
 Soil generally good
 Some alkali
 Not cultivated

Course ran through $N\frac{1}{2}$
 of sec. 4.

Ba. 21° East
 Beginning at $\frac{1}{16}$ sec. cor. 20 chains
 N. of $\frac{1}{4}$ sec. cor. bet. sees. 4 and 5.

Sub Divisions of T. 2 North R. 38 East.

Willamette Meridian, Oregon.

- Set temporary ~~...~~ cor. at
20.40 and 60 chains and at
8000 Intersect Ebdy. at $\frac{1}{16}$ cor Thence
West on true line.
- 2000 Set post 3 ft long 3 ins square
24 ins in the ground for $\frac{1}{16}$
sec. cor. marked $\frac{1}{16}$ S. on N. face
dug pits 18 x 18 x 12 ins E and W.
of stake 5 $\frac{1}{2}$ ft. dist. and raised
mound of earth 1 $\frac{1}{2}$ ft. high.
3 $\frac{1}{2}$ ft. base around it.
- 4000 Set post 3 ft long. 3 ins
square 24 ins in the ground
for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{16}$ S. on N. face dug pits
18 x 18 x 12 ins E and W. of stake
5 $\frac{1}{2}$ ft. dist. and raised mound
of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around it.
- 4500 Canon course S.
Ascend

Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

6000

Set post 3 ft. long, 3 ins square,
24 ins in the ground for $\frac{1}{16}$ sec
cor. marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E and W
of post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around it

8000

To point of beginning
Land rolling Soil 1st rate
Not Cultivated

East on ran. through $S\frac{1}{2}$ of
sec 32

by a $20\frac{1}{2}^{\circ}$ East
commencing at $\frac{1}{16}$ sec. cor. 20
chains N. of S. W. cor of sec 32.
Set temporary cor. at

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

- 20.40 and 60 chains and at
- 7990 Intersect E. bdy. at cor. to $\frac{1}{16}$ sec. Thence West on true line
- 1280 Dry Creek.
- 1998 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins E and W. of stake 5 1/2 ft dist raised mound of earth 1 1/2 ft high 3 1/2 ft base over it and in E. pit drove stake 2 ft long. 2 ins square, 12 ins in the ground marked $\frac{1}{16}$ S on N. face
- 3820 Wagon road bears N and S.
- 3995 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins E and W. of stake 5 1/2 ft dist. raised mound of earth 1 1/2 ft high 3 1/2 ft base over it and in E. pit drove stake 2 ft long. 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S on N. face

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

5992 Deposited charred stakes 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18x18x12 ins Q and W,
of stake $5\frac{1}{2}$ ft. dist, raised
mound of earth $1\frac{1}{2}$ ft high.
 $3\frac{1}{2}$ base over it Q and in Q pit
drove stake 2 ft long, 2 ins square,
12 ins. in the ground marked
 $\frac{1}{16}$ S. on N. face.

7470 Wagon road bears N.

7990 To point of beginning.

Land level. Soil 1st rate
Not cultivated

Go on ran through center of
Sec 32

Ba 20° East

Commencing at $\frac{1}{4}$ sec. cor. bet.

secs. 31 and 32 Set temporary

sec. cor. at 20, 40, and 60 chains Q and W

7980 Intersect E. bdy. 12 lks. S of

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

1/4 sec. cor. Thence S 89° 55' W
on true line

550 Judie Willows ^{creek} dry. course N.
1995 Deposited charred stake 12 ins in the
ground for 1/4 sec. cor. dug pits
18 x 18 x 12 ins E. and W. of stake 5 1/2 ft
dist. raised mound of earth 1 1/2 ft
high. 3 1/2 ft. base over it. and in E
pit drove stake 2 ft long. 2 ins
square. 12 ins in the ground
marked 1/4 S. on N. face.

2500 Wagon road. bears N. and S.

3990 Deposited charred stake 12 ins
in the ground for 1/4 sec. cor. dug
pits 18 x 18 x 12 ins E. and W. of stake
5 1/2 ft. dist and raised mound of
earth 1 1/2 ft. high. 3 1/2 ft. base over
it and in E pit drove stake 2 ft.
long. 2 ins. square. 12 ins in the
ground marked 1/4 S. on N. face.

5450 Wagon road course N. and S.

26

246

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

5985

Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor.
dug pits 18 x 18 x 12 ins E. and W.
of stake 5 $\frac{1}{2}$ ft. dist and raised
mound of earth 1 $\frac{1}{2}$ ft. high,
3 $\frac{1}{2}$ ft. base. over it and in
E. dir drove stake 2 ft long
2 ins square 12 ins in the ground
marked $\frac{1}{16}$ S. on N. face.

7550

Wagon road course N. and S.

7980

To point of beginning.
Land level Soil 1st rate
Not cultivated

East on ran through N $\frac{1}{2}$ of
sec 32

Pa 21° East

Commencing at $\frac{1}{16}$ sec. cor. 20
chains N. of $\frac{1}{4}$ sec. cor. Set

Temporary ~~mark~~ ~~at~~ ~~the~~ ~~sec~~ ~~cor~~
at 20, 40 and 60 chains and at

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(S. 01-020)

7958 Intersect E. side of 1/6 sec cor
Thence West on true line

1620 Indian Willows Creek dry course

1997 Deposited charred stake 12 ins in
the ground for 1/6 sec. cor. dug pits
18x18x12 ins E and W. of stake
5 1/2 ft diam raised mound of earth
1 1/2 ft high 3 1/2 ft base over it
and in E. pit drove stake 2 ft.
long 2 ins square 12 ins in the
ground marked 1/6 S. on N. face

2670 Dry Gulch and bed of creek - 50

3994 Deposited charred stake 12 ins
in the ground for 1/6 sec. cor.
dug pits 18x18x12 ins E. and W.
of stake 5 1/2 ft. diam. raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it and in E. pit drove
stake 2 ft long 2 ins square 12
ins in the ground marked 1/6 S. on N
face

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

5991 Deposited charred stake 12 ins. in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins. \odot and H. of stake $5\frac{1}{2}$ ft. dist and raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and in \odot pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face.

7988 To point of beginning land mostly level. Soil rate,

East on ran. through $S\frac{1}{2}$ of sec 29

Ba. $20\frac{3}{4}^{\circ}$ East

Commencing at $\frac{1}{16}$ sec. cor. 20 chain N. of S. H. cor. of sec 29 Set temporary \odot cor. at 20.40 and 60 chains and at 8000 Intersect E. bdy 7 Mts. S. of

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

25 2.5 enter field
32 7.5 dry creek



2000 1/6 sec. cor. Thence S 89 57' W on true line
Deposited charred stake 12 ins in the
ground for 1/6 sec. cor. dug pits 18x18x12
ins @ Qud N. of stake 5 1/2 ft. dist raised
mound of earth 1 1/2 ft high 3 1/2 ft base
over it @ in @ pit drove stake 2 ft.
long 2 ins square 12 ins in the
ground marked 1/6 S on N. face.

4000 Deposited charred stake 12 ins
in the ground for 1/6 sec. cor.
dug pits 18x18x12 ins @ Qud N. of stake
5 1/2 ft dist, raised mound of earth
1 1/2 ft high 3 1/2 ft base over it @ in
@ pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked 1/6 S on N. face

4400 Fence bears N. and S.

5900 Wagon road bears N. and S.

6000 Deposited charred stake 12 ins in
the ground for 1/6 sec. cor. dug pits
18x18x12 ins @ Qud N. of stake 5 1/2 ft.

30
250

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

dist, raised mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft base over it
 And in E. pit drove stake 2 ft. long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. and N. face
 5000 To point of beginning
 Land mostly level, Soil rate well adapted to agriculture

East on ran. through center of sec 29

ba $20\frac{1}{2}^{\circ}$ East.

Beginning at $\frac{1}{4}$ sec. cor. bet. sees. 29 and 30. Set temporary
 cors at 20, 40 and 60 chains and at
 7980 Intersect E. bdy 26. lks N. of $\frac{1}{16}$ sec cor. Thence N. $89^{\circ} 49'$ W. on true line

600 Wagon road bears N. and S.
 1995 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec cor dug pit

Sub Division of T. 2 North R. 33 East

Willamette Meridian, Oregon.

18x18x12 ins End N. of stake 5 1/2 ft
 dist raised mound of earth 1 1/2 ft.
 high 3 1/2 ft base over it End in
 E. pit drove stake 12 ins in the
 ground 2 ft long, 2 ins square
 marked 1/6 S on N face.

3300 Creek dry course N

3990 Deposited charred stake 12 ins in the
 ground for 1/4 sec. cor. dug pit 18x18x12 ins.
 End N. of stake 5 1/2 ft dist. raised mound
 of earth 1 1/2 ft high. 3 1/2 ft base over it
 End in E. pit drove stake 2 ft long. 2 ins
 square 12 ins in the ground marked
 1/4 S on N face

4860. Wagon road bears N. N.

5985 Deposited charred stake 12 ins in the
 ground for 1/6 sec. cor. dug pit
 18x18x12 ins. End N. of stake, 5 1/2 ft
 dist. raised mound of earth 1 1/2 ft.
 high 3 1/2 ft. base over it End in
 E. pit drove stake 2 ft long.

Subdivisions of T. 2 North R. 38 East

Willamette Meridian, Oregon.

(8093-10 M.)

- 2 ins square 12 ins in the ground.
marked $\frac{1}{6}$ S. on N. face.
- 7980 To point of beginning
Land mostly level Soil good
Some grass,
East on ran through $\frac{1}{4}$
of sec 29
Va 20° East
Beginning at $\frac{1}{6}$ sec. cor. 20 chains
N. of $\frac{1}{4}$ sec corner sec 29 and 30
Set temporary $\frac{1}{6}$ sec. cor. at
20.40 and 60 chains and at
- 7972 Intersect C. bdy. 10 fts N. of
 $\frac{1}{6}$ sec. cor. Thence N. 89° 56' North true line
- 1400 Leave field
- 1993 Deposited charred stake 12 ins in the
ground for $\frac{1}{6}$ sec. cor. dug pit 18x18x12
ins. C. & N. of stake $5\frac{1}{2}$ ft. dist. raised
mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base
over it and in C. pit drove stake

Sub-Subdivision of T. 2 North R. 33 East
Willamette Meridian, Oregon.

- 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{6}$ S on N face
- 3225 $\frac{1}{2}$ acre 10 kcs wide runs N
- 3600 Church House bears S. 200 chs
- 3986 Iron post 3 ft long 3 ins square 24 ins in the ground for $\frac{1}{6}$ sec. cor. marked $\frac{1}{6}$ S. on N. face, dug pits 18 x 18 x 12 ins E. End H. of stake $5\frac{1}{2}$ ft. dist ^{and} raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around it.
- 5979 Deposited charred stake 12 ins in the ground for $\frac{1}{6}$ sec. cor. dug pits 18 x 18 x 12 ins E. End H. of stake $5\frac{1}{2}$ ft. dist, raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base over it ^{and} in E. pit drove stake 2 ft long, 2 ins square, 12 ins in the ground marked $\frac{1}{6}$ S. on N. face
- 7972 To point of beginning
Land generally level Soil good
Not cultivated

Oct 21 - 1887

34254

Sub-Subdivision of T. 2 North R. 33 East
Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through S. h of
see 20

Pa 20° East

Commencing at $\frac{1}{16}$ sec
cor 20 chains N. of S. W.
cor of see 20.

Set temporary ~~mark~~ cor.
Pd at 2040 Pd 60 chains Pd at

7976 Intersect Q. bdy. at $\frac{1}{16}$ sec
cor thence West on true line

1300 Wagon road N.

1994 Deposited Charred stake 12
ins in the ground 10 lbs
S. of true cor. for $\frac{1}{16}$ witness

cor. dug pits 18 x 18 x 12 ins

Q. d. H. of stake 5 1/2 ft. dia

raised mound of earth 1 1/2 ft
high 3 1/2 ft base over it

Pd in Q. pit drove stake 2 ft

long 2 ins square 12 ins in the ground
marked H. C. $\frac{1}{16}$ S. on N. face

Sub-Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

1993 Creek course N.

3988 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18 x 18 x 12 ins E. & W. of stake 5 1/2 ft. dia. raised mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it and in E. side drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face.

5982 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18 x 18 x 12 ins E. & W. of stake 5 1/2 ft. dia. raised mound of earth 1 1/2 ft. high 3 1/2 ft. base over it and in E. side drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face

7976 To point of commencement
Land level Soil 1st rate

Sub-Subdivision North 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran through center of sec 20

Va 19 3/4° East commencing at 1/4 sec. cor, bet sees 19 and 20 Set temporary corz at 20, 40 and 60 chs, End at

1972 Intersect E. bdy 45 lbs N of 1/4 sec. cor, Thence N 89° 41' W. on true line.

40 Wagon road bears N, W.

1750 Dry bed of creek course N.

1993 Deposited charred stake 12 ins in the ground for 1/16 sec. cor, dug pits 18 x 18 x 12 ins E. and W. of stake 5 1/2 ft dist, raised mound of earth 1 1/2 ft high, 3 1/2 ft base over mound in E pit drove stake 2 ft long, 2 ins square 12 ins in the ground marked 1/16 S on N. face

2670 Center field N, and S.

Sub-Subdivision T. 2 North R. 33 East

Willamette Meridian, Oregon.

- 3240 Leave field & dry branch bed,
- 3750 Dredge Willows Creek 4 1/2 bears N.
- 3986 Deposited charred stake 12 ins in the ground: for 1/4 Sec cor. dug pits 18 x 18 x 12 ins E. and N. of stake 5 1/2 ft. diam. raised mound of earth 1 1/2 ft high 3 1/2 ft. base over it and in E pit drove stake 2 ft long, 2 ins square 12 ins in the ground marked 1/4 S. on N. face.
- 4900 Fence bears N. E.
- 5979 Deposited charred stake 12 ins in the ground for 1/4 sec. cor. dug pits 18 x 18 x 12 ins E. and N. of stake 5 1/2 ft diam raised mound of earth 1 1/2 ft high. 3 1/2 ft. base over it and in E pit drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/4 S. on N. face
- 6775 Fence bears N. W.
- 7972 To point of beginning
Land level Soil good, cultivated

38

258

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through $\frac{1}{4}$
of sec 20

Va. 20° East

Commencing at $\frac{1}{16}$ sec cor
20. chains N of $\frac{1}{4}$ sec. cor bet sec
19 and 20 Set temporary
cons. at 20.40 and 60 chains and at

7980 Intersect E. by 42 lks N of
 $\frac{1}{16}$ sec. cor. Thence $N 89^{\circ} 42' W$.
on true line

1490 Wagon road course N. and S.

1800 Enter field

1995 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec cor
dug pits 18 x 18 x 12 ins E. and N. of
stake 5 1/2 ft dia raised mound
of stone and earth 1 1/2 ft high 3 1/2 ft
base over it and in E pit drove
stake 2 ft long. 2 ins square
12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face x

259

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

- 2200 Mouse bears N 50 lbs dist
- 2500 Tude Willows Oak 2 lbs runs N.
- 3990 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits $18 \times 18 \times 12$ ins E and N. of stake $5\frac{1}{2}$ ft dist raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and in O pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S on N. face
- 5400 Crypt bed of creek N. N.
- 5985 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec cor dug pits $18 \times 18 \times 12$ ins E and N. of stake $5\frac{1}{2}$ ft dist raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and in O pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S on N. face.
- 7980 Topoint of beginning Land rough or rolling Soil good.

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. Through S 1/2 of sec 17

Pa 20° East

Commencing at 1/4 sec. cor. 20 chains N. of S. W. cor. of sec. 17 Set temporary ~~line~~ ^{line} ~~cor~~ ^{cons} at 20.40 and 60 chains and at

8000 Intersect E. bdy 12 kcs S of 1/4 sec. cor. Thence S 89° 55' W on true line

1400 Wagon road bears N and S

2000 Deposited charred stake 12 ins in the ground for 1/4 sec. cor. dug pits 18 x 18 x 12 ins E and W of stake 5 1/2 ft. dist and in E pit drove stake 2 ft. long 2 ins square 12 ins in the ground marked 1/4 Sec N. face and raised mound of earth 1 1/2 ft. high 3 1/2 ft. base, over it

4000 Deposited charred stake 12 ins

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

- in the ground for $\frac{1}{16}$ sec. cor.
 dug pits $18 \times 18 \times 12$ ins E. \& W.
 of stake $5\frac{1}{2}$ ft. dist. raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 over it and in E. pit drove
 stake 2 ft long 2 ins square
 12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face.
- 4200 Gulch bears $\text{S } 70^{\circ} \text{ W.}$
- 4700 Spring 180^{plus} S of line
- 5700 Gulch bears S.
- 6000 Deposited charred stake 12 ins in the
 ground for $\frac{1}{16}$ sec. cor. dug pits $18 \times 18 \times 12$ ins
 E. \& W. of stake $5\frac{1}{2}$ ft dist. raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and
 in E. pit drove stake 2 ft long 2 ins square
 12 ins in the ground marked $\frac{1}{16}$ S.
 on N. face
- 8000 To point of beginning
 land rolling Soil generally good
 Not cultivated

42 262

Sub-Subdivisions of T. 2 North R. 39 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through center of sec 17

Pa. $21\frac{1}{4}^{\circ}$ East

Beginning at $\frac{1}{4}$ sec. cor. bet sec 17 and 18. Set temporary

sec. cor. at 20.40 and 60 chains and at

7980 Intersect O. bdy, 16 lks S. of $\frac{1}{4}$ sec. cor. Thence $S 89^{\circ} 53' W$ on true line

1995 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. condug pits 18 x 18 x 12 ins Q. and N. of stake $5\frac{1}{2}$ ft diam raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base over it and in O. pin drove stake 2 ft. long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S on N. face

3990 Deposited charred stake 12 ins in the ground for $\frac{1}{4}$ sec. cor. dug pits 18 x 18 x 12 ins Q. and N.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

of stake $5\frac{1}{2}$ ft dist. raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
over it and in E. pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked
 $\frac{1}{4}$ S. on N. face

3995 Wagon road bears N. N.

5985 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec cor.
dug pits $18 \times 18 \times 12$ ins E. and N.

of stake $5\frac{1}{2}$ ft. dist. raised
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft base over it and in E. pit
drove stake 2 ft long 2 ins square
12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face

6500 Wagon road N. and S.

7980 To point of beginning
Land rolling, Soil 1st rate
Not Cultivated

Sub-Subdivisions of T. 2 North R. 83 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through
N¹/₂ of sec. 17

Pa. 20° East.

Beginning at ¹/₁₆ sec. cor.
20 chains N of ¹/₄ sec. cor. bet
secs 17nd and 18th Put temporary
sec. cor. at 20, 40th and 60 chainsnd at

7960 Intersect E bdy at ¹/₁₆ sec.
cor Thence West on true line

1620 Wagon road bears N. and S.

1990 Deposited charred stake 12 ins
in the ground for ¹/₁₆ sec. cor.
dug pits 18 x 18 x 12 ins End W.
of stake 5¹/₂ ft. dist, raised mound
of earth 1¹/₂ ft high 3¹/₂ ft base
over it and in E pit drove stake
2 ft long 2 ins square 12 ins in
the ground marked ¹/₁₆ Sec
N. face

3115 Wagon road bears N. W.

3750 Wagon road bears N.

Subdivisions of T. 2 North R. 33 East
Willamette Meridian, Oregon.

- 3950 Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor. dug pits
18 x 18 x 12 ins E. End N. of stake $5\frac{1}{2}$ ft.
diam. raised mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it
and in E. pit drove stake 2 ft.
long 2 ins square 12 ins in the
ground marked $\frac{1}{16}$ S. on N. face.
- 5970 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18 x 18 x 12 ins E. End N.
of stake $5\frac{1}{2}$ ft. diam. raised
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it and in
E. pit drove stake 2 ft. long
2 ins square 12 ins in the
ground marked $\frac{1}{16}$ S. on N. face
- 7960 To point of beginning
Land level or mostly so
Soil 1st rate.

Not cultivated

Sub-Subdivision of T. 2 North R. 23 East
Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through the
S^h of sec 8

On 1945' East

Beginning at $\frac{1}{16}$ sec. cor. 20 chains
N of S. W. cor of sec 8.

Set temporary ~~the~~ cor. at
20.40 and 60 chains and at

7960 Intersect E. bdy. 28 kcs N of
 $\frac{1}{16}$ sec. cor. Thence N. 89° 50' W.
on true line

510 Wagon road. bears N. E.

1600 Wagon " " N.

7990 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18 x 18 x 12 ins E. and W.
of stake 5 $\frac{1}{2}$ ft. diam. raised
mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base over it and in
E. pit drove stake 2 ft long
2 ins square 12 ins in the
ground marked $\frac{1}{16}$ S on N. face.

Sub-Subdivisions of T. 2 North R. 33 East
 Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
 center of sec 8

Va 21° East

Beginning at $\frac{1}{4}$ sec. cor, bet
 sees 7 and 8, SW Temporary
 cor, at 20.40 and 60 chains
 and at

7972 Intersect E. bdy, at $\frac{1}{4}$ sec
 cor. Thence West on true line

1450 Wagon road bears N. and S.

1993 Deposited charred stake 12 ins
 in the ground for $\frac{1}{16}$ sec. cor,
 dug pits 18 x 18 x 12 ins E and W,
 of stake 5 $\frac{1}{2}$ ft. diam, raised
 mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base over it and in
 East pit drove stake 2 ft
 long 2 ins square 12 ins in
 the ground marked $\frac{1}{16}$ S on
 N. face.

3986 Deposited charred stake 12 ins.

Sub-Subdivision T. 2 North R. 33 East

Willamette Meridian, Oregon.

- in the ground for $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$ ins. E. and W. of stake $5\frac{1}{2}$ ft. dist. raised mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it and in E. pit drove stake 2 ft. long 2 ins. square 12 ins. in the ground marked $\frac{1}{4}$ S on N. face
- 5100 Wagon road bears N. W.
- 5949 Deposited charred stake 12 ins. in the ground for $\frac{1}{6}$ sec. cor. dug pits $18 \times 18 \times 12$ ins. E. and W. of stake $5\frac{1}{2}$ ft. dist. raised mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it and in E. pit drove stake 12 ins. in the ground, 2 ft. long 2 ins. square marked $\frac{1}{6}$ S on N. face
- 6900 Road bears N. and S.
- 7972 To point of beginning land rolling soil 1st rate
Not cultivated Oct 22 1887

Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on ran. through Sth of
see 5

Pa 21° East

Commencing at $\frac{1}{16}$ sec. cor.
bet sees. 5 and 6. 20 chains N of
Sec. cor. to sees 5, 6, 7 and 8.

Set Temporary ^{mark} cor.
at 20, 40. and 60 chains and at

7992 Intersect body 50 lks. N. of
 $\frac{1}{16}$ sec. cor. Thence N. 89° 39' W.
on true line

50 fence bears N. and S.

1998 Set basalt stone 10 x 9 x 8 ins
6 ins in the ground for $\frac{1}{16}$
sec. cor. marked $\frac{1}{16}$ on N.
face and raised mound of
earth and stone 2 ft high
4 1/2 ft base over it.

3996 Leave river bottom and ascend
Set basalt stone 9 x 8 x 7 ins
6 ins in the ground.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(16 of 188)

- for $\frac{1}{16}$ sec. cor. marked $\frac{1}{16}$ on N. face. And raised mound of earth and stone 2 ft high $4\frac{1}{2}$ ft base over it.
- 4025 Top of ridge bears S
Crossed +150
- 4600 Canon course S -100
- 5994 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits $18 \times 18 \times 12$ ins E. and W. of stake $5\frac{1}{2}$ ft dist. raised mound of earth $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft base over it and in E pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face
- 7992 To point of beginning.
Land level on 1^{st} 20 chains and high rolling hills on remainder of mile Soil good in bottom, rocky on hills

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

Cast on random through center of sec 5 Va. 21° East

Beginning at 1/4 sec. cor. bet sees 5 and 6. Set temporary ~~1/4 sec~~ cons at 20 40 and 60 chains and at

8000 Intersect E. bdy 25 lks N. of 1/4 sec. cor. Thence N 89° 49' W on true line

2000 Set post 3 ft. long. 3 ins square 24 ins in the ground for 1/4 sec cor. marked 1/6 on N. face. dug pits 18 x 18 x 12 ins E. and W. of stake 5 1/2 ft dist raised mound of earth 1 1/2 ft high 3 1/2 ft base around.

~~2000~~ W. Ascend Canon - 200

4000 Deposited charred stake 12 ins in the ground for 1/4 sec. cor.

Sub Sub division of T. 2 North R. 33 East
Willamette Meridian, Oregon.

dug pits 18 x 18 x 12 ins E. and W.
of stake 5 1/2 ft dist raised mound
of earth 1 1/2 ft high, 3 1/2 ft base
over it and in E. pit drove stake
2 ft long 2 ins square 12 ins
in the ground, marked.

1/4 S. on N. face

5200 Gulch bears S - 150

6000 Deposited charred stake 12 ins in
the ground for 1/4 sec cor. dug pits
18 x 18 x 12 ins E. and W. of stake 5 1/2 ft
dist raised mound of earth 1 1/2 ft
high 3 1/2 ft base over it and in E.
pit drove stake 2 ft long, 2 ins
square, 12 ins. in the ground,
marked 1/4 S. on N. face.

6400 Top of ridge bears N. + 200

8000 To point of beginning
Land rolling Soil grade
Little grass

5-4 074

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
N¹/₂ of sec 5.

Var. 2 1/2° East

Beginning at 1/16 sec. cor. 20 ch²s
N. of 1/4 sec. cor. bet sec 5 and 6
Set temporary corners
at 20, 40 and 60 chains and at

8012 Intersect E. bdy. at 1/16 sec. cor.
Thence West on true line

2003 Deposited charred stake 12 ins
in the ground for 1/16 sec cor
dug pits 18 x 18 x 12 ins E. and W.
of stake 5 1/2 ft diam and raised
mound of earth 1 1/2 ft. high 3 1/2 ft
base over it and in E. pit drove
stake 2 ft long 2 ins square
12 ins in the ground marked
1/16 S. on N. face

4006 Deposited charred stake 12 ins
in the ground for 1/16 sec. cor.
dug pits 18 x 18 x 12 ins E. and W.

Sub Subdivision of T. 2 North R. 30 East 275
Willamette Meridian, Oregon.

of stake 5 1/2 ft. dist. raised mound
of earth 1 1/2 ft high 3 1/2 ft base over it
And in Q. pit drove stake 2 ft long,
2 ins square 12 ins in the ground
marked 1/6 S on N. face.

4700 Ravine course S. - 50

6009 Deposited charred stake 12 ins
in the ground for 1/6 sec. cor.
dug pits 18x18x12 ins Q. And W. of
stake 5 1/2 ft dist raised mound of
earth 1 1/2 ft high 3 1/2 ft base over it
And in Q. pit drove stake 2 ft.
long 2 ins square 12 ins in the
ground marked 1/6 S on N. face

7000 Top of ridge - 50

8012 To point of beginning
Land rolling Soil 1st rate
Not cultivated.

56276

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
S 1/2 of sec 31
wa, 20 3/4° East

2000 Set charred stake 12 ins in the
ground for 1/16 sec. cor. dug
pits 18 x 18 x 12 ins Q. and H. of
stake 5 1/2 ft. dist. raised mound
of earth 1 1/2 ft high 3 1/2 ft base
over in Q. in C. spruce stake
2 ft long 2 ins square
2 ins in the ground marked
1/16 S. on N. face

4000 Deposited charred stake 12 ins
in the ground for 1/16 sec. cor.
dug pits 18 x 18 x 12 ins Q. and H.
of stake 5 1/2 ft. dist. raised
mound of earth 1 1/2 ft high
3 1/2 ft base over in Q. in
C. spruce stake 2 ft long
2 ins square 12 ins in the
ground marked 1/16 S. on N. face

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

6000

Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins E. End Hr. of stake $5\frac{1}{2}$ ft. dia. raised mound of earth $1\frac{1}{2}$ ft. high $8\frac{1}{2}$ ft base over it and in E pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face

7675

Intersect N. bdy. of Township 20 chains North of Twp Corner and deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. closing cor. dug pits 18x18x12 ins N. E. and S. of stake $5\frac{1}{2}$ ft dia. raised mound of earth 2 ft. high $4\frac{1}{2}$ base over it and in E. pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. C. C. on N. face

Land level Soil 1st rate Not cultivated

Sub-Subdivision of T. 2 North R. 33 East
 Willamette Meridian, Oregon.

(8093-10 M.)

Post on true line through
 Center of sec 31

Pa $20\frac{3}{4}^{\circ}$ East

2000

Deposited charred stake 12 ins in
 the ground for $\frac{1}{16}$ sec cor. dug
 pit 18 x 18 x 12 ins. End N. of
 stake $5\frac{1}{2}$ ft. diam. raised mound
 of earth $1\frac{1}{2}$ ft high $8\frac{1}{2}$ ft base
 over it and in C. pit drove
 stake 2 ft long 2 ins square
 12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face.

4000

Deposited charred stake 12 ins
 in the ground for $\frac{1}{4}$ sec. cor. dug
 pit 18 x 18 x 12 ins. End N. of
 stake $5\frac{1}{2}$ ft. diam. raised mound
 of earth $1\frac{1}{2}$ ft high $9\frac{1}{2}$ ft base
 over it and in C. pit drove
 stake 2 ft. long 2 ins square
 12 ins in the ground marked
 $\frac{1}{4}$ S. on N. face.

Sub-Subdivisions 2 North R. 33 East

Willamette Meridian, Oregon.

- 6000 Deposited charred stake 12 ins in the ground. For $\frac{1}{16}$ sec. cor. dug pits 18 x 18 x 12 ins E and W. of stake $5\frac{1}{2}$ ft. diam. raised mound of earth $1\frac{1}{2}$ ft high $9\frac{1}{2}$ ft base over it and in E pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face
- 6500 Head of draw bears S. W. 50
- 7660 Intersect N. bdy Township at $\frac{1}{4}$ sec. cor. in East bay. of Sec. 36 T-27N. R 32 E.
Land slightly rolling
Soil 1st rate
Not cultivated

Sub-Subdivisions of T. 2 North R. 99 East
 Willamette Meridian, Oregon.

(8093-10 M.)

Heat on true line through
 N. h of sec 31

Pa. $20\frac{1}{2}^{\circ}$ East

1442 Wagon road bears N. E.
 2000 Deposited charred stake 12 ins
 in the ground for $\frac{1}{16}$ sec. cor.
 dug pits $18 \times 18 \times 12$ ins E. and N.
 of stake $5\frac{1}{2}$ ft. dia., raised
 mound of earth $1\frac{1}{2}$ ft high
 $9\frac{1}{2}$ ft base over it and in E.
 pit drove stake 2 ft long 2 ins
 square 12 ins in the ground
 marked $\frac{1}{16}$ S. on N. face

4000 Deposited charred stake 12 ins
 in the ground for $\frac{1}{16}$ sec. cor.
 dug pits $18 \times 18 \times 12$ ins E. and N.
 of stake $5\frac{1}{2}$ ft. dia. and raised
 mound of earth $1\frac{1}{2}$ ft high $9\frac{1}{2}$ ft
 base over it and in E. pit drove
 stake 2 ft long 2 ins square
 12 ins in the ground marked $\frac{1}{16}$ S. on N. face

Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

6000 Deposited charred stake 12 ins in the ground for 1/6 sec cor. dug pits 18 x 18 x 12 ins E and S. of stake 5 1/2 ft dist. raised mound of earth 1 1/2 ft high 3/4 ft base over it and in E pit drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/6 S. on N. face

7642 Intersect ~~W.~~ by Township. 20 chains N of 1/4 sec cor. bet sec 31 and 36 Add ^{ted} deposited charred stake 12 ins in the ground for 1/6 sec closing cor. dug pits 18 x 18 x 12 ins N. E and S. of stake 5 1/2 ft dist raised mound of earth 1 1/2 ft high 3/4 ft base over it and in E pit drove stake 12 ins in the ground 2 ft long 2 ins square marked 1/6 S. to S. on E. face.

Land rolling soil 1st rate Not cultivated

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
S 1/2 of sec 30
Va 20 1/2° East.

2000 Deposited charred stake 12 ins in
the ground for 1/16 sec. cor. dug
pits 18 x 18 x 12 ins E. end W. of stake
5 1/2 ft. diam. raised mound of
earth 1 1/2 ft high 3 1/2 ft base
over it and in E pit drove
stake 2 ft long 2 ins square
12 ins in the ground marked
1/16 S. on N. face

4000 Deposited charred stake 12 ins in
the ground for 1/16 sec. cor. dug
pits 18 x 18 x 12 ins E. end W. of
stake 5 1/2 ^{diam raised mound of earth 1 1/2 ft} ft high 3 1/2 ft base
over it and in E pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked
1/16 S. on N. face

6000 Deposited charred stake 12 ins

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

in the ground for $\frac{1}{4}$ Sec. cor.
dug pits 18 x 18 x 12 ins \odot and Hr. of
stake $5\frac{1}{2}$ ft. dist. raised mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it and in \odot pit drove stake 2 ft.
long 2 ins square 12 ins in the
ground marked $\frac{1}{4}$ S. on N. face

7640

Intersect W. bdy of T. 20.10 chains
N of closing cor to Sec 30 and S
and ~~deposited~~ charred stake 12 ins in

the ground for $\frac{1}{4}$ sec. cor. dug
pits 18 x 18 x 12 ins \odot and Hr. of stake
 $5\frac{1}{2}$ ft. dist. raised mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base over it
and in \odot pit drove stake 2 ft. long
2 ins square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face

Land level Soil 1st rate

Grass is well eaten off.
Not cultivated.

Sub-Subdivision of T. 2 North R. 33 East
Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
Center of sec 56
Va 20 1/2° East

320 Wagon road bears N. N.
2000 Deposited charred stake 12 ins in
the ground for 1/4 sec. cor. dug
pits 18x18x12 ins @ End N. of
stake 5 1/2 ft diam. raised mound
of earth 1 1/2 ft high 3/2 ft base
over in ^{and} in @ pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked 1/4 S.
on N face

4000 Deposited ^{in the ground for 1/4 sec cor. dug pit} charred stake 12 ins
18x18x12 ins @ End N. of stake 5 1/2 ft diam
raised mound of earth
1 1/2 ft high 3/2 ft base over
in ^{and} in @ pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked 1/4 S on N
face.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

6900 Deposited charred stake 12 ins in the ground for 1/4 sec. cor. dug pits 18x18x12 ins East N. of stake 5 1/2 ft. dist raised mound of earth 1 1/2 ft high 3 1/2 ft base over it and in West drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/4 S. on N. face

7620 Intersect West bdy. Township 128 chains N. of 1/4 sec cor to E bdy of 25^{sec} T. 2 N. R. 32 E. and set charred stake 12 ins in the ground for 1/4 sec. closing cor. dug pits 18x18x12 ins N. E. and S. of stake 5 1/2 ft dist raised mound of earth 2 ft high 4 1/2 ft base over it and in West drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/4 S. W. on N. face.

Land rolling Soil 1st rate Not cultivated

Sub-Subdivisions of T. 2 North R. 33 East,

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
N. $\frac{1}{2}$ of sec 30

Va 20° East.

2000

Deposited charred stake 12 ins in
the ground for $\frac{1}{4}$ sec. cor. dug
pits 18x18x12 ins E. and W. of stake
 $5\frac{1}{2}$ ft. dia. raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it
and in E pit drove stake 2 ft
long 2 ins square 12 ins in the
ground marked $\frac{1}{4}$ S. on N. face.

4000

Deposited charred stake 12 ins in
the ground for $\frac{1}{4}$ sec. cor. dug
pits 18x18x12 ins E. and W. of stake
 $5\frac{1}{2}$ ft. dia. raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it
and in E pit drove stake 2 ft
long 2 ins square 12 ins in the
ground marked $\frac{1}{4}$ S. on N. face

4530

Wagon road bears N. $\frac{1}{4}$ S.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

6000

Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins E. and West of stake 5 $\frac{1}{2}$ ft. dist. raised mound of earth 1 $\frac{1}{2}$ ft. dist. raised mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. ^{base} dist. over it and in E. pit drove stake 2 ft. long. 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face.

7600

Intersect E. bay of sec 25 ~~and R. 33 E.~~ 1826 chains S. of cor. to sec 24 and 25 T. 2 N. R. 33 E. and Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec closing cor. dug pits 18x18x12 in N. E. and S. of stake 5 $\frac{1}{2}$ ft. dist. raised mound of earth 2 $\frac{1}{2}$ ft. high 4 $\frac{1}{2}$ ft. base over it and in E. pit drove stake 2 ft. long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. C. C. on E. face Land rolling Soil 1 $\frac{1}{2}$ rate Not Cultivated

Oct 24 - 1887

68
288

Sub Divisions of T. 20 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

Went on true line through
S¹/₂ of sec 19. Va 20° East

1025 Draw bears N - 50

2000 Deposited charred stake 12 ins in
the ground for ¹/₁₆ sec. cor. dug
pits 18 x 18 x 12 ins E. and W. of
stake 5 1/2 ft. dist, raised mound
of earth 1 1/2 ft high, 3/4 ft base
over it And in E. pit drove stake
2 ft long 2 ins square 12 ins in
the ground, marked ¹/₁₆ S on
N. face.

4000 Deposited charred stake 12 ins in the
ground for ¹/₁₆ sec. cor. dug pits
18 x 18 x 12 ins E. and W. of stake
5 1/2 ft dist raised mound of earth
1 1/2 ft high, 3/4 ft. base over it
And in E. pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked ¹/₁₆ S on N. face.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

- 6000 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18 x 18 x 12 ins E. and N. of stake $5\frac{1}{2}$ ft. dia. raised mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it and in E. side drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face
- 7610 Intersect N. bdy Township 19 95 chains N. of closing corner sees 19^{and} 30
and Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. closing cor. dug pits 18 x 18 x 12 ins N. and S. of stake $5\frac{1}{2}$ ft. dia. raised mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it and in E. side drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on E. face
Land rolling soil 1st rate
Not Cultivated

70
290

Sub-Subdivisions of T. 2 North R. 99 East

Willamette Meridian, Oregon.

(8093-10 M.)

Went on true line through
Center of sec 19
Ba 20 1/4° East

656 Draw bears N.

1610 Hayow road N.

2000 Deposited charred stake 12 ins
in the ground for 1/16 sec cor.
dug pits 18 x 18 x 12 ins Q. ed N.
of stake 5 1/2 ft. dist. raised
mound of earth 1 1/2 ft high
3 1/2 ft base over in Q. ed in
Q. pit drove stake 2 ft long
2 ins square 12 ins in the
ground marked 1/16 S. on N. face

4000 Deposited charred stake 12 ins
in the ground for 1/4 sec cor.
dug pits 18 x 18 x 12 ins Q. ed N.
of stake 5 1/2 ft. dist. raised mound
of earth 1 1/2 ft high 3 1/2 ft base
over in Q. ed in Q. pit drove stake
2 ft long 2 ins square 12 ins

Sub-Subdivision of T. 2 North R. 33 East.

Willamette Meridian, Oregon.

6000

in the ground marked $\frac{1}{4}$ S. on N. face.
 Deposited charred stake 12 ins in the
 ground for $\frac{1}{16}$ sec. cor. dug pits
 18 x 18 x 12 ins E. and W. of stake 5 $\frac{1}{2}$ ft
 dia. raised mound of earth 1 $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base over it and in E.
 pit drove stake 2 ft long 2 ins
 square 12 ins in the ground
 marked $\frac{1}{16}$ S. on N. face.

7630

Intersect N. bdy of Township
 202 lbs N. of $\frac{1}{4}$ sec. cor. on E. bdy
 of sec 24. And deposited a
 charred stake 12 ins in the ground
 for $\frac{1}{4}$ sec. closing cor. dug pits
 18 x 18 x 12 ins E. N. and S. of cor.
 5 $\frac{1}{2}$ ft. dia. raised mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over it and
 in E. pit drove stake 2 ft long 2 ins
 square 12 ins in the ground marked $\frac{1}{4}$ S. C. C.
 on E. face
 Land pretty rolling Soil 1st rate

Sub-Subdivision of T. 20 North R. 39 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on True line Through
Nth of sec 19

Va 20° East.

2000

Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor.
dug pits 18 x 18 x 12 ins E. and N.
of stake 5 $\frac{1}{2}$ ft. dist. raised
mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft
base over in ^{and in} E. pit drove
stake 2 ft. long. 2 ins square
12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face.

3275

Leaver field at its S. Th. cor.

4000

Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor. dug pits
18 x 18 x 12 ins E. and N. of stake 5 $\frac{1}{2}$ ft.
dist raised mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base over in ^{and in} E. pit drove
E. pit drove stake 2 ft. long.
2 ins square, 12 ins in the ground
marked $\frac{1}{16}$ S. on N. face.

Sub-Subdivision of T. 2 North R. 99 East
Willamette Meridian, Oregon.

6000 Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor. dug pits
18x18x12 ins. E. end N. of stake $5\frac{1}{2}$ ft.
dist. raised mound of earth $1\frac{1}{2}$ ft.
high $8\frac{1}{2}$ ft base over in ^{and in}
E. side drove stake 2 ft long.
2 ins square 12 ins in the ground
marked $\frac{1}{16}$ S. on N. face

7645 Intersect N. bdy. No. 17.25 chains
S of cor to sec 19 and 24 T. 2 N. R. 99 E.
and deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. closing
cor. dug pits 18x18x12 ins N. E. ^{and S.}
of stake $5\frac{1}{2}$ ft dist raised mound
of earth $1\frac{1}{2}$ ft high, $8\frac{1}{2}$ ft base over
in ^{and in} E. side drove stake 2 ft
long 2 ins square 12 ins in the
ground marked $\frac{1}{16}$ S. C. C. on E face
Land gently rolling
Soil 1st rate

Sub-Subdivisions T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through S 1/2 of sec 18 Va. 20° East

2000 Set post 2 ft long 2 ins square 2 1/2 ins in the ground for 1/6 sec cor. marked 1/6 S on N face and raised mound of stone

4000 1 1/2 ft high 3 1/2 ft base over it Deposited charred stake 12 ins in the ground for 1/6 sec. cor. dug pits 18 x 18 x 12 ins E. side of stake 5 1/2 ft. dist. raised mound of earth 1 1/2 ft. high. 3 1/2 ft base over it in E. pit drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/6 S on N face

4415 Wagon road bears N. It. -50

5400 " " " N. It.

5725 Indian Willow creek 5 kts N. It.

6000 Deposited charred stake 12 ins

Sub Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

in the ground for 1/16 sec. cor.
dug pits 18 x 18 x 12 ins. E. and W. of stake
5 1/2 ft. dia. raised mound of earth 1 1/2
ft high 3 1/2 ft base over it. In E
pit drove stake 2 ft long, 2 ins square
12 ins. in the ground, marked 1/16 S. on
N. face.

7670 Intersect W. bdy Township 20.16 chains
North of closing cor. to sec. 18th and 19th
and deposited charred stake 12 ins
in the ground for 1/16 sec. closing cor.
dug pits 18 x 18 x 12 ins N. E. and S. of
stake 5 1/2 ft dia. raised mound
of earth 1 1/2 ft high 3 1/2 ft base over
it. In E. pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked 1/16 S. C. C. on E. face
and rolling soil 1st rate
partly Cultivated.

76 296

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on Trae line Through
Center of sec. 18

to 20 1/4 East

2000

Deposited charred stake 12 ins in
the ground for 1/4 sec. cor, dug
pits 18 x 18 x 12 ins E. and W. of stake
5 1/2 ft diam raised mound of
earth 1 1/2 ft high 3 1/2 ft base
over it and in E. pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked 1/4 S. on
N. face.

4000

Deposited charred stake 12 ins
in the ground for 1/4 Sec. cor,
dug pits 18 x 18 x 12 ins E. and W.
of stake 5 1/2 ft diam. raised mound
of earth 1 1/2 ft high 3 1/2 ft base
over it and in E. pit drove stake
2 ft long, 2 ins square, 12 ins in
the ground marked 1/4 S. on N. face

5330

Wagon road. bears N.W.

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

- 6000 Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18x18x12 ins
 And N. of stake 5 $\frac{1}{2}$ ft dist raised mound of earth 1 $\frac{1}{2}$ ft high 9 $\frac{1}{2}$ ft base over it and in E pier drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face
- 6950 Wagon road bears N. N.
- 7650 Intersect N. bdy Township 2, 68 Chains N. of $\frac{1}{4}$ sec. cor. on E. bdy sec. 13, T. 2 N. R. 33 E. And deposited, charred stake 12 ins in the ground for $\frac{1}{4}$ sec. closing cor. dug pits 18x18x12 ins N. and S. of stake 5 $\frac{1}{2}$ ft. dist. raised mound of earth 1 $\frac{1}{2}$ ft high 9 $\frac{1}{2}$ ft base over it and in E pier drove stake 2 ft long 2 ins square, 12 ins in the ground, marked $\frac{1}{4}$ S. C. on E. face.
 Land rolling Soil 1 $\frac{1}{2}$ rat
 Not Cultivated

78

298

Sub-Subdivisions of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
N^h face 18
Fa 20° East

620 Wagon road bears N.
2000 Deposited charred stake 12 ins in
the ground, for ¹/₁₆ sec. cor. dug
pits 18x18x12 ins. E. and W.
of stake 5 1/2 ft. dist. raised
mound of earth 1 1/2 ft high 3 1/2 ft
base over it and in E. pit drove
stake 2 ft long 2 ins square
12 ins in the ground marked
1/16 S. on N. face

2750 Wagon bears S. -50

4000 Deposited charred stake 12 ins
in the ground for ¹/₁₆ sec. cor.
dug pits 18x18x12 ins E. and W.
of stake 5 1/2 ft. dist. raised mound
of earth 1 1/2 ft high 3 1/2 ft base
over it and in E. pit drove stake
2 ft long 2 ins square 12 ins in.

Sub-Subdivision of T. 2 North R. 33 East
Willamette Meridian, Oregon.

in the ground marked $\frac{1}{6}$ S. on N. face

6000 Deposited charred stake 12 ins in the ground for $\frac{1}{6}$ sec. cor. dug pits 18 x 18 x 12 ins N. end of stake $\frac{5}{8}$ ft dist. raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and in E. pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{6}$ S on N. face

6100 Gulch and Road S.

7650 Intersect E. bdy. Township, 16.00 chains S. of cor. to sec. 12 and 13 T. 2 N. R. 32 E. Deposited charred stake 12 ins in the ground for $\frac{1}{6}$ sec closing cor. dug pits 18 x 18 x 12 ins N. E. and S of stake $\frac{5}{8}$ ft dist. raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base over it and in E. pit drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{6}$ S. C. C. on E. face Land rolling Soil good

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

Bear on true line through S^h of
see 7

Va 20° East

2000 Deposited marked stake 12 ins in the
ground for $\frac{1}{4}$ sec. cor. dug pits
18x18x12 ins E. and W. of stake 5 $\frac{1}{2}$ ft
dist raised mound of earth 1 $\frac{1}{2}$ ft
high 8 $\frac{1}{2}$ ft base over it
in E. pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face

3670 Wagon road bears N. and S.

4000 Deposited charred stake
12 ins in the ground for $\frac{1}{4}$ sec
cor. dug pits 18x18x12 ins E. and W.
of stake 5 $\frac{1}{2}$ ft dist raised mound
of earth 1 $\frac{1}{2}$ ft high 8 $\frac{1}{2}$ ft base
over it in E. pit drove stake
2 ft long 2 ins square 12 ins
in the ground marked $\frac{1}{4}$ S on
N. face.

Sub-Subdivision of T. 2 North R. 98 East

Willamette Meridian, Oregon.

4570 Canon course N. - 50

5945 Canon " N. - 100

6000 Deposited charred stake 12 ins
in the ground for $\frac{1}{4}$ sec. cor.
dig pits 18 x 18 x 12 ins E. & W.
of stake 5 $\frac{1}{2}$ ft dia. raised mound
of earth 1 $\frac{1}{2}$ ft high. 3 $\frac{1}{2}$ ft base
over it and in E. side drove stake
2 ft long 2 ins square 12 ins
in the ground marked $\frac{1}{4}$ S on
N. face.

7670 Intersect ^{of Townships} H. by 4995 chains N. of closing
cor to sec. 7 and 18 and Deposited
charred stake 12 ins in the ground
for $\frac{1}{4}$ sec cor. dig pits 18 x 18 x 12 ins
N. E. & S. of stake 5 $\frac{1}{2}$ ft dia. raised
mound of earth 1 $\frac{1}{2}$ ft high. 3 $\frac{1}{2}$ ft base
over it and in E. side drove stake 2 ft.
long 2 ins square 12 ins in the ground
marked $\frac{1}{4}$ S on E. face.
Land rolling Soil 1 st rate

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(8093-10 M.)

West on true line through
Center of sec 7.

Pa 1945' Corner

Commencing at $\frac{1}{4}$ sec corner E by
945' Road bears N.

2000 Deposited charred stake 12 ins in
the ground for $\frac{1}{4}$ sec. cor. dug
pits 18x18x12 ins E. end N. of stake
 $5\frac{1}{2}$ ft. dia. raised mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, over it
and in E pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face

3800 Gulch bears N. - 50

4000 Deposited charred stake 12 ins in
the ground for $\frac{1}{4}$ sec. cor. dug pits
18x18x12 ins E. end N. of stake $5\frac{1}{2}$ ft.
dia. raised mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it and in E pit drove
stake 2 ft long 2 ins square 12 ins in the
ground marked $\frac{1}{4}$ S. on N. face

Sub-Subdivision of T. 2 North R. 33 East

Willamette Meridian, Oregon.

(M 01-2000)

5800 Gulch bears N. 100

6000 Deposited charred stake 12 in. in the ground for 1/4 sec. cor. dug pits 18x18x12 in. E. and W. of stake 5 1/2 ft. dist. raised mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. Put in E. side drove stake 2 ft. long 2 in square 12 in. in the ground

76.77

marked 1/4 S. on N. face

7677

Intersect E. bdy. close 12 3.90 chains N. of 1/4 sec. cor. and set post 3 ft. long 3 in square 2 1/2 in. in the ground marked 1/4 S. on N. face. for 1/4 sec

72.77 a 326

closing cor. dug pits 18x18x12 in. N. E. and S. of post 5 1/2 ft. dist. raised mound of earth 1 1/2 ft. high 3 1/2 ft. base around it

Land rolling Soil 1st rate

Not Cultivated

The A. h. of this sec is not adapted to agriculture.

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Joe Blarrin and
J. E. Koland, U. S. Deputy Surveyor, to assist in
 running, measuring and marking the lines and corners described in the foregoing field
 notes of the survey of the Sub-Subdivisional
 lines of Townships 2nd & 3rd North
Range 33 East Willamette Meridian, Oregon,
 showing the respective capacities in which they acted:

- J. D. Woolley, Compassman.
- E. G. Perry, Chainman.
- Guy Davis, Chainman.
- C. S. Raper, Chainman.
- J. R. Hadley, Chainman.
- C. Moses, Axeman.
- J. W. Herndon, Axeman.
- _____ , Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Joe Blarrin and
Joe E. Koland, U. S. Deputy Surveyor, in surveying all
 those parts or portions of the

Sub-Subdivisional lines of T 2nd & 3rd N.
R. 33 E Willamette Meridian, Oregon,
 as are represented in the foregoing field notes as having been surveyed by him and under
 his direction; and that said survey has been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the corner monuments established, according
 to the instructions furnished by the U. S. Surveyor General of Oregon.

- _____ , Compassman.
- E. G. Perry, Chainman.
- Guy Davis, Chainman.
- J. R. Hadley, Chainman.
- C. S. Raper, Chainman.
- C. Moses, Axeman.
- J. W. Herndon, Axeman.
- _____ , Flagman.

Subscribed and sworn to before me, this Fourth day of
November 1887

[SEAL.] James E. Koland
U. S. Dept. Surveyor

FINAL OATH OF DEPUTY SURVEYOR

Mr. James P. Currier and J. C. Holand
 United States Deputy Surveyor, do solemnly swear that in pursuance of

instructions received from Congress H. Taylor

U. S. Surveyor General for Oregon, bearing date of the 20th day

day of August 1888, I have well, faithfully and truly, in ^{our} my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all those

parts or portions of Townships 2nd & 3rd North
Range 33 East.

Willamette Meridian, in the State of Oregon, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

James P. Currier, James C. Holand
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 23rd

day of February 1888

A. G. Woodcock

Notary Public
for Oregon

Office U. S. Surveyor General,

Portland, Oregon, *August 8th* 188*8*

The ~~following~~ ^{*foregoing*} Field Notes of the Survey of the

Sub-Subdivisional Lines of
Tps. 2nd & 3 North Range 3.3 East
Willamette Meridian Oregon

executed by *James P. Burrin, James E. Nolan*
U S Deputy Surveyors.

under ^{*special*} ~~his~~ Contract No. _____, dated *May*

fourth 1887, having been critically examined, the
necessary corrections and explanations made, the said Field Notes
and the survey they describe, are hereby approved.

Douglas W. Taylor.
Surveyor General.