

FIELD NOTES

Of the survey of the *Subdivisional*
 Lines of *Townships 2nd and 3rd North*
Range 36 East Willamette Meridian, Oregon,
 as surveyed by *Jas. P. Currier and Jas. Holand*

U. S. Deputy Surveyor, under his Contract No. _____

Dated *May 4th*, 188~~7~~⁷

Survey commenced, *Sept 13th*, 1887.

Survey completed, " *15th*, 1887.

NAMES AND DUTIES OF ASSISTANTS.

J. P. [unclear], Compassman.
J. D. Medley, Chainman.
W. H. Medley, Chainman.
Frank G. Bolshaw, Chainman.
Guy Davis, Chainman.
B. B. Crown, Axman.
H. Oratch, Axman.
Frank Hoons, Flagman.

519A

PRELIMINARY OATHS OF ASSISTANTS.

We,

J. D. Medley, H. H. Medley
Frank B. Blshaw and Guy Davis

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in the survey

of the

Subdivisional lines of Townships 2nd & 3rd
North Range 36 East Willamette Meridian, Oregon.

J. D. Medley, Chainman.

H. H. Medley, Chainman.

Frank B. Blshaw, Chainman.

Guy Davis, Chainman.

Subscribed and sworn to before me this Thirteenth

day of Sept., 1887.

[SEAL.]

James P. Currier
U.S. Deputy Surveyor

We,

Frank Hoontz and
H. Reatch

do solemnly swear that we will well and truly perform the duties of Axmen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the

Subdivisional lines of T^s. 2 & 3 North
Range 36 E Willamette Meridian, Oregon.

Frank Hoontz, Axman.

H. Reatch, Axman.

Subscribed and sworn to before me this 13th

day of Sept., 1887.


[SEAL.]

James P. Currier
U.S. Deputy Surveyor

INDEX

Referring the Lines to the Pages of the Field Notes.

T. *3 North* R. *36 East* Will. Mer.



Meanders of _____, Pages _____ to _____

Meanders of _____, Pages _____ to _____

520 1/2
520A

INDEX

Referring the Lines to the Pages of the Field Notes.

T. *2 North* R. *36 East* Will. Mer.

6	45	5	4	3	2	1
44	43					
7	41	8	9	10	11	12
40	39					
18	37	17	16	15	14	13
35						
19		20	21	22	23	24
34						
30		29	28	27	26	25
33						
31		32	33	34	35	36

Meanders of _____, Pages _____ to _____

Meanders of _____, Pages _____ to _____

Subdivisions of T. 2 North R. 36 East

Willamette Meridian, Oregon.

(S. of - 0000)

5590 Set basalt stone 12 x 10 x 6 ins
8 ins in the ground for
1/4 sec. cor. marked 1/4
on N. face and raised mound
of stone 1 1/2 ft. high. 3 1/2 ft. base
over it.

7846 Summit, North + 900

8849 Canon N.E. - 250

9601 Cor to aces. 5, 6, 7 and 8
Land mountainous 96.01 chs
Soil 4th rate Red Timber
pine and fir in Canons
with underbrush of same

North bet aces 5 and 6
Cor 2 1/4 East

1150 Canon N.W. - 200

2500 Canon N.W. - 100

3025 Canon It - 75

4000 Set basalt stone 12 x 12 x 12 ins
8 ins in the ground for

Subdivision of T. 2 North R. 36 East

Willamette Meridian, Oregon.

(8093-10 M.)

$\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face and raised
mound of stone $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base
over it.

Ascend

5200 Summit of ridge + 500

Descend

7980 Intersection N. bdy of Township

12.20 chains East of
cor to secs. 31 and 32
T. 2 N. R. 36 East and
Set post 4 ft. long, 4 ins
square 24 ins in the ground
for closing cor to sec 5 & 6
marked C. C. T. 2 N. R. 36 E
on T.

T 5 on E and T 6 on N faces
with 5 notches on E and
1 notch on N. edge
dug pits $18 \times 18 \times 12$ ins

Subdivisions of T. 2 North R. 36 East
Willamette Meridian, Oregon.

S. E. and W. of post 5 1/2 ft
dist. and raised mound
of earth 2 ft. high. 4 1/2 ft.
base around post.

Said
Mountainous 79.80 chs
Soil 4th rate & rocky
Timber pine and fir in
Canons Grass good
Sept 15th 1887.

General Description
This tractuate Sp embraces
from 4 to 5 miles or almost
its entire length Meacham
creek canyon said canyon or
valley is about 2000 ft deep
It produces bunch grass &
scattered pine fir & balsam
trees Soil is very rocky 3^d rate

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Gas. P. Currin

and Jas. Holand, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of the

574 Subdivisional lines of Townships 2nd and 3rd
North Range 36 East Willamette Meridian, Oregon, showing the respective capacities in which they acted:

-, Compassman.
- J. S. Medley....., Chainman.
- W. H. Medley....., Chainman.
- Frank Belshaw....., Chainman.
- Guy Davis....., Chainman.
- B. B. Crowner....., Axman.
- H. Beach....., Axman.
- Frank Koons....., Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Gas. P. Currin

and Jas. Holand, U. S. Deputy Surveyor, in surveying all those parts or portions of the

Subdivisional lines of Townships 2nd and 3rd
North Range 36 East Willamette Meridian, Oregon, as represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

-, Compassman.
- J. S. Medley....., Chainman.
- W. H. Medley....., Chainman.
- Frank Belshaw....., Chainman.
- Guy Davis....., Chainman.
- B. B. Crowner....., Axman.
- H. Beach....., Axman.
-, Flagman.

Subscribed and sworn to before me this 15th day of

Sept., 1887.

[SEAL.]

James P. Currin
U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

I, Mr. Jas. P. Currier & Jas. Holand, United States Deputy Surveyors do solemnly swear that in pursuance of instructions

received from Douglas H. Taylor, U. S. Surveyor General for Oregon, bearing date of the 13th

day of May, 1887. I have well, faithfully, and truly, in ~~my~~ ^{our} own proper persons, and in strict conformity with the

instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all

those parts or portions of Townships 2nd & 3rd
North R. 96 East

Willamette Meridian, in the State of Oregon, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected ~~I~~ ^{we} will suffer the penalty of perjury under the provisions of an act of Congress approved August 8, 1846.

James P. Currier & James E. Holand
U. S. Deputy Surveyors,

Subscribed and sworn to before me this Fifteenth

day of February, 1888

W. Woodwell
Notary Public
for Oregon

576

FINAL DRAFT OF DEPUTY SURVEYOR

Office of U. S. Surveyor General,

Portland, Oregon, July 26th, 1888.

The ^{following} ~~following~~ Field Notes of the Survey of the

Subdivisional lines of Twp.

3. North Range 36. East

Will. Mer Oregon

executed by James P. Currier + James E. Skoland

^{Special Joint}
under ~~his~~ Contract No. _____, dated May

4th, 1887, having been critically examined,
the necessary corrections and explanations made, the
said Field Notes and the survey they describe, are
hereby approved.

Douglas W. Taylor.

Surveyor General.

~~FINAL OATH OF DEPUTY SURVEYOR.~~

I, _____, United States
Deputy Surveyor, do solemnly swear that in pursuance of instructions
received from _____, U. S.

Surveyor General for Oregon, bearing date of the _____

day of _____, 188____, I have well, faithfully,
and truly, in my own proper person, and in strict conformity with the
instructions furnished by the U. S. Surveyor General for Oregon, the
Surveying Manual, and the laws of the United States, surveying all

those parts or portions of _____

Willamette Meridian, in the State of Oregon, as are represented in the
foregoing field notes as having been surveyed by me and under my
directions; and I do further solemnly swear that all the corners of said
survey have been established and perpetuated in strict accordance with
the Surveying Manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Oregon, and in the specific man-
ner described in the field notes, and that the foregoing are the *true* field
notes of such survey, and should any fraud be detected I will suffer the
penalty of perjury under the provisions of an act of Congress approved
August 8, 1846.

U. S. Deputy Surveyor.

Subscribed and sworn to before me this _____

day of _____, 188____

577

Office of U. S. Surveyor General,

Portland, Oregon, *Nov. 17th*, 1888

foregoing
The following Field Notes of the Survey of the

Subdivisional Lines of
Township 2 North Range

30 East Will. Mer Oregon

executed by *James P. Curran* and *Joas E. Nolan*
their Special. *US Dept Surveyors*
under ~~his~~ Contract No. , dated *May*

4th, 1887, having been critically examined,
the necessary corrections and explanations made, the
said Field Notes and the survey they describe, are
hereby approved.

Douglas W. Taylor
Surveyor General.