

RECEIVED AND FILED,

this 31st day of June 1900

330

Platted

B. ROBERT A. HABERSHAM,
U. S. Surveyor General for Oregon.

FIELD NOTES

Of the Subdivisional Lines of
fractional
T. 3 North R. 37 East

Willamette Meridian, Oregon,

BY

William O. Campbell
Deputy Surveyor,

UNDER

Joint Contract No. 708 dated May 1., 1900
Survey commenced July 23^d, 1900
Survey completed August 29^d, 1900

Platted

Copied for Washington 4-3-1900-19.

FIELD NOTES

Of the survey of the *subdivision*

Lines of *fractional Township No. 3 North*

Range No. 37 East Willamette Meridian, Oregon,

as surveyed by *William E. Campbell*

U. S. Deputy Surveyor, under his ^{joint} contract No. *918*

dated *May first*, 1900..

Survey commenced *July 23rd*, 1900..

Survey completed *August 29th*, 1900..

NAMES AND DUTIES OF ASSISTANTS.

Charles E. Campbell, Chainman.

Roy J. Campbell, Chainman.

....., Chainman.

....., Chainman.

Charles E. Campbell, Axman.

Roy J. Campbell ~~Axman.~~
Moundman.

....., Flagman.

336B

PRELIMINARY OATHS OF ASSISTANTS.

WE, Charles L. and

Roy J. Campbell

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the survey of the subdivision

lines of fractional Township No. 3 North, range No. 37 East,
Willamette Meridian, Oregon.

Charles L. Campbell, Chainman.

Roy J. Campbell, Chainman.

....., Chainman.

....., Chainman.

Subscribed and sworn to before me this Twentieth

day of July, 1900.

William E. Campbell

U. S. Deputy Surveyor

[SEAL.]

WE, Charles L. and

Roy J. Campbell

~~and~~ do solemnly swear that we will well and truly perform the duties of axmen ^{and} mound men, ~~and~~ ~~flagman~~ in the establishment of corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the survey of the subdivision lines of
fractional Township No. 3 North, range No. 37 East,
Willamette Meridian, Oregon.

Charles L. Campbell, Axman.

Roy J. Campbell, Moundman.

....., Axman.

....., Flagman.

Subscribed and sworn to before me this Twentieth

day of July, 1900.

William E. Campbell

U. S. Deputy Surveyor

[SEAL.]

INDEX

337

Referring the Lines to the Pages of the Field Notes.

South half of
Township No 3 North, Range No 37 East, Will. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	56	20	42	21	32
54	22	21	23	11	24
30	53	29	39	28	27
48	30	30	27	18	26
31	7	25	26	27	18
44	32	46	28	27	26
32	35	33	24	34	26
44	35	36	33	24	34
33	3	36	14	35	16
44	36	5	35	14	35
34	3	36	3	36	3

Meanders of _____ Pages _____ to _____

Meanders of _____ Pages _____ to _____

Subdivision of T. 3 N., R. 37 E. - Continued.

Chains: and Manuel I retraced S. and E. bdy. of sec. 36, finding the former correct in alignment and measurement; the latter defective in both. After resurveying E. bdy, correcting cor. on S. bdy; establishing Sectional Guide Meridian and east tier of sections, it developed that the remainder of S. bdy. was defective in both measurement and alignment, though not beyond the limit in the latter case. Therefore, after resurveying this portion of the S. bdy. the remainder of subdivisions were established accordingly.

July 28: I commence at the cor. of secs. 35 and 36, reestablished by me this day, an ironstone 15 x 5 x 4 ins. above ground, marked and witnessed as described in the field notes of resurvey returned to the Surveyor-general.

Thence I run

North, on Sec. Guide Meridian bet. secs. 35 and 36.

Ascending grassy, stony hillside, through widely scattering timber and undergrowth; Hill bears N. 50° W. and S. 30° E.

.56 At fir, 7 ins. diam., or line, I mark with 2 notches on N. and S. sides.

10.00 Shallow ravine, course S. 70° W.

20.00 Top of long ridge-point - N. 40° W.; descend steep hill through thick timber and dense undergrowth; bears N. 70° W. and S. 70° E.

28.75 Ravine, course N. 35° W.; then gradual slope N.W.

31.00 Bill, 1 bk. wide, runs W.; ascend gradually.

36.50 Scattering timber and undergrowth; steep slope westward.

Subdivisions of T. 3 N., R. 37 E. - Continued.

Chains: pine & brushy areas. Good pasture land.

Mountainous land, 76.60 ch.

Overcast at 12 M.; observation for lat. not possible.

August 1, 1900.

August 6: At 9 a.m., l.m.t., I set off $45^{\circ}41'30''$ on the lat. arc; $16^{\circ}43'30''$ N. on the decl. arc, and determine a true meridian by the solar at the cor. of sec. 34 & 35, on the S. side of the T., established by one this day: viz: a basalt stone $20 \times 15 \times 8$ ins. set firmly in the ground, with mound of stones about cor., marked & witnessed as described in the field-notes of surveying returned to the surveyor-general.

Thence I run

N. $0^{\circ}1'W.$, bet. sec. 34 & 35.

Slightly ascending over main ridge bet. the South Fork of Amatilla river & Bush creek through crattering timber & undergrowth.

- 1.03 Stock trail along ridge; bears N. $70^{\circ}W.$ & S. $70^{\circ}E.$
- 4.25 Top of divide & descent.
- 5.25 Steeper descent of mountain; bears N. $80^{\circ}W.$ & S. $80^{\circ}E.$
- 6.00 Enter dense undergrowth.
- 8.25 Enter heavy timber.
- 15.00 Hill bears N.W. & S.E.
- 22.00 Cross ridge-point N. $10^{\circ}E.$
- 24.00 Hill bears N. $70^{\circ}E.$ & S. $70^{\circ}W.$

The Dalles, Ore., Jan. 8, 1901.

Robert A. Hobusham - U. S. Surveyor - General for Oregon,

Portland:

Sir:

I send herewith guide maps for Tps. 2 ²⁴ & N., Rs. 37 ²⁴ & 48 E. I discover the following omissions in notes of T. 3 N., R. 37 E.: On west boundary of sec. 19, at 54.80 chs., trail up creek, bears with stream; N. 0° 2' W., bet. sec. 21 ²⁴ & 22, at 2.00 chs., trail from Greaves' Butte, bears N.W. ²⁴ S.E. - then N.E.; N. 0° 3' W., bet. sec. 28 ²⁴ & 29, at 45.50 chs. trail, bears N.E. ²⁴ S.W. And in T. 2 N., R. 48 E., on line S. 89° 54' W., bet. sec. 11 ²⁴ & 14, I find trail down hollow - at 18.50 chs. is omitted. All these trails were rattled, faded ²⁴ dim at the points mentioned which accounts for the failure of the chain bears to notice them; they are now recalled by me ²⁴ set down correctly on the accompanying maps.

Very Respectfully

William E. Campbell

U. S. Deputy Surveyor

P. S.: I believe I forgot to mention it in my general descriptions, but these townships are more than generously supplied with rattlersakes of the most business-like qualifications.

Yours Truly.

FINAL OATHS FOR SURVEYS.

399
A list of the names of the individuals employed by William E. Campbell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of the subdivision lines of fractional township No. 3 north, range No 37 east, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

_____, Compassman.
Charles E. Campbell, Chainman.
Roy I. Campbell, Chainman.
_____, Chainman.
_____, Chainman.
Charles E. Campbell, Axeman.
Roy I. Campbell, ~~Axeman.~~ ^{Moundman.}
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted William E. Campbell, U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivision lines of fractional township No. 3 north, range No. 37 east, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor General of Oregon:

_____, Compassman.
Charles E. Campbell, Chainman.
Roy I. Campbell, Chainman.
_____, Chainman.
_____, Chainman.
Charles E. Campbell, Axeman.
Roy I. Campbell, ~~Axeman.~~ ^{Moundman.}
_____, Flagman.

Subscribed and sworn to before me, this thirtieth day of August, 1900.

[SEAL.]

William E. Campbell
U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

I, William E. Campbell, United States

Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Robert A. Habershern, U. S.

Surveyor-General for Oregon, bearing date of the eleventh

day of May, 1900, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for Oregon, the Manual of Surveying Instructions, and the laws of the United States, surveyed

all those parts or portions of The subdivision lines of fractional township No. 3 North, range No. 57 East,

Willamette Meridian, in the State of Oregon, which are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions and the special written instructions of the U. S. Surveyor-General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

William E. Campbell

U. S. Deputy Surveyor.

Subscribed by said William E. Campbell, U. S.

Deputy Surveyor, and sworn to before me this twenty eight

day of December, 1900

Alvin E. Lake

County Clerk ex officio

Clerk of the Circuit Court.

399B

Office of U. S. Surveyor-General,

PORTLAND, OREG., *March 28*, 190*1*

The foregoing field notes of the survey of the

Subdivisional of fractional
Township 3 North Range
37 East Will. Men Oregon

executed by *William O. Campbell*
U. S. Deputy Surveyor

under his contract No. *718*, dated

May 1, 190*0*, having been critically examined,

and the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

Robert A. Habershaw

U. S. Surveyor-General.