

Platted

Revised April 3rd 1902
J.

281

FIELD NOTES

Of the Re-survey of the Coctwin Lines of

Township No. 2 North, Range No. 37 East,

Willamette Meridian, Oregon,

BY

Charles L. Campbell

Deputy Surveyor,

UNDER

his joint Contract No. 733 dated March 22, 1901

Survey commenced July 5, 1901

Survey completed August 13, 1901

Platted _____

Copied for Washington Apr 18 1902 by Cook

12987b200-1-1900

See Clerk Affidavit

FIELD NOTES

Of the ^{re} survey of the *exterior*

Lines of *Township No. 2 North,*

Range No. 37 East, Willamette Meridian, Oregon,

as surveyed by *Charles C. Campbell*

U. S. Deputy Surveyor, under his contract No. *783*

dated *March 22*, 190*1*

Survey commenced *July 5*, 190*1*

Survey completed *August 13*, 190*1*

NAMES AND DUTIES OF ASSISTANTS.

Lyde W. Biddell, Chainman.

Ray J. Campbell, Chainman.

....., Chainman.

....., Chainman.

W. A. Burt Campbell, Axman.

....., Axman.

....., Flagman.

284

PRELIMINARY OATHS OF ASSISTANTS.

WE, Clyde W. Riddell and
Roy J. Campbell

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the ^{re} survey of the exterior

lines of Township No. 2 North, Range No. 37 East,
Willamette Meridian, Oregon.

Clyde W. Riddell, Chainman.

Roy J. Campbell, Chainman.

....., Chainman.

....., Chainman.

Subscribed and sworn to before me this fifth
day of July, 1901

Charles L. Campbell

U. S. Dept. Surveyor

[SEAL.]

WE, W. A. Burt Campbell

and
do solemnly swear that we will well and truly perform the duties of axmen, mound men, and flagman in the establishment of corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the ^{re} survey of the exterior lines of
Township No. 2 North, Range No. 37 East,
Willamette Meridian, Oregon.

W. A. Burt Campbell, Axman.

....., Axman.

....., Flagman.

Subscribed and sworn to before me this fifth
day of July, 1901

Charles L. Campbell

U. S. Dept. Surveyor

[SEAL.]

INDEX

REFERRING THE LINES TO THE PAGES OF THE FIELD NOTES.

Township No. 2 North, Range No. 37 East, Will. Mer.

	6	5	4	3	2	1	32
	7	8	9	10	11	12	128
	18	17	16	15	14	13	24
67	19	20	21	22	23	24	19
64	30	29	28	27	26	25	15
60	31	32	33	34	35	36	9
	53	50	46	48	40	36	

Meanders of Pages to

Meanders of Pages to

I Chas. L. Campbell,
 U. S. Dept. Surveyor, do
 solemnly swear, the
 resumed of the exterior
 line of Township No.
 2 N., Range No. 37 E., was
 absolutely necessary in
 order to complete my
 survey under
 Contract No. 733, in
 accordance with the
 Manual of surveying
 instructions

Chas. L. Campbell.

U. S. Dept. Surveyor.

Subscribed by said
 Chas. L. Campbell, U. S. Dept.
 Surveyor, and sworn to
 before me this 2nd day
 of April, 1902.

Seal

A. E. Latta
 County Clerk

By J. Bolton
 Dep

Resurvey exterior T. & N., R. 37 E. - Con.
 Chains cor. bears $\frac{1}{2}$ W ² lks.
 dist, and at 318.40
 chs. the cor. of sec.
 3, 12, 18 and 18 bears
 W. ¹⁹ ~~20~~ lks. dist. at
 358.21 chs. the $\frac{1}{2}$ sec.
 cor. bears W. ²⁵⁻⁴ ~~25~~ lks.
 dist, and at 397.67
 chs. the cor. of sec.
 1, 6, 7 and 12, bears
 W. ²⁹ ~~28~~ lks. dist. At
 438.05 chs. the $\frac{1}{2}$ sec.
 cor. bears W. ³³⁻⁴ ~~33~~ lks.
 dist, and at 479.58
 chs. the closing
 cor. of T. & N., R. 37
 and S. C. bears W.
⁴⁰ ~~38~~ lks. dist.

I then proceed to
 the S. C. cor. of T. & N.,
 R. 37 E. and run
 N 89° 57' W. on blank
 line on S. body of
 sec. 36, at 4024
 chs. the $\frac{1}{4}$ sec. cor.
 bears S. 9 ⁴ lks. dist,
 and at 8024 chs.

Resurvey exterior F. & N. R. 376. - Con.

Chain the cor. of sec.
 1, 2, 35 and 36 bears
 N. 75 che. dist;
 Therefore, I continue
 my line N. 89° 57' W.
 At 120.24 che. I find
 no trace of $\frac{1}{4}$ sec.
 cor. At 159.14 che.
 the cor. of sec. 2, 3,
 34 and 35 bears N. 161
 che. dist. At 199.55
 che. the $\frac{1}{4}$ sec. cor.
 bears N. 131⁴ che. dist,
 and at 240.12 che.
 the cor. of sec. 3, 4,
 33 and 34 bears N.
 121 che. dist. At
 280.43 che. the $\frac{1}{4}$ sec.
 cor. bears N. 169⁴ che.
 dist., and at 320.48
 che. the cor. of sec.
 4, 5, 32 and 33 bears
 N. 104 che. dist. At
 360.35 che. the $\frac{1}{4}$ sec.
 cor. bears N. 47 che.
 dist., and at 400.67
 che. the cor. of sec.

Resurvey C. bdy. T. & N., R. 37 C. - Con.
 Chains 5, 6, 31 and 32 bear
 N. 47 lks. dist.
 at 440.76 chs. the
 $\frac{1}{4}$ sec. cor. bears
 48.7 lks. dist., and
 at 500.52 chs.
 intersect the N.
 and S. line 72 lks.
 N. of the cor. of
 T. 1 and 2 N.,
 R. 36 and 37 C.
 July 5, 1901.

Since T. & N., R. 38 C.
 has been subdivi-
 vided, I resurvey
 the range line
 bet. T. 1 & 2 N.,
 R. 37 and 38 C.
 as follows:
 I reestablish all old
 obliterated cor. in
 their original
 places, destroy the
 markings of the
 old cor. which

Resurvey of C. body, T. & W., R. 37 E. - Co.
Chains for tank to the
survey W.; and
establish new
regular core.
From now to two
sec. or quarter
sec., upon the
old line at law-
ful distances
minus the north-
ering of the T. body.
July 4. At 7^h 40^m
a. m., l. m. t., I
set off $45^{\circ} 36'$ on
the lat. arc; $22^{\circ} 24'$
N. on the decl.
arc; and determine
a true meridian
with the solar at
the cor. of Sp. 1
and 2 W., R. 37 and
38 E., which is a
post firmly set
marked and
witnessed as
described by the
surveyor general,

Resurvey E. body. T. & N., R. & C. - Con.
Chains with the exception
of the N. C. and N. W.
bearing trees which
have entirely rotted
away.

A mark
at spruce, 16 in.
diam., bears N. 60° E.,
68 lks. dist., marked
T. & N., R. & C. T. 31, B. T.
A larch, 10 in. diam.,
bears N. 55° W., 82 lks.
dist., marked T. & N.,
R. & C., T. 36, B. T.

Thence Iron
N. 0° - 15° E. on old
township line, bet.
secs. 81 and 86.

Around gradually
along E. slope of
through heavy
timber and dense
undergrowth.

39.70 At 4800 chs. minus
30 lks, the northering
of the S. body,
set basalt stone,
15 x 10 x 8 in., 10 in.

Resurvey T. body T. & N., R. 37 E.
Chains July 10, 1907.

Since T. 1 N., R. 37 E. has been subdivided, I resurvey the line bet. T. 1 N. and 2 N., R. 37 E. as follows: I reestablish all old obliterated corners in their original positions.

July 11: at 7^h 50^m a. m., l. m. t., I set off $45^{\circ} 56'$ on the lat. arc; $22^{\circ} 11' N.$ on the decl. arc; and determine a true meridian with the solar at the cor. of T. 1 N. and 2 N., R. 37 and 38 E. described heretofore. Hence I run $S. 89^{\circ} 55' W.$ of old township line bet. sec. 1 and 36. Around E. slope of

Resurvey of body T. & N. P. & E. Corn
Chains divide, through
heavy timber and
dense undergrowth.

40.24 Intersect old $\frac{1}{4}$ sec.
cor. which is a
part badly decayed,
marks obliterated
and witnessed
as described by
the surveyor
general. I fasten
old post and set
an iron one, 24 x
15 x 10 ins, 18 ins. in
the ground, for $\frac{1}{4}$
sec. cor, marked $\frac{1}{4}$
on N. face, from
which the witness
true bear as stated
by the surveyor
general.

Thence Iron
N. 58° 45' W.

50.25 Summit of divide
bet. Grande Ronde
and Umatilla Basins
300 ft. S. p. cor. bears

1328

- Resurvey of bdy. S. 2 N., R. 8 E. - Con.
Chain N. 20° W., S. 20° E. around.
- 62.00 Over swampy
ground, bear
N and S
- 63.50 Leave swampy
ground and
ascend over rolling
land on N. slope
of ridge.
- 72.00 Top of ridge point
150 ft high, bear
N and S around.
- 79.00 Enter scattering
timber bear N
and S 10° E.
- 80.24 Intersect the cor.
of sec. 1, 2, 35 and 36
which is a post,
entirely decayed
in front of
stone, and witnessed
as described by the
surveyor general.
I set a basalt
stone, 15 x 10 x 8 in
10 in. in the ground
at the same point.

Resurvey S. bdy. T. & W. R. & C. - Con.
Chain for cor. of sec. 1, 2,
3 & 4 and 5, marked
with 1 notch on C.
and 5 notches on
W. edge. From
which the witness
true bear as stated
by the surveyor
General.

Land, mountainous
and rolling.
Soil stony and loam;
red, 4th and 1st
rate.

Timber, fir, pine,
tamarack, spruce,
larch and yew.
Undergrowth,
mountain laurel,
huckle berry, vine
maple and small
fir.

Mountainous or heavily
timbered lands.
S. O. 24 ch.

Resurvey S. bdy. T. 2 N., R. 27 E. - Con.

Chain N. 89° 20' W. on old
township line
bet. sec. 2 and 35.
Ascend through
heavy timber and
dense undergrowth.
Foot of hill, 300
ft. below summit
of divide.

13.40

Thomas and Rachel
Creek, 10 lbs.

wide, slow cur-
rent, stony bottom,
course N. 75° W.

Ascend along N.
slope of ridge.

39.45

At this point, I
again make a
careful search
for the $\frac{1}{4}$ sec. cor.,
which is described
by the surveyor
Gunnal as a post
with bearing
tree, but unfor-
tunately find any
trace of post or

Resurvey T. bdy. P. & N., R. 37 E. - Con.

Chain bearing tree. I
reestablish the $\frac{1}{4}$
sec. cor. midway
bet. the sec. cpr
Set an ironstone,
15 x 10 x 5 in., 10 in.
in the ground for
 $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ of N. face.
From which

A fir, 10 in. diam.,
bear S. 41° E., 45
lbs. dist., marked
 $\frac{1}{4}$ S 2, B.T.

A fir, 8 in. diam.,
bear N. 21° E., 2
lbs. dist., marked
 $\frac{1}{4}$ S 05, B.T.

41.25 Ridge point, 200 ft.
above creek, bear
N. and S.

Buck Mt. pack
trail, bear N. and S.
descend through
scattering timber.

60.25 Foot of ravine, 150
ft. deep, course N.

Resurvey of S. vdy. T. & N., R. 37 E. - Con.

Chain ascends through heavy timber and dense undergrowth.

> 750 E. edge of plateau
beak S. 30° W., S. 30° E.
Over level ground.

> 890 Intersect the cor.
of sec. 2, 3, 34 and
35 which is a
post in mound of
stone, marked
and witnessed
as described by
the surveyor Gen-
eral.

Land, mountainous.
Soil, stony; red rate.
Timber, pine, fir
and tamarack.
Undergrowth, laurel,
huckleberry and
small fir.

Mountainous land
> 890 ch.

July 11: At this
sec. cor., I set of
22° 09' N. on the

Resurvey S. by. T. & N., R. 27 E. - Con.
 Chain decl. arc; and at
 0^h 05^m p.m., l.m.t.,
 observe the sun on
 the meridian; the
 resulting lat. is
 45° 36' which agrees
 with the proper
 lat.

S. 89° 37' W. on old
 township line
 bet. sec. 3 and 34
 Q. on level ground
 on summit of
 divide bet. Meachum
 Creek and Umatilla
 River bears N. 80° W.,
 S. 80° E.

3. 00 Black Mt. pack trail
 bears N. 60° W., S. 80° E.
 descend steep
 S. slope through
 scattering timber
 and undergrowth.
 36.25 Foot of hill, 450
 below summit of

Resurvey T. body. T. & N. R. & E. Cor.

Chain bears N. and S.

Creek, 3 lks. wide,
course S. 80° E. in
headwaters of N. Fork
Machum Creek.

Ascend.

40.41

Intersect old $\frac{1}{4}$ sec.
cor., which is a
post, greatly decayed,
marks obliterated
and witnessed as
described by the
surveyor General.
I dusted old post
and set new post,
8 ft. long, 3 in.
sq., 24 in. in the
ground, for $\frac{1}{4}$ sec
cor., marked $\frac{1}{4}$ S. 34
on N. face and $\frac{1}{4}$ S. 30 on
S. face. From
which the witness
true bear as stated
by the surveyor
General.

S. 89° 54' W.

Ascend steep E.

Resurvey Sbdy. T. & N., R. 37 E. - Con.
 Chain slope of mountain.

79.10 Leave timber and
 undergrowth bear
 N. and S. and pass
 over level rocky
 plateau.

80.98 Intersect old cor.
 of sec. 3, 4, 33 and 34
 which is a decayed
 post in mound of
 stone, marks all
 obliterated. I set
 new post, 3 ft. long,
 6 in. sq. at the
 same point, 24 in.
 in the ground, for
 cor. of sec. 3, 4, 33 and
 34 marked T. & N.,
 S. 34 on N. E.,
 R. 37 E., S. 3, on S. E.,
 T. 1 N., S. 4 on S. W. and
 S. 33 on N. W. faces; with
 3 notches on E and W.
 edges. Rebuild the
 Stone mound N. of
 the cor.

Resurvey T. 6 N., R. 8 E., Con.

Cham Land, mountainous soil, stony; red and 4th rate.

Timber, fir, pine, spruce and larch.

Undergrowth, mountain laurel, small fir, huckleberry and yew.

Mountainous land 80.98 cks.

July 11, 1901.

N. 89° 16' W. on old township line bet sec. 4 and 33.

3. > 5 Over rocky prairie. Descend over rolling ground through heavy timber and dense undergrowth bear N. and W.

4. & 5 Buck Mt. pack trail, bear N. 60° E. S. 60° W.

10. & 5 dry bed of stream,

- Resurvey T. & N., R. & C. - Con.
 Chain 5 lks. wide, in ravine
 50 ft. deep, course
 S. 80° E. Large
 spring about 500 yds.
 S. of this point.
 Ascend gradually.
- 21.10 Summit of divide
 bet Maachum Creek
 and Umatilla River,
 50 ft above dry bed
 of stream, course
 N. 80° E., S. 30° W.
 descend steep W.
 slope.
- 39.50 Foot of hill, 400 ft
 below top of divide,
 bears N. and S.
 Creek, 5 lks. wide,
 swift current, stony
 bottom, course N. 10° E.
 Ascend.
- 40.31 Intersect old $\frac{1}{4}$ sec.
 cor. which is a post
 nearly burned away
 and witnessed as
 described by the
 survey, or general

Resurvey T. body S. & N., R. & E. - Corn
 Chains, with the exception
 of the S. W. bearing
 tree which has
 been destroyed.
 I set a ball stone,
 15 x 12 x 5 ins., 10 ins.
 in the ground at
 the same point,
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face. From
 $\frac{1}{4}$ which a bear
 track, 24 ins. diam.,
 bears, S. 22° W., 14 lbs.
 dist., marked $\frac{1}{4}$ S.
 $\frac{1}{4}$, B. T. The other
 witness tree bears
 as stated by the
 surveyor general.
 S. 89° - ³⁰ 3' W.

Over rolling ground,
 67.00 Leave heavy timber
 and enter scattering
 pine and fir forest,
 bears N. and S.

68.25 Top of ridge 200
 ft. high, bears N.
 and S. down.

Resurvey T. bdy. T. & N., R. 37 E. - Cor.

7650 Enter sheep corral,
bear N. and S.

7725 Leave sheep corral
bear N. and S.

8086 Entered old cor.
of sec. 4, 5, 32 and 33
which is a post,
badly decayed,
marks obliterated
and witnessed as
described by the
surveyor General
with the ex-
ception of the
S. H. bearing line
which has been
destroyed. Set
an iron stone, 20 x 20
x 12 in., 10 in. in
the ground, at the
same point, for
cor. of sec. 4, 5, 32 and
33, marked with
4 notches on E. and 2
notches on N. edge.
From which a

A pin, 12 in. diam.

340
5-8-88

Revising S. body T. & N., R. & C. - Con.
Chain bears S. 40° W., 2.09 chs.
dist., marked T. & N.
T., R. & C., S. 5, R. T.
The other true bear
as stated by the
surveyor General.
Land, mountainous.
Soil, loam and stony,
good and good rate.
Timber, fir, pine
spruce and tamarack.
Undergrowth, moun-
tain laurel, huckle-
berry and small pine.
Mountainous land,
S. 0.86 chs.

S. 88° $48'$ W. on old
township line
bet. sec. 5 and 22.
Descend gradually
through scattering
timber.

26.00 Enter dense under-
growth, bears N.
and S.

20.24 Spring branch, 5 lbs.

Resurvey T. & N. R. 27 E. - Con.

Chain wide, course N. 10° W.

Ascend over rolling land through heavy timber.

3990 Intersect old $\frac{1}{4}$ sec. cor., which is a post, badly decayed, marks obliterated and witnessed as described by the surveyor general. Set a basalt stone, 15 x 8 x 6 in. 10 in. in the ground at the same point, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face.

N. 89° 57' W.

5000 Spring branch, 2 1/2 ft. wide in ravine, 5 ft. deep, course N. 20° E.

7475 Through scattering timber, bear N. and S.

7900 Enter ragging forest fire, bear N. and S.

Resurvey S. body T. 2 N., R. 2 E. - Con.
Chains

8019

Intersect old cor. of
secs. 5, 6, 31 and 32,
which is a post
almost burned
away and bearing
true, as described
by the surveyor
General and all
missing. I re-
establish the old
cor. at the same
point as follows:
Set a basalt stone,
20 x 12 x 4 in., 15 in.
in the ground
for cor. of secs. 5, 6,
31 and 32, marked
with 5 notches on
E. and 1 notch on N.
edge. No true
limits. Raise
a mound of stone,
3 ft. base, 2 ft. high,
N. of cor. Pit
irretrievable.
Land, rolling and

Resurvey T. bdy. T. & N., R. & E. - Con.
Chaine mountainous.

Soil, sandy loam;
1st, and 2nd and 3rd
cals.

Timber, pine, fir,
spruce, larch and
lamarack.

Undergrowth, moun-
tain laurel, wild
cherry, small pine
and huckle berry.
Mountainous and
heavily timbered lands
80.19 che.

July 11: At ^{4 m} 3-50 p.
m., l. m. t., I set
off 45°-36' on the
lat; 22°-08' N. on the
decl. arc; and
determine a true
meridian with
the solar at the
cor. of rice. 5, 6, 81
and 82.

Thence Drive

Resurvey today, P.M. P. 87 C. - C.M.

- Chance S. 89° 17' W. on old township line bet. sec. 6 and 31. descend through fresh burn over rolling ground.
- 2.50 Enter heavy timber, bear N. and S.
- 6.50 Enter dense undergrowth, bear N. and S.
- 12.00 Dry bed of stream in ravine, 50 ft deep, course N. 10° W.
- 20.00 Top of rise, 50 ft high, bear N. and S.
- 40.00 Intersect $\frac{1}{4}$ sec. cor. which is a post, badly decayed, marker obliterated, and bearing true missing. I re-established the old cor. in the same place as follows: Set a basalt stone, 15 x 12 x 6 ins., 10 ins. in the ground, for

Resurvey S. body T. & N. R. & E. - Cor.

Chain $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face. From
 $\frac{1}{4}$ which

A fir, 46 in. diam.,
 bears N. 40° E., 66 k.
 dist., marked $\frac{1}{4}$
 S. 61, B. T.

A fir, 26 in. diam.,
 bears S. 16° E., 69 k.
 dist., marked $\frac{1}{4}$
 S. 31, B. T.

S. 89° 26' W.

42.25 Spring branch, in
 ravine 50 ft. deep,
 course N. 10° E.

61.00 Through dense
 thickets of alder
 and fir on N.
 slope of Black Mt.
 ascend gradually.

75.00 Spring branch,
 2 k. wide, course
 N.

Steeper ascent.

82.00 Leave dense
 thickets and fir
 timber bears N and S.

Resurvey T. body. T. & N., R. 37 E. - Cm.

Chains

- 84.00 Top of rise, 100 ft. above creek, bears N. W. and S.
- 84.75 Buck Mt pack trail, bears N. 80° W., S. 80° E.
descend gradually over plateau through scattering timber.
- 97.25 Leave plateau bears N. W., S. E. and descend along S. slope through scattering timber and dense undergrowth.
- 100.15 Intersect the cor. of Tps. 1 and 2 N., R. 36 and 37 E. which is a post almost rotted away, marks obliterated, and witnessed as described by the surveyor's general with the exception

Resurvey T. body T. & N., R. 37 E. - Con.
 Chain of the N. E. bearing
 One which bears
 N. 82° E., 15 lks. dist.
 instead of N. 71° E., 91
 lks., as described
 by the surveyor
 Journal. A set
 basalt stone, 24 x 20
 x 5 ins., 5 ins. in the
 ground, at the same
 point, for cor. of Tps.
 1 and 2 N., R. 36 and
 37 E., marked with
 6 notches on each
 edge.

Land, rolling and
 mountainous
 soil, loam, 1st and
 2nd rate.

Timber, pine, fir
 and hemlock.

Undergrowth, alder,
 small pine, huckle
 berry and vine
 maple.

Mountainous or
 heavily timbered land

348
8888

Resurvey S. body. S. 2 N. R. 27 E. - Con.
Chain 9000 ft.

Overcast at noon
prevented taking
the latitude.

June 11, 1901.

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Charles C. Campbell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the re surveys of the exterior lines of Township No. 2 North, Range No. 37 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

-, Compassman.
- Blyde W. Biddell....., Chainman.
- Roy J. Campbell....., Chainman.
-, Chainman.
-, Chainman.
- W. A. Burt Campbell....., Axman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Charles C. Campbell, U. S. Deputy Surveyor, in surveying all those parts or portions of the exterior lines of Township No. 2 North, Range No. 37 East, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General of Oregon:

-, Compassman.
- Blyde W. Biddell....., Chainman.
- Roy J. Campbell....., Chainman.
-, Chainman.
-, Chainman.
- W. A. Burt Campbell....., Axman.
-, Axman.
-, Flagman.

Subscribed and sworn to before me, this thirtieth day of August, 1891.

[SEAL.]

Charles C. Campbell
U. S. Deputy Sur.

FINAL OATH OF DEPUTY SURVEYOR.

I, Charles L. Campbell, United States

Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Robert A. Habershon, U. S.

Surveyor-General for Oregon, bearing date of the Third

day of April, 1901, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for Oregon, the Manual of Surveying Instructions, and the laws of the United States, surveyed

all those parts or portions of the exterior lines of Township No. 2 North, Range No. 37 East,

Willamette Meridian, in the State of Oregon, which are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions and the special written instructions of the U. S. Surveyor-General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Charles L. Campbell
U. S. Deputy Surveyor.

Subscribed by said Charles L. Campbell, U. S.

Deputy Surveyor, and sworn to before me this 8th

day of February, 1901

E. L. Lu
County Clerk

STATISTICAL

Office of U. S. Surveyor-General,

PORTLAND, OREG., *March 4*, 190*3*

The foregoing field notes of the survey of the *Re. East*

South and Part of the West
Boundaries of Township 2
North Range 37 East Willamette

executed by *Charles L. Campbell*
Oregon
U. S. Deputy Surveyor

under his contract No. *733*, dated _____

March 22, 190*1*, having been critically examined,

and the necessary corrections and explanations made, the said field

notes and the surveys they describe, are hereby approved.

Remy M. Nelson

U. S. Surveyor-General.