

FIELD NOTES

223

Of the survey of the Subdivisional

Lines of Township 3 South

Range 33 East of, Willamette Meridian,

Oregon, as surveyed by Rufus S. Moore

U. S. Deputy Surveyor, under his Contract No. 451

dated June 28th, 1882

Survey commenced, November 22nd 1882

Survey completed, November 29th 1882

NAMES AND DUTIES OF ASSISTANTS.

....., Compassman.

James Guttridge, Chainman.

John Guttridge, Chainman.


....., Chainman.

....., Chainman.

Joe Parodi, Axeman.

....., Axeman.

....., Flagman.



224

PRELIMINARY OATHS OF ASSISTANTS:

We, James Guttridge and
John Guttridge

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Subdivisional

lines of Township 3 South

Range 33 East of Willamette Meridian, Oregon.

James Guttridge, Chainman.

John Guttridge, Chainman.

, Chainman.

, Chainman.

Subscribed and sworn to before me, this Fifteenth

day of August 1882

[SEAL.]

Rufus S. Moore
Notary Public

We, _____ and _____

Joe Parodi, do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability,

in the survey of the Subdivisional lines of

Township 3 South R. 33E of Willamette Meridian, Oregon.

Joe Parodi, Axeman.

, Axeman.

Subscribed and sworn to before me, this Fifteenth

day of August 1882

[SEAL.]

Rufus S. Moore
Notary Public

INDEX.

Referring the Lines to the Pages of the field Notes.

T. 3 South R. 33 East Will. Mer.

6	97	5	69	4	51	3	33	2	16	1
95		94		68		50		32		15
7	92	8	66	9	48	10	31	11	14	12
90		89		64		47		29		12
18	87	17	62	16	45	15	28	14	10	13
85		84		61		44		26		9
19	82	20	59	21	42	22	24	23	7	24
80		78		58		41		23		5
30	76	29	56	28	39	27	21	26	4	25
75		74		55		38		20		2
31	72	32	53	33	36	34	18	35	0	36

Meanders of _____ Pages _____ to _____

Meanders of _____ Pages _____ to _____

Subdivision of T. 3 South R. 33 East

Willamette Meridian, Oregon.

A 5 mi claim bears S 2° W 22 listed
marked '14 S. B. L.

A 8 mi claim bears N 10° W 19 listed
marked '14 S. B. L.

4800 The corner to Sec 5, 6, 7 & 8.

Learned Mountains

Loc 2nd rate

Heavily timbered with pine fir
and Lammack.

Undergrowth of pine & fir.

on true line

North between Sec 5 & 6.

var 19° 30' E.

Ascend hill from corner.

3500 Leave timber, bear East

4000 Set Basalt Stone 16 x 10 x 6^{ins} on Honey

ground and piled stone around corner
marked '14 on N face for '14 Sec corner
and raised mound of stone alongside.

328
 Subdivision of T. 3 South R. 33 East
 Willamette Meridian, Oregon.

put's impracticable 600 ft above
 Sec. corner.

44 00 Top of Ridge beam N 60° W + 860° E.
 Second

65 00 Intersect South boundary of
 Township 2 South Range

32 East 3206 chs West of the
 Corner to Townships 2 + 3 S R. 32

E which is a just 4 mi square
 marked, T 2 DD 31 on N E,

R 33 E D 6 on D E, T 3 DD 1 on D W and

marks on D 36 on NW face. I obliterated the
 the N E and S W faces, and changed Sec. 6. to Sec. 5
 with 6 notches on each edge

from which:

April 24 mi dearn beam N 30° W 116 lbs dist
 marked D 36 B F

April 24 mi dearn beam N 50° E 79 lbs dist

The marks upon which I obliterated

A 10 mi dearn beam S 30° E 175 lbs dist

marked R 33 E D 6 B F I changed
 Sec 6 to Sec 15 on this bearing tree -

April 20 mi dearn beam S 47° W 213 lbs dist

The marks upon which I obliterated -

Subdivision of T. 3 South R. 33 East
 Willamette Meridian, Oregon.

Here set Basalt Stone $15 \times 10 \times 5$ ins
 10 ins in ground for closing
 corner to line 5 + 6. marked
 with 5 notches on E and 1 on
 West edge with C. C. on S
 face. and raised around
 of stone along side.

fits impracticable
 Land Meridian

Line 2^{me} + 3^{ce} rate.

Heavily timbered with pine + fir timber on
 S 35 chs

Compared compass with a
 meridian obtained by an
 observation taken on star
 polaris and find compass
 to run correctly.

November 29th 1882

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by _____

Rufus S. Moore, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Subdivisional

lines of Township 3 South
Range 33 East of Willamette Meridian, Oregon, showing the respective capacities in which they acted :

- _____, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- _____, Chainman.
- _____, Chainman.
- Joe Parodi, Axeman.
- _____, Axeman.
- _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Rufus S. Moore

_____, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivisional

lines of Township 3 South
Range 33 East of Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction ; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- _____, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- _____, Chainman.
- _____, Chainman.
- Joe Parodi, Axeman.
- _____, Axeman.
- _____, Flagman.

Subscribed and sworn to before me, this Thirtieth day of November 1882

[SEAL.]

Rufus S. Moore
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Rufus S. Moore
 United States Deputy Surveyor, do solemnly swear that in pursuance of in-
 structions received from James B. Tolman
F. J. Felt
 U. S. Surveyor General for Oregon, bearing date of the ~~Twenty Eighth~~
 day of June, 1882, I have well, faith-
 fully and truly, in my own proper person, and in strict conformity with
 the instructions furnished by the U. S. Surveyor General for Oregon, the
 Surveying Manual, and the laws of the United States, surveying all those
 parts or portions of The Subdivisions at lines
of Township 3 South - Range 33 East of
 Willamette Meridian, in the State of Oregon, as are represented in the fore-
 going Field Notes as having been surveyed by me and under my directions;
 and I do further solemnly swear that all the corners of said survey have been
 established and perpetuated in strict accordance with the Surveying Manual,
 printed instructions, the special written instructions of the U. S. Surveyor
 General for Oregon, and in the specific manner described in the field notes,
 and that the foregoing are the *true* field notes of such survey, and should
 any fraud be detected I will suffer the penalty of perjury under the pro-
 visions of an Act of Congress approved August 8, 1846.

Rufus S. Moore
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10th
 day of February 1883

Bamford Robb
 Notary Public

334

Office U. S. Surveyor General,

Portland, Oregon, *June 5* 188*3*

The following Field Notes of the Survey of the

Subdivisional lines of
T. 3 S. R. 33 E.

Will. Mer. Or.

executed by

Rufus S. Moore

under his Contract No. *451*, dated

June

12th

1882, having been critically examined, the

necessary corrections and explanations made, the said field notes

and the survey they describe, are hereby approved.

James C. Tolman

Surveyor General.

