

Annealed
FIELD NOTES

Of the survey of the *Subdivisional*
 Lines of *Township 1. South*
Range 35 East Willamette Meridian,

Oregon, as surveyed by *James J. Curran and*
James Waland
 U. S. Deputy Surveyor under ~~No.~~ Contract No. ~~_____~~

dated *May 4th 1887.*

Survey commenced, *June 29th 1887*

Survey completed, *July 3^d 1887*

NAMES AND DUTIES OF ASSISTANTS.

, Compassman.

Frank Belsham, Chainman.

Guy Davis, Chainman.

, Chainman.

, Chainman.

B. B. Crowder, Axeman.

, Axeman.

, Flagman.

6378

PRELIMINARY OATHS OF ASSISTANTS.

We, Frank Belshaw &
Guy Davis.

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Subdivisional
lines of T. 1 S. R. 35 East

Ridge 35 East Willamette Meridian, Oregon

, Chainman.

Frank Belshaw Chainman.

Guy Davis , Chainman.

, Chainman.

Subscribed and sworn to before me, this

29th

day of

June

1887

[SEAL.]

James E. Holand
U.S. Deputy Surveyor

We, J. B. B. Gronner and

, do solemnly swear
that we will well and truly perform the duties of Axemen in the establishment of
corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the survey of the Subdivisional lines

of T. 1 S. R. 35 East Willamette Meridian, Oregon.

B. B. Gronner , Axeman.

, Axeman.

Subscribed and sworn to before me, this

29th

day of

June

1887

[SEAL.]

James E. Holand
U.S. Deputy Surveyor

INDEX

Referring the Lines to the Pages of the Field Notes.

T. N. South R. 35° East Will. Mer.

6	18	5	6	4	1	3	2	I
20	20		8		3			
7	22	8	9	9	4	10	II	12
24	23		10					
18	25	17	12	16		15	14	13
28	27		13					
19	29	20	14	21		22	23	24
30	30		16					
30	32	29	17	28		27	26	25
34	33							
31	36	32		33		34	35	36

Meanders of Pages to

Meanders of Pages to

Subdivisions of T. 1 South R. 35 East -
Willamette Meridian, Oregon.

South on true line bet-Secs. 31 & 32
Var. $19^{\circ} 30' E$

32.75' Summit of Table land enter timber + 800

4000' Sit-a-pole ^{3 feet long} ~~26x34~~ ^{Square} 3 ins 24 ins in the

ground for. $\frac{1}{4}$ Sec. Cor. mfd. $\frac{1}{4}$ sec
W face. from which a pine 36 ins

in diam. bs. N $30^{\circ} E$ dist; 35 lks.

mfd $\frac{1}{4}$ S. B.T. A pine 30 ins in diam.

Ps. S $45^{\circ} W$ dist 45 lks. mfd $\frac{1}{4}$ S. B.T.

85.84' Int. S. bdy of Township 9.00 chs
~~feet long~~

E of $\frac{1}{4}$ Sec. Cor. Sit-a-pole ~~48x4x4~~

^{Square 24 ins}

ins ~~2 ft~~ in the ground for. Clasning

Cor. to Secs. 31 & 32 Marked 9/15.S.

32 ac N.E. R. 35 E S 31 ac N.W. 9.25

R. 35 E S 6 ac S. and C.C. are gl. faces

and 5 notches on E + 1 on wedges.

From which a pine 10 ins in diam

Ps. N $30^{\circ} E$ dist 54 lks. mfd 9/15. R. 35

E. S 32. ~~cc~~ B.T. A pine 18 ins in diam.

bears N $85^{\circ} W$ dist 45 lks. mfd. 9/15. R.

357

Subdivisions of T. 1 South R. 35 East

Willamette Meridian, Oregon.

(8093-10 M.)

O.C.

36° E. S 31 $\frac{1}{4}$ B.D. No other trees in
limits raised a mound of stone
along side +
Land Mountainous & covered with
Timber 85-84 chs.
Good Pine & Tamarack timber on
lower land Soil good & rich

General description of township
chiefly consists of rolling land with small
draws running to the Macadam creek
on the east and McKay on the south
and west - Secs. 29, 30, 31, 32 & part
of sec. 19 are very rough being cut
up by McKay creek and draws
running into it. There is pine &
Tamarack & Spruce timber over nearly
the whole township but very scat-
tered in places, and all the whole
of little value. There is good grass

Subdivisions of T. / Smith R. 30 - East -

Willamette Meridian, Oregon.

where timber and under brush is
not too thick, water is very scarce
late in the summer.

Soil in places 1st-rate but
is generally rocky - and will
average about 2nd rate

July 3rd 1884

In accordance with the requirements of
the manual of surveys we have carefully
^{tested} ~~selected~~ the adjustment of our instru-
ments by taking the latitude daily
weather permitting during the progress
of the surveys represented by the foregoing
field notes and in all cases
they were found to be in correct
adjustment -

James P. Cunn

James E. Noland

U.S. dep. Surveyor

361 Copy

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by *James T. Currier* and *James E. Noland*, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the *Subdivision* lines of *Township 1 South* *Range 35 East* Williamette Meridian, Oregon, showing the respective capacities in which they acted:

, Compassman.

, Chainman.

, Chainman.

Frank Belshaw, Chainman.

Guy Davis, Chainman.

B. B. Crowley, Axeman.

, Axeman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted *James E. Noland* and *James T. Currier*, U. S. Deputy Surveyor, in surveying all those parts or portions of the *Twp 1 South Range 35 East* of Williamette Meridian, Oregon.

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

, Compassman.

, Chainman.

, Chainman.

Frank Belshaw, Chainman.

Guy Davis, Chainman

B. B. Crowley, Axeman.

, Axeman.

, Flagman.

Subscribed and sworn to before me, this *15th* day of

July 1887
[SEAL.] *James E. Noland*
U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

We James P. Curran and James E. Noland
 United States Deputy Surveyors do solemnly swear that in pursuance of
 instructions received from Douglas W. Taylor
 U. S. Surveyor General for Oregon, bearing date of 13th

day of May 1887 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all those

parts or portions of the Subdivisional
 lines of Township 1 South Range
 35 East.

Willamette Meridian, in the State of Oregon, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

James Plennum,
 James E. Noland
 U. S. Deputy Surveyor. 8

Subscribed and sworn to before me, this 6th
 day of May 1890

Hermanus Berenschot
 Notary Public
 for Oregon

Office U. S. Surveyor General,

Portland, Oregon, June - 4 - 1890.

answering
The foregoing Field Notes of the Survey of the
Subdivisional lines of
Township 1 South Range
35 East Willamette Oregon
executed by James T. Currier and James
W. Noland U.S. Dept Surveyors
~~their~~ under his contract No. ~~one thousand~~, dated May

~~of~~ 1887, having been critically examined, the
necessary corrections and explanations made, the said Field
Notes and the survey they describe, are hereby approved.

Douglas W. Taylor.
Surveyor General.