

Washington transcripts made

13

D. H. Murphy

Q

Exterior Lines Townships 12 & 3 N Range 2 E  
and T 9 N Range 28 E Willamette Mer







We William McKealy, A. J. Chapman, C. H. Miller

August Moore do solemnly swear, that we will faithfully execute the duties of chain carriers that we will level the chain upon uneven ground and plumb the tally pins whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we <sup>may</sup> assist in measuring to the best of our skill and ability

William McKealy  
A. J. Chapman  
C. H. Miller  
August Moore,

Subscribed and sworn to before me a Notary Public for Lane County <sup>of the</sup> 10<sup>th</sup> day of September 1860.

A. W. Patterson  
Notary Pub.



Mr. Jacob McDaniel & F. M. Mansfield

do solemnly swear that we  
 will faithfully execute the duties of  
 chain carriers, that we will level the  
 chain upon uneven ground and plumb  
 the tally pins whether by sticking or  
 dropping the same. That we will report  
 the true distance to all notable objects  
 and the true length of all lines, that  
 we assist in measuring to the best  
 of our skill and ability

Jacob McDaniel  
 F. M. Mansfield

Jacob McDaniel and F. M. Mansfield subscribed  
 and swore to the above at my office in <sup>Oregon</sup> Lincoln County  
 this 12<sup>th</sup> day of September 1860

Moses Mansfield  
 Justice of the Peace



Mr F. M. Mansfield and William  
H. Healey do solemnly swear that <sup>we</sup> will  
well and truly perform the duties of  
a juror according to instructions given  
us and to the best of our skill and  
ability

F. M. Mansfield  
William H. Healey

Subscribed and sworn to before me  
a Justice of the Peace at <sup>my</sup> office in Linn  
County on this 12<sup>th</sup> day of September  
1850

Moses Mansfield  
Justice of the Peace



Field Notes of the Survey of the  
exterior boundaries of Townships 1, 2, 3  
North Range 27 East and Township  
No 4 North of Range 28 East of the  
Willamette Meridian in the State of  
Oregon by Ebenezer E Hoast, deputy,  
Surveyor, under his contract No 93  
bearing date the 11<sup>th</sup> day of September  
1860

Commenced September 23<sup>rd</sup> 1860

Completed October 18<sup>th</sup> 1860



(17)

Between Ranges 26 & 27 E T 3 N.

37

Charus North between Sec 7 & 12

Bar  $19^{\circ}45'E$

40.000 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal as per instructions

80.000 Set post for corner to sec 6. 7. 11 & 12  
in mound with trench and pits  
and deposited 1 pint of charcoal  
as per instructions

Soil 3<sup>rd</sup> rate

Low level

---

North ~~Cut~~ between Sec's 1 & 6

Bar  $20^{\circ}E$

40.000 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.000 Set post for corner to townships 3 & 4  
North Ranges 26 & 27 E in mound  
with trench and pits, and deposited  
1 pint of charcoal as per instructions

Soil 3<sup>rd</sup> rate Low level

Columbia river bottom

September 26<sup>th</sup> 1860



Between Twp 384 N Range 27E

Chains

September 27<sup>th</sup> 1861

From the corner to townships 384 North  
Ranges 26 & 27 East I run  
East on a random line between said townships  
Set temp half mile and mile stakes  
at 40.00 and 80.00 chains. I find the  
township line to be 6 miles, 4 chains  
and 60 links and the falling 102 links  
South of the township corner  
Hence the correction for the true line will  
be 4 chains and 60 links East and 17 links  
North per mile From the corner  
to townships 384 N. Ranges 27 & 28 East I run  
S 89° 53' W on true line between Sec 18 & 36  
In Columbia river bottom Cor 20E

40.00 Set post for gr see corner in mound with  
trench and pits and deposited 1 pint  
of char coal as per instructions

80.00 Set post for corner to Sec 19, 35 & 36  
in mound with trench and pits and  
deposited 1 pint char coal as per instructions  
Soil, heavy sand, 3<sup>rd</sup> rate  
Sand level



Between townships 38 & 39 N Range 27 East

Chains  $S89^{\circ}53'N$  or true line between Secs 35 & 34

Mar 20<sup>th</sup>

40.00 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set post for corner to Secs 34, 35, 24 & 3  
in mound with trench and pits  
and deposited 1 pint of charcoal  
as per instructions

Soil heavy sand 3<sup>rd</sup> rate Land level

$S89^{\circ}53'N$  between Secs 33 & 34

Mar 20<sup>th</sup>

40.00 Set post for gr sec corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set post for corner to Secs 33, 34, 34 & 4  
in mound with trench and pits and  
deposited 1 pint of charcoal  
as per instructions

Soil heavy sand

Land level

Considerable quantity of mucky peat



40

(201)

Between Townships 384 N Range 27E

Chains S89°53'W between Secs 33 &amp; 44

Var 20°10'E

40.00 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint of charcoal, as per instructions

80.00 Set post for corner to Secs 44, 33, 32 & 45  
in mound with trench and pits  
and deposited 1 pint of charcoal  
as per instructions

Soil 3<sup>rd</sup> rate sand, producing  
friable near sand ralling

S89°53'W between Secs 54 &amp; 32

Var 20'E

40.00 Set post for gr see corner in mound  
with trench and pits and deposited  
1 pint charcoal as per instructions

80.00 Set post for corner to Secs 31, 32, 54 & 6  
in mound with trench and pits  
and deposited 1 pint of charcoal  
as per instructions

Soil Sand 3<sup>rd</sup> rate, Sand ralling,



Between townships 384 N. Range 27E

Chains S 89° 53' W between Secs 6 & 31

Mar 20<sup>th</sup> 1860

40.00 Set post for gr see corner in mound  
with trench and pit, and deposited  
1 pint of charcoal as per instructions  
84.60 The corner to Townships 384 North  
Ranges 26 & 27 East var. 20E  
Soil heavy sand 3<sup>rd</sup> rate  
Land rolling  
September 27<sup>th</sup> 1860

### General Description

This Township contains land well adapted  
to grazing purposes, producing a large  
amount of good bunch grass. Buttercreek  
passes through the S. E. corner, and the soil  
on it is generally of 1<sup>st</sup> rate quality. It should  
be subdivided.



## List of Names

List of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of the exterior lines of Townships No 1, 2, & 3 North of the base line of Range No 27 East and townships No 4 North of Range No 28 East of the Millonette Meridian showing the respective capacities in which they acted

C. H. Miller } Chairman  
 Jacob McDaniel } Chairman  
 F. M. Mansfield } Axeman



We hereby certify, that we assisted Ebenezer  
 & Haft Deputy Surveyor, in surveying the  
 exterior lines of Townships No One (11)  
 Two (2) and Three (3) North of the Base  
 line of Range Number 27 East of the Will  
 amette Meridian, and Township No Four  
 (4) North of Range 28 East of the  
 Willamette Meridian, and that said Townships  
 have been in all respects, to the best of  
 our knowledge, and belief, well and  
 faithfully surveyed, and the boundary  
 monuments planted according to the  
 instructions furnished by the Surveyor General

Jacob McDaniel, Chairman  
 C. H. Miller, Chairman  
 F. McManis, & Axeman

Subscribed and sworn to before me  
 a County Judge for Lane County in the  
 State of Oregon this the 19<sup>th</sup> day of  
 November A.D. 1861

W. S. Brock  
 County Judge



I Ebenezer E. Hoft deputy Surveyor  
do solemnly swear that in pursuance  
of a contract with W. W. Chapman Surveyor  
of the Public Lands of the United States  
in the State of Oregon, bearing date the  
11<sup>th</sup> day of September 1860 and in strict  
conformity to the laws of the United States  
and the instructions furnished by said  
Surveyor General, I have faithfully surveyed  
the Exterior boundaries of Townships No  
One, Two and Three North of the base  
line of Range, No twenty seven East of  
the Willamette Meridian, and Townships  
No four, North of the base line of Range  
No Twenty eight East of the Willamette  
Meridian in the state aforesaid, and  
do further solemnly swear that the  
foregoing are the true and original  
field notes of such survey

Ebenezer E. Hoft

Deputy Surveyor

Subscribed and sworn to by  
said Ebenezer E. Hoft deputy Surveyor



before me a Notary public for Lane  
County in the State of Oregon. This  
11<sup>th</sup> day of November A.D. 1860

A. W. Patterson  
Not. Pub.



Surveyor General's Office

Eugene City, Decr. 31<sup>st</sup> 1860.

The foregoing field notes of the  
 Survey of the the Exterior Lines  
 of Townships No. 1, 2 & 3 N. Range  
 No. 27 East - and Townships No.  
 4 N. Range No. 28 East of  
 the Willamette Meridian - execu-  
 ted by Ebenezer C. Haft, deputy  
 Surveyor, under his contract  
 of the 11<sup>th</sup> day of September 1860  
 having been critically exam-  
 ined, the necessary corrections  
 and explanations made, the  
 said field notes and the sur-  
 veys they describe are hereby  
 approved.

A. W. Chapman

Surv. Genl. of Oregon