

Field notes of the subdivision lines  
in Township No 3 RR 31 E of the  
Willamette Meridian in the State  
of Oregon. Surveyed by Leofstus S. Payne  
deputy Surveyor under his Contract  
No 100 dated August 1<sup>st</sup> 1861

Commenced August 24<sup>th</sup> 1861

Completed August 31, 1861

Remarks  
See page — 8

See page — 10

See page — 19

See page — 34

See page — 37

" " — 32



264

264

# Index

Subdivisionibus in Tomstap

No 3 NR 31 E -

6	36	5	27	4	20	3	14	2	1
36	35	26	20	13	6				
7	35	8	25	9	19	10	13	11	12
34	33	25	19	12	5				
18	33	17	24	16	18	15	14	13	
32	32	24	17	11	4				
19	31	20	23	21	22	23	24		
31	30	33	16	9	3				
30	29	29	22	28	16	27	26	25	
28	28	21	15	8	2				
31	27	32	21	33	14	34	35	36	

W



Surveyor General's Office  
Cannon City, Colo. Dec 5<sup>th</sup> 1861

The following field notes of the survey  
of the subdivisions and meander  
lines of Township No 3 North  
of the base line and Range No  
31 East of the Willamette  
Meridian in the State of Oregon  
executed by Dolphus S. Payne  
under his Contract- Number 100  
bearing date August 11<sup>th</sup> 1861  
having been critically examined  
the necessary corrections and  
explanations made the said  
field notes and the surveys  
they describe are hereby  
approved

B. J. Singer  
Surveyor General



271  
271

Chains

Field notes of Subdivision  
lines in Township No 3 N  
R No 31 E. Willamette Meridian,

---

August 24 -

Began at South West Corner  
of Section 36, T 3 N R 31 E,

Var  $19^{\circ}50'E$ .

Thence run

North on true line between Secs  
33 & 36.

40.00 Set charged Stake with  
mound trench and pits  
as per instructions for gr. sec  
corner.

80.00 Set charged Stake with  
mound trench and pits  
as per instrs. for corner to  
Secs 25 & 26, 35 & 36,

Var  $21^{\circ}20'E$

Land level, soil 1<sup>st</sup> rate



272 272 2

## Subdivision Lines

### Chains

S89°18'E on random between  
Secs 25 & 36.

40.00 Set-Flush, gr. sec post.

80.00 Intersect-From line, 2900 ft.  
North of corner to Secs 25 & 36.

N89°06'W on true line between  
Secs 25 & 36.

40.00 Set-charred stake with  
mound trench and pits  
as per instrs, for gr. section  
corner.

80.00 Corner to Secs 25 & 26 - 35 & 36.  
At 1<sup>st</sup> rate

---

North on line between Secs 25 &  
26.

40.00 Set-charred stake with  
mound trench and pits  
as per instrs, for gr. Sec.  
corner.

70.00 Dry ravine (shallow) corner N.



Township No 3 N. R 3 E. T. 11 N. 273  
273

Chains

80.00 Set Charred Stake with mound  
trench and pits as per instrs,  
for corner to secs 23 & 24 - 25 & 26,  
Var  $19^{\circ} 21' E$

Land rolling, soil 2<sup>o</sup> rate

$S 89^{\circ} 18' E$  on random between secs  
24 & 25

40.00 Set Temp. g.r. sec. post.

80.12 Intersect from line 15 lks  
south of corner to secs 24 & 25.

$N 87^{\circ} 24' W$  on true line between  
secs 24 & 25.

40.00 Set Charred Stake with  
mound trench and pits as  
per instrs, for g.r. sec. corner.

77.50 Small ravine  $S 80^{\circ} W$

80.12 Corner to secs 23 & 24, - 25 & 26,  
Soil good.

North on line between secs 23 & 24.



274 274<sup>4</sup>

# Subdivision Lines

## Chains

40.00 Set Charred Stake with mound  
trench and pits as per notes  
for q<sub>r</sub> sec corner,

80.00 Set Charred Stake with  
mound trench and pits  
as per notes. For corner  
to Secs 13 & 14 - 23 & 24

Var 21° 06' E

Land level. See 1<sup>st</sup> note

---

589<sup>188</sup> in random between  
sections 24 & 13

40.00 Set Temp. q<sub>r</sub> sec post

80.22 Antiseptic Iron line 55 lbs  
North of corner to Secs 13 &  
24 -

N88° 54' W on true line between  
Secs 13 & 24

40.11 Set Charred Stake with  
mound trench and pits  
as per notes. For q<sub>r</sub> sec corner,

80.22 Corner to Secs 13 & 14 - 23 & 24



275  
275

Township 3 N R. 31 E. T. 11 N.

Chains

North on line between Secs 13 & 14  
40.0 Set-charged stake with  
mound trench and pits as  
per instrs. for gr. sic corner.

80.00 Set-charged stake with  
mound trench and pits  
as per instrs. for corner to  
Secs 11 & 12 - 13 & 14

Var 20' 30" E -

Land inven. billandy 3 rods

S 89° 18' E on random between Secs  
12 & 13

40.00 Set-Tump gr. sic post  
80.36 Intersect Town line 41 links  
North of corner to Secs  
12 & 13 -

N 89° W on true line between Secs  
12 & 13

40.18 Set-charged stake with  
mound trench and pits  
as per instrs for gr sic. corner.



276  
276

6

# Subdivision Lines

## Chains

80.36 Corner to Secs 11 & 12 - 13 & 14  
Soil 2<sup>o</sup> rate

---

August 26<sup>th</sup>

North on line between Secs 11 &  
12 -

27.00 Ravine N 60° W

40.00 Set-charged stake with  
round trench and pits  
as per instrs. for gr. sec. corner,

80.00 Set-charged stake with  
round trench and pits  
as per instrs. for corner to  
Secs 11 & 12 - 11 & 12 -

Var 20° 36' E

Surface unrun. Soil 2<sup>o</sup> rate

---

589' 18" E on random between  
Secs 11 & 12

40.00 Set Temp. gr sec post

80.30 Intersect Town line 28 lks  
North of corner to Secs 11 & 12



Township 3<sup>d</sup> N R 31<sup>st</sup> E T. 1<sup>st</sup> N.

Chains

N 89° 06' W on true line between  
secs 1 & 2

40.15 Set-churned stake with  
mound trench and pits  
as per instrs. for q. r. sec. corner.  
80.30 Corner to secs 1 & 2 - 11 & 12  
Soil 2<sup>d</sup> rate

---

North on random between secs 1  
& 2

40.00 Set-Temp 1/4 sec frost.

79.60 Intersect North line Township  
3<sup>d</sup> N. 15 miles East of  
Corner to Secs 1 & 2

S. 06' E on true line between  
secs 1 & 2

39.60 Set-churned stake with  
mound trench and pits  
as per instrs. for 1/4 sec  
corner.

79.60 Corner to Secs 1 & 2. - 11 & 12.  
Soil sandy, rather poor

---



278

278

8

# Subdivision Lines

## Chains

North on line between Secs  
34 & 35-

Var  $19^{\circ}50'E$

40.00 Set-chained stake with  
mound punch and pits  
as per notes, for gr. sec.-  
corner.

80.00 Set-chained stake with  
mound punch and pits  
as per notes, for corner  
to 26 & 27-34 & 35-

Var  $20^{\circ}40'E$

Surface level, soil 1<sup>st</sup> rate

---

$589^{\circ}18'E$  on random between  
Secs 26 & 35-

40.00 Jump  $\frac{1}{4}$  sec frost

80.12 Intersect line 26 lks  
South of corner to Secs  
25 & 26 - 35 & 36

North  $89^{\circ}27'$  ~~27~~ <sup>29</sup> on true line between  
Secs 26 & 35-



Township 3 N R 3 E Mer 279

Chains

40.06 Set Charred Stake with  
 around trench and pits as  
 per instrs, for  $\frac{1}{4}$  sec corner,  
 80.12 Corner to secs 26, 27, 34 & 36 -  
 Soil 1<sup>st</sup> rate

---

North on line between secs 26 & 27,

40.00 Set-charred stake with  
 around trench and pits  
 as per instrs, for  $\frac{1}{4}$  sec corner,

80.00 Set-charred stake with  
 around trench and pits  
 as per instrs for corner to  
 secs 22 & 23 - 26 & 27.

Var  $19^{\circ} 30' E$

Soil 2<sup>nd</sup> rate

---

$S 89^{\circ} 18' E$  on random between secs  
 23 & 26.

40.00 Temp.  $\frac{1}{4}$  sec post

80.07 Intersect section line, 32  
 links north of corner



280 280 10

# Subdivision Lines

Chains

to fics 23, 24, 25 & 26

is this 89.05

N89°05'W on true line between  
fics 23 & 26

40.03 Set charred stake with  
mound trench and pits as  
per instrs. for 1/4 sec post

65.07 Ravine N50°W

80.07 Corner to fics 22, 23, 26 & 27.  
Svil 2<sup>d</sup> rate

August 27<sup>th</sup>

North on line between fics 22 & 25.

13.25 Ravine N50°W

40.00 Set charred stake with mound  
trench and pits as per instrs.  
for 90. sec corner.

80.00 Set charred stake with  
mound trench and pits  
as per instrs for corner to  
fics 14, 15, 22 & 23.

Dev 19°30'E



## Township 3 N R 3 E M

Chains

S 89° 18' E on random between secs  
14 & 23

40.00 Set Iron 1/4 sec post

79.70 Antiseptic section line at  
corner to sections 13, 14, 23 & 24.

N 89° 18' W on true line between  
secs 14 & 23

39.85 Set charred stake with ground  
trench and pits as per instrs.  
for 1/4 sec corner.

79.70 Corner to secs 14, 15, 22 & 23  
Svil 2<sup>d</sup> rate

---

North on true line between secs  
14 & 15

40.00 Set charred stake with  
ground trench and pits as  
per instrs. for 1/4 sec post.

80.00 Set charred stake with  
ground trench & pits as  
per instrs. for corner to  
sections 10, 11, 14 & 15.



282

12

282

Subdivision Lines

Chains

(var.  $19^{\circ}30' E$ )

---

$S89^{\circ}18' E$  on random between  
secs 11 & 14.

40.00 Set Temporary  $\frac{1}{4}$  sec spot -

79.84 Intersection line  
at corner to sections  
11 & 12 - 13 & 14

$N89^{\circ}18' W$  on true line  
between sections  
11 & 14

39.92 Set Churned stake with  
mound trench and  
pit as per instructions  
for  $\frac{1}{4}$  section corner,

79.84 Corner to sections  
10 & 11 - 14 & 15

Land level. 2<sup>d</sup> rate

---



## Township 3 N R 31 E M 11

Chains

North on true line between secs  
10 & 11

40.00 Set-charged stake with mound  
trench and pits as per instrs,  
for  $\frac{1}{4}$  sec corner.

61.00 Ravine N 60° W

80.00 Set-charged stake with mound  
trench and pits as per instrs,  
for corner to secs 2, 3, 10 & 11.  
Var 18.33' E

S 89° 18' E on random between  
secs 2 & 11

40.00 Set-ump.  $\frac{1}{4}$  sec post-

80.10 Intersect section line 24 Chs  
North of corner to sections  
1, 2, 11 & 12

N 89° 18' W on true line between  
secs 2 & 11

40.05 Set-charged stake with  
mound trench and pits



284

14

284

## Subdivision Lines

Chemoas per instrs, for  $\frac{1}{4}$  sec corner.

80.10 Corner to secs, 2 &amp; 3 - 10 &amp; 11.

Some sand. Soil 2<sup>o</sup> rateNorth on random between secs  
2 & 3.40.00 Set Temp  $\frac{1}{4}$  sec post79.40 Antisept Iron, line 45 lks  
West of post520' N on true line between  
secs 2 & 3.39.40 Set charred stake with  
mound trench and pits  
as per instrs, for  $\frac{1}{4}$  sec corner.79.40 corner to secs 2, 3, 10 & 11  
Same as last mile.

August 28.

North on line between secs  
33 and 34 -

Var 20° E

40.00 Set Charred Stake with



Township 3 N R 31 E M 11

285  
285

Chairs

80.00 Mound trench and pits  
as per, notes, for  $\frac{1}{4}$  sec. corner.  
Set-charged stake with  
mound trench and pits  
as per, notes, for corner to  
secs 27 & 28 - 33 & 34 -  
Var  $19^{\circ} 43' E$  -  
Land rolling. Soil 2' rate

$S 89^{\circ} 18' E$  on random between secs  
27 & 34 -

40.00 Set Temp.  $\frac{1}{4}$  sec frost.

80.00 Construct section line 31 N 1/2  
South of corner to secs 26 &  
27 - 34 & 35 -

$N 89^{\circ} 40' W$  on true line between  
secs 27 & 34

40.00 Set-charged stake with  
mound trench and pits  
as per instructions for  
 $\frac{1}{4}$  sec corner.

80.00 Corner to secs 27, 28 - 33 & 34



286

14

286

## Subdivision Lines

ChainsNorth on line between secs  
27 & 2840.00 Set charred stake with ground  
trench and pits as per instrs,  
for 1/4 sec. corner,80.00 Set charred stake with  
ground trench and pits  
as per instrs, for corner to  
sections 21, 22, 27 & 28Var  $19^{\circ} 33' E$ Soil 2<sup>d</sup> rate $S 89^{\circ} 18' E$  on random between  
secs 22 & 27.

40.00 Set Temp 1/4 sec frost

80.00 Intersect sec. line 42 Chs  
south of frost corner to secs  
22, 23, 26 & 27 $N 89^{\circ} 36' W$  on true line between  
secs 22 & 27.40.00 Set charred stake with  
ground trench & pits as



Township 3 N R 31 E T 11 N

Chairs

80.00 per instrs, for  $\frac{1}{4}$  sec corner,  
corner to Secs 21, 22, 27 & 28  
Surface uneven, Soil 2<sup>o</sup> rate

---

North on line between Secs  
40.00 21 & 22.

~~80.00~~ Set-churned stake with  
mound trench and pits  
as per instrs, for gr. section  
corner.

53.00 Ravine N  $45^{\circ}$  W -

80.00 Set-churned stake with  
mound trench and pits  
as per instrs, for corner  
to Secs 15 & 16 - 21 & 22.

Var  $19^{\circ} 40' E$  -

Soil 2<sup>o</sup> rate, sandy in ravine.

---

589<sup>o</sup> 18' E on random between Secs  
15 & 22.

40.00 Set Trip  $\frac{1}{4}$  sec post

79.76 Antiseptic section for



288

18

288

## Subdivision Lines

Chains

30 Links South of Corner  
to Secs 14 & 15 - 22 & 23

N89°30'W on true line between  
Secs 13 & 22

39.88 Set charred stake with  
mound trench and pits  
as per instrs, for 1/4 sec corner.

79.76 Corner to 15 & 16 - 21 & 22  
Soil 2<sup>o</sup> rate.

---

North on line between Secs.  
15 & 16

40.00 Set charred stake with  
mound trench and pits as  
per instrs, for 1/4 sec corner.

80.00 Set charred stake with  
mound trench and pits  
as per instrs, for corner to  
Secs 9 & 10 - 13 & 16 -

Var 19°54'E  
Soil good

---



## Township 3 N R 3 E M

## Chains

589<sup>18</sup>' E on random between  
secs 10 & 15-

40.00 Set Temp  $\frac{1}{4}$  sec post

79.84 Antiseptic section line  
30 lbs south of corner to secs  
10 & 11 - 14 & 15-

189<sup>30</sup>'~~12~~' W on true line between  
secs 10 & 15-

39.92 Set charred stake with  
round trench and pits  
as per instrs for  $\frac{1}{4}$  sec corner.

79.84 Corner to secs 9 & 10 - 15 & 16.  
Land rolling,  $\frac{1}{2}$  rate

North on line between secs 9 & 10

40.00 Set charred stake with  
round trench and pits  
as per instrs, for  $\frac{1}{4}$  sec corner.

80.00 Set charred stake with round  
trench and pits as  
per instructions for  
corner to sections



290

20

290

~~Subdivision Lines~~

Chains

344-9810

Bar 19°30'E

Soil 2<sup>nd</sup> rate

---

S89°18'E on random between

secs 3810

40.00 Set-Jump 1/4 sec post

79.92 Intersect-section line, 74 Mo

South of corner to secs 283-

10811-

N89°30'W on true line between

secs 3810

39.96 Set-Charged stake with

round tinch and pits

as per instrs, for 1/4 sec corner.

79.92 Corner to secs 384-9810

Soil somewhat sandy, Soil 2<sup>nd</sup> rate

---

North on random between secs

344-

40.00 Set-Jump 1/4 sec post

80.12 Intersect Iron line at post



Township 34 N R 31 E T. 111,

Chains

Corner to Secs 384

South on true line between Secs  
384

40.12 Set charred stake with  
round trench and pits as  
per, notes, for 1/4 sec corner.

80.12 Corner to Secs 384 - 4810  
Land unimproved, Soil 2<sup>d</sup> rate

---

Var 20° E - August 29 -

North on line between Secs 328 33

13.00 Road to Walla Walla (E & W)

40.00 Set charred stake with round  
trench and pits as per, notes,  
for 1/4 sec corner.

80.00 Set charred stake with round  
trench and pits as per, notes,  
for corner to Secs 28429, 328 33.

Var 20° 20' E -

Soil grad

---

8.8998'E on random between Secs



292

22

292

# Subdivision Lines

Charno

28 & 33

40.00 Set Temp  $\frac{1}{4}$  sec post

79.54 Intersect sec line at post-  
corner to secs 28 & 28 - 33 & 34.

N  $89^{\circ}18'7''$  on true line between  
secs 28 & 33.

39.77 Set charred stake with  
mound trench and pits as  
per instrs, for  $\frac{1}{4}$  sec corner,

79.54 Corner to secs 28 & 29 - 32 & 33,  
Soil 2<sup>d</sup> rate

---

North on line between secs 28 & 29

40.00 Set charred stake with  
mound trench and pits as  
per instrs, for  $\frac{1}{4}$  sec corner,

80.00 Set charred stake with mound  
trench and pits as per  
instrs for corner to secs  
20 & 21 - 28 & 29

Var  $19^{\circ}30' E$   
Soil 2<sup>d</sup> rate

---



## Township 3 N R 21 E T11N

chains

899°18'E on random (between secs  
21 & 28

40.00 Set  $\frac{1}{4}$  post

7986 Post, sec line 3 & 4 N. North  
of corner to secs 21 & 22 - 27 & 28

N 88° 54' W on true line (between  
secs 21 & 28

39.93 Set charged stake with mound  
trench and pits as per instrs,  
for  $\frac{1}{4}$  sec corner.

7986 Corner to secs 20 & 21 - 28 & 29  
Land level. Soil 2° rate

---

North on line (between secs 20 & 21

40.00 Set charged stake with mound  
trench and pits as per instrs,  
for  $\frac{1}{4}$  sec, corner.

80.00 Set charged stake with mound  
trench and pits as per instrs,  
for corner to secs 16 & 17 - 20 & 21.

(Var 20° 50' E  
Soil 2° rate

---



294

294

## Subdivision Lewis

Chains

889°18'E on random section  
16 & 21

40.00 Set Temp 1/4 sec post

80.00 Intersect sec-line 80 links  
North of corner to secs 13 & 16  
21 & 22,

N88°43'W on true line section  
secs 16 & 21

14.00 Ravine N43°W

40.00 Set charred stake with  
mound trench & pits as  
per instrs, for 1/4 sec corner.

80.00 Corner to sec 16 & 17 - 20 & 21.

Bottom of ravine sandy, soil 2' etc

North on line section secs 16 & 17

14.00 Ravine N43°W

40.00 Set charred stake with mound  
trench and pits as per instrs,  
for 1/4 sec corner.

80.00 Set charred stake with  
mound trench and pits



## Township 3 N R 31 E Mer

chainsas per, instrs. for corner to  
secs 8 & 9 - 16 & 17

Bar 20° E

Soil 2<sup>o</sup> rateS 89° 18' E on random between  
sec 9 & 1640.00 Set-Tump stake for 1/4 sec  
corner.80.00 Intersect section line 6000  
North of corner to secs  
9 & 10 - 15 & 16N 88° 52' W on true line between  
secs 9 & 1640.00 Set-Charged stake with  
mound trench and pitsas per, instrs. for 1/4 sec corner  
corner to secs 8 & 9 - 16 & 1780.00  
Some sand, Soil 3<sup>o</sup> rateNorth on line between secs 8 & 9  
40.00 Set charged stake with



296  
296

26

# Submission Lines

Charris

Mound trench and pits as  
per instrs. for  $\frac{1}{4}$  sec corner,  
80,00 set-charged stake with

mound trench and pits  
as per instrs. for corner to  
secs 4 & 5 - 8 & 9

Var  $21^{\circ}13'E$

Loc  $2^{\circ}$  rate

---

$S89^{\circ}18'E$  on random between  
secs 4 & 9 -

40,00 set-ternp  $\frac{1}{4}$  sec post -

80,30 intersect sec line 6 & 11

North of corner to secs 3 & 4

9 & 10

$N88^{\circ}50'W$  on true line between  
secs 4 & 9

40,15 set-charged stake with

mound trench and pits

as per instrs for  $\frac{1}{4}$  sec corner,

80,30 corner to secs 4 & 8 - 8 & 9

Loc  $2^{\circ}$  rate

---



297<sup>297</sup>

## Township 3 N R 31 E M 11

chainsNorth on random (between Secs  
445-

40.00 Set Temp. 1/4 post

79.40 Intersect Town line 30 Chs  
west of corner to Secs 445-321' N on true line (between Secs  
445-39.40 Set Charred stake with  
mound trench and pits  
as per instrs for 1/4 sec corner.64.00 Ravine at 57<sup>th</sup> W-79.40 Corner to Secs 445-849  
Loc 2<sup>nd</sup> rateAugust 30<sup>th</sup>

North on line (between Secs 31 &amp; 32

(Var 19° 36' E

8.50 Road to Walla Walla (E &amp; W)

40.00 Set Charred stake with  
mound trench and pits  
as per instrs for 1/4 section  
corner.



298

28

298

## Subdivision Lines

Chains

80.00 Set charred stake with  
mound trench and pits  
as per instrs for corner  
to secs 29, 30, 31 & 32  
Bear  $18^{\circ}35' E$

Land mostly level,  $1^{\text{st}}$  rate

$S89^{\circ}18' E$  on random between  
secs 29 & 32

44.00 Set Temp  $\frac{1}{4}$  sec post

80.20 Intersect section line 38  
links south of corner to secs  
28, 29, 32 & 33.

$N89^{\circ}44' W$  on true line between  
secs 29 & 32

40.10 Set charred stake with  
mound trench and pits as  
per instrs. for  $\frac{1}{4}$  sec. corner,

80.20 corner to secs, 29, 30, 31 & 32,  
 $1^{\text{st}}$  rate

$N89^{\circ}18' W$  on random between  
secs 30 & 31.



## Township 3 N R 31 E Well

chains40.00 set Temp  $\frac{1}{4}$  sec post.

82.69 Intersect Town line 30 &amp; 31

North of Corner to Secs 30 &amp; 31

The notes of the south  
line of sec. 31 given me  
from the Surveyor General's  
office make its length

84.64 chains. We therefore

remeasured the south line  
of sec 31 & find it to be82.60 ~~chains~~ in lengthand our line consequently  
within limits.S 89° 39' E on true line between  
secs 30 & 31.42.69 set charged stake with  
mound trench and pile  
as per instrs. for  $\frac{1}{4}$  sec corner.82.69 Corner to Secs 29, 30, 31 & 32,  
Sic 2<sup>d</sup> rate

North on line between Secs 29 &amp; 30,



300

300

30

# Subdivision Lines

Chains

- 40.00 Set Charred Stake with mound trench and pits as per instrs, for 1/4 sec corner.
  - 80.00 Set Charred Stake with mound trench and pits as per instrs, for corner to Secs 19, 20, 29 & 30.  
Var 20' 12" E  
Sold 2<sup>d</sup> rate
- 

S 89° 18' E in random between Secs 20 & 29

- 40.00 Set Temp 1/4 sec post
- 79.90 Intersect sec, line 76 links South of corner to Secs 20 & 21 - 28 & 29.

N 89° 51' W in true line between Secs 20 & 29

- 39.95 Set Charred Stake with mound trench & pits as per instrs, for 1/4 sec corner.
  - 79.90 Corner to Secs 19 & 20, 29 & 30.  
Sold 2<sup>d</sup> rate
-



Township 3 N R 31 E M 11

chains

N 89° 18' W on random between  
secs 19 & 30

40.00 Set Temp.  $\frac{1}{4}$  sec post

82.60 Anterior town line 21 links  
North of corner to secs 19 & 30.

S 89° 27' E on true line between  
secs 19 & 30

42.60 Set charged stake with mound  
trench and pit as per  
instrs for  $\frac{1}{4}$  sec corner.

82.60 Corner to secs 19, 20, 29 & 30  
Acid 2<sup>d</sup> rate

---

North on line between secs 19 & 20

40.00 Set charged stake with mound  
trench and pit as per instrs,  
for  $\frac{1}{4}$  sec corner.

80.00 Set charged stake with mound  
trench and pit as per instrs.

for corner to secs 17 & 18 + 19 & 20

Over 19° 20' E

Acid good.

---



302

302

32

# Subdivision Lines

chains

S89°18'E on random between secs  
17 & 20

40.00 Set-Temp. 1/4 sec post

79.72 Intersect Sec. line 70 links  
South of corner to sections  
16, 17, 20 & 21

N89°48'E on true line between secs  
17 & 20

39.86 Set-Chained Stake with ground  
trench and pits as per notes,  
for 1/4 sec corner.

79.72 Corner to sec. 17, 18, 19, & 20.  
See 2<sup>nd</sup> note

---

N89°18'W on random between  
secs 18 & 19

40.00 Set-Temp 1/4 sec post

82.80 Intersect Town line 28 links  
North of corner to secs 18 & 19.

S89°30'E on true line between  
secs 18 & 19.

42.80 Set Chained Stake with



Township 34 N 31 E 11 M

chains

Mound trench and pits  
as per instrs. for  $\frac{1}{4}$  sec corner,

82.80 Corner to secs 17, 18, 19 & ~~20~~

August 31<sup>st</sup>

North on line between secs 17 & 18

40.00 Set-chained stake with  
mound trench & pits as per  
instrs. for  $\frac{1}{4}$  sec corner,

80.00 Set-chained stake with  
mound trench and pits as per  
instrs. for corner to secs.  
7, 8, 17 & 18.

over 20° E

Sec 2 rate

S. 89° 18' E on random between  
secs 8 & 17.

40.00 Set-Temp  $\frac{1}{4}$  sec post

79.60 Anticipet Sec. line 29 links  
south of corner to sections  
8, 9, 16 & 17.



304

34

304

## Subdivision Lines

Chains

N 89° 36' W on true line between  
secs 7 & 17 -

39.80 Set Chopped Stake with ground  
trench and pits as per instrs,  
over 1/4 sec corner,

45.60 Ravine N 43° W

79.60 Corner to secs 7, 8, 17, & 18 -  
Soil 2<sup>d</sup> rate

---

N 89° 18' W on random between  
secs 7 & 18.

40.00 Set Temp 1/4 sec post

82.32 Intersect from line 25 links  
North of corner to secs 7 & 18 -

S. 89° <sup>38'</sup> 31' E on true line between  
secs 7 & 18 -

42.32 Set Chopped Stake with  
ground trench & pits as per  
instrs over 1/4 sec corner,

82.32 corner to sections

7, 8, 17 & 18 -

Soil sandy - 2<sup>d</sup> rate

---



## Township 3 N R 31 E T1M

Chains

North on line between secs 7 &amp; 8 -

24.00 Ravine N45° W

40.00 Set-Charged Stake with mound  
trench and pits as per instrs,  
for 1/4 sec corner.80.00 Set-Charged Stake with  
mound trench and pits as  
per instrs. for corner to  
secs 5, 6, 7 & 8.

Var 19° 20' E

Scri 2<sup>d</sup> rate

S89° 18' E on random between

40.00 Secs 5 &amp; 8.

40.00 Set Temp 1/4 sec post

79.28 <sup>79.28</sup> Intersect sec. line 55 links  
South of corner to secs 4 & 5  
& 8 & 9N89° 42' W on true line between  
secs 5 & 8 -39.64 Set Charged Stake with  
mound trench and pits



306

30

306

## Subdivision Lines

Chainsas per, notes, for  $\frac{1}{4}$  sec corner.

79.28 corner to secs 5, 6, 7 &amp; 8.

See 2<sup>d</sup> noteNorth on random between secs  
5 & 640.00 Set Temp  $\frac{1}{4}$  sec post79.75 Intersect Town line 20 links  
West of corner to secs. 5 & 6S. 10' W on true line between secs  
5 & 6.39.75 Set Charred Stake with mound  
trench & pits as per notes  
for  $\frac{1}{4}$  sec corner.

79.75 corner to secs 5, 6, 7 &amp; 8.

See 2<sup>d</sup> noteN 89° 18' E W on random between  
secs 6 & 7.40.00 Set Temp  $\frac{1}{4}$  sec post82.87 Intersect Town line 48 links  
North of corner to secs



Township 3 N R 31 E M 11

Chains

6. 7

889.38' E on true line between

secs 6 & 7

27.00 Ravine N 23° W

42.87 Set Charred stake with ground  
trench and pits as per notes,  
pro 1/4 sec corner,

82.87 Corner to secs 5, 6, 7, 8

82.87 Soil sandy, 2<sup>d</sup> rate

General Description

This Township is all high undulating prairie land with an average elevation of about 7000 feet above the level of the Columbia river. A few small ravines run in a westerly direction towards the Umatta. The whole surface is covered with the bunch grass peculiar to this region, & is



Similar source, but an abundance is found along the Wmattille river. Soil first to second rate free from stones and very even in quality.

### List of Names.

A list of the names of the individuals employed in running measuring or marking the lines ~~and~~ corners described in the foregoing field notes of the Subdivision Series of Township No 3 North Range 31 East of the Hellomette Meridian showing the respective capacities in which they acted.

John Bratten, Chairman  
 William B. Pensa, Chairman  
 John L. Tuckey, Assessor.



We hereby certify that we  
 assisted Golgothus S. Payne  
 deputy surveyor in surveying  
 the subdivision lines of  
 Township No 3 North Range  
 31 East of the Willamette Meridian,  
 and that said lines have  
 been in all respects to the  
 best of our knowledge and  
 belief well and faithfully  
 surveyed ~~and the~~  
 by monument placed  
 according to the instructions  
 furnished by the Surveyor  
 General.

John Prattain, Chairman  
 W. B. Penner, Chairman  
 John L. Dukey, Axeman

Subscribed & sworn by the above named  
 persons before me a Justice of the Peace in &  
 for the County Lane State of Oregon  
 this 1st day of November A.D. 1861

R. A. Parsons Justice Peace



310

310

I, Dolphus S. Payne deputy Surveyor  
do solemnly swear that in pursuance of a  
contract with B. J. Pongra Surveyor of the  
Public Lands of the United States in the State  
of Oregon bearing date the first day of August  
1861, and in strict conformity to the  
Laws of the United States, and the instructions  
furnished by the said Surveyor General,  
I have faithfully surveyed the sub-  
division Series in Township No 3 North  
of the base line of Range No 31 East of  
the Willamette Meridian in the State afore-  
said, and do further solemnly swear  
that the foregoing are the true and  
original field notes of such survey.

Dolphus S. Payne.

Subscribed and sworn before me this  
4<sup>th</sup> day of November A.D. 1861

B. J. Pongra  
Survey General  
of Oregon

W.