

FIELD NOTES

Of the survey of the Sub-Subdivisional

Lines of Tps. 3rd & 4th N. Rgs 34th & 35th E.

T 4th N. R 35th E.

Willamette Meridian,

Oregon, as surveyed by Jas. P. Carrin & Jas. C. Holland

U. S. Deputy Surveyor, under ^{their} his Contract No. _____

dated May 4th 1887

Survey commenced, Oct 4th 1887

Survey completed, Oct 13th 1887

NAMES AND DUTIES OF ASSISTANTS.

L. A. Woolley _____, **Compassman.**

E. G. Perry _____, **Chainman.**

Guy Davis _____, **Chainman.**

J. R. Hadley _____, **Chainman.**

W. S. Raper _____, **Chainman.**

J. W. Herndon _____, **Axeman.**

C. Moses _____, **Axeman.**

_____, **Flagman.**

PRELIMINARY OATHS OF ASSISTANTS.

We, E. Perry, Guy Davis
J. R. Hadley, C. S. Raper

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Sub. Sub. divisions
lines of T 3 7 4 N R 3 4 E

and T 4 N R 3 5 E, Willamette Meridian, Oregon.

- E. Perry, Chainman.
- Guy Davis, Chainman.
- J. R. Hadley, Chainman.
- C. S. Raper, Chainman.

Subscribed and sworn to before me, this 4th
day of Oct 1887

[SEAL.] James P. Currin
U. S. Deputy Surveyor

We, C. Moses and
J. W. Herndon

, do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the

Sub. Sub. divisions of
T 3 7 4 N R 3 4 E, and T 4 N R 3 5 E, Willamette Meridian, Oregon.

- C. Moses, Axeman.
- J. W. Herndon, Axeman.

Subscribed and sworn to before me, this Fourth
day of October 1887

[SEAL.] James P. Currin
U. S. Deputy Surveyor

428 429 430


INDEX

Referring the lines to the Pages of the Field Notes

Index

T4NR34E

T4NR35E



Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

East on random through
S¹/₂ of sec 33 Va 28¹/₂ East
Commencing at ¹/₁₆ sec. cor. 20 chains
S. of ¹/₄ sec. cor. bet. sec. 32 and 33
Set temporary ^{ra} ~~sec.~~ cor. at
20.40 and 60 chains and at

7995 Intersect E. bdy 15 lks S. of ¹/₁₆
sec. cor. Thence S 89° 54' W.
on true line

1999 Deposited a stone 9x8x7 ins (ins
in the ground for ¹/₁₆ sec. cor.
marked ¹/₁₆ on N. face and
raised mound of stone
1¹/₂ ft high 3¹/₂ ft base over
it

3000 Canyon S - 100

3997 Set basalt. stone 10x9x8 ins
6 ins in the ground for ¹/₁₆ sec.
cor. marked ¹/₁₆ on N. face
and dug pits 18x18x12 ins E and W.

Sub-Subdivisions of T. 30 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

of stone 5 1/2 ft dist. raised mound of earth 1 1/2 ft high 9 1/2 ft base over it.

5996 Deposited charred catatake 12 ins in the ground for 1/6 sec. cor. dug pits 14 x 18 x 12 ins E. and W. of stake 5 1/2 ft dist. raised mound of earth 1 1/2 ft high 9 1/2 ft base over it and in E. side drove stake 2 ft long 2 ins square 13 ins in the ground marked 1/6 S on N. face

6400 Canow bears S. -100

7995 To point of beginning land rolling soil under not cultivated

East on random through center of see 33. Pa 20° East

Sub Divisions of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

- Beginning at $\frac{1}{4}$ sec. cor. bet.
 sec 32 and 33. Set temp.
 cor., at 20.40 and 60 chains and at
- 7990 Intersect Q. bdy. at $\frac{1}{4}$ sec. cor.
 thence West on true line
- 1998 Deposited charred stake 12 ins in the
 ground for $\frac{1}{4}$ sec. cor. dug pits
 18 x 18 x 12 ins Q. and N. of stake $5\frac{1}{2}$ ft
 diam. raised mound of earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base over it and
 in Q. pit drove stake 2 ft long
 2 ins square 12 ins in the
 ground marked $\frac{1}{4}$ S. on N. face
- 2400 Canon bears S. - 50
- 3995 Deposited charred stake 12 ins in
 the ground for $\frac{1}{4}$ sec. cor. dug pits
 18 x 18 x 12 ins Q. and N. of stake $5\frac{1}{2}$ ft diam
 raised mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base over it and in Q. pit drove
 stake 2 ft long 2 ins square 12 ins
 in the ground marked $\frac{1}{4}$ S. on N. face

Sub-Subdivisions of T. 9 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

5000 Canon bears S - 75

5992 Deposited charred stake 12 ins in the ground for 1/6 sec cor. dug pits 18x18x12 ins. Q. Ad N. of stake 5 1/2 ft dia. raised mound of earth 1 1/2 ft high 3 1/2 ft base over it Ad in E. pit drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/6 South face

7990 To point of beginning Land rolling Soil, 1 strate Not Cultivated

East on random through 1/2 of sec. 33. Va. 20° East

Beginning at 1/6 sec. cor. 20 chains N. of 1/4 sec. cor. bears. 82 Ad 33 Set temporary cor. at 20:40 Ad 60 chains Ad at

Sub-Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

- 7984 Intersect Q. bdy. at $\frac{1}{16}$ sec cor
Thence West on true line
- 1996 Set basalt stone $9 \times 8 \times 7$ ins. in
in the ground for $\frac{1}{16}$ sec. cor,
dug pits $18 \times 18 \times 12$ ins. Q. and N.
of stone $5\frac{1}{2}$ ft dist. and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base over it and marked
stone $\frac{1}{16}$ on N. face.
- 2000 Small Gulch S. 20
- 3992 Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor, dug
pits $18 \times 18 \times 12$ ins. Q. and N. of stake
 $5\frac{1}{2}$ ft. dist. raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base over it and in E. pit drove
stake 2 ft long 2 ins square
 12 ins. in the ground marked
 $\frac{1}{16}$ S on N. face.
- 5988 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor,

Sub-Subdivision of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

(8093-10 M.)

Aug pits 18x18x12 ins E. end of
 of stake 5 1/2 ft dist. raised
 mound of earth 1 1/2 ft high
 8 1/2 ft base over wand in C.
 pit drove stake 2 ft long
 2 ins square 12 ins in
 the ground marked
 1/2 S. on N. face

7984

To point of beginning
 Land pretty rolling Soil good
 Not cultivated

Course on random through
 1/2 of sec 28

Va 28° East

Beginning at 1/2 sec cor. 20 chains
 N. of S. W. cor of sec 28
 Set temporary corner at
 20.40 and 60 chains and at

7992 Intersect E. by 7 lks N. of 1/2 sec cor.
 Thence N 89° 57' W on true line

Sub-Subdivision of T. 3 North R. 34 East

Willamette Meridian, Oregon.

1998 Deposited Charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dig pits 18x18x12 ins E. and N. of
stake 5 $\frac{1}{2}$ ft. dia. raised mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
over it and in Q. pin drove
stake 2 ft long 2 ins square
12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face

3996 Deposited Charred stake
12 ins in the ground for $\frac{1}{16}$
sec. cor. dig pits 18x18x12 ins
E. and N. of stake 5 $\frac{1}{2}$ ft dia
raised mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base over it
and in Q. pin drove stake
2 ft long, 2 ins square, 12 ins
in the ground marked
 $\frac{1}{16}$ S. on N. face

5994 Deposited Charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.

438

Sub-Subdivision of T. 3 North R. 34 East.

Willamette Meridian, Oregon.

(8093 10 M.)

dug pits 18 x 18 x 12 ins E and W.
of stake 5 1/2 ft diam. raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it and in
E. pin drove stake 2 ft long
2 ins square 12 ins in the
ground marked 46 S on
N. face.

7992 To point of beginning
land selling Soil 1st rate
Not improved

East on random through
center of sec 28
Va 20° East

Commencing at 1/4 sec. cor.
bet sec 28 and 29

Set temporary ~~1/4 sec. cor.~~ cor.
at 20, 40 and 60 chains and at

good intersect E. bdy. 17 lbs N. of 1/4
sec. cor. Thence N 89° 53' West on true line

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

2000 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18x18x12 ins E. and N. of
of stake 5 $\frac{1}{2}$ ft dia raised mound
of earth 1 $\frac{1}{2}$ ft high 9 $\frac{1}{2}$ ft base over
in and in E. pit drove stake 2 ft
long 2 ins square 12 ins in
the ground marked $\frac{1}{16}$ S. on N. face

4000 Deposited charred stake 12 ins in
the ground for $\frac{1}{4}$ sec. cor. dug
pits 18x18x12 ins E. and N. of
stake 5 $\frac{1}{2}$ ft dia. raised mound
of earth 1 $\frac{1}{2}$ ft high 9 $\frac{1}{2}$ ft base
over in and in E. pit drove stake
2 ft long 2 ins square 12 ins in
the ground marked $\frac{1}{4}$ S. on N. face

6000 Deposited charred stake 12 ins in
the ground for $\frac{1}{16}$ sec. cor. dug pits
18x18x12 ins E. and N. of stake 5 $\frac{1}{2}$ ft
dia. raised mound of earth
1 $\frac{1}{2}$ ft high 9 $\frac{1}{2}$ ft base over in,

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

And in E. pin drove stake
2 ft long 2 ins square
12 ins in the ground marked
1/6 S. on N. face.

8000 To point of beginning
land slightly rolling Soil, 1st rate
Not improved

Coast on random through
1/2 of sec 28
Ca. 20° East

Beginning at 1/4 sec. cor. 20
chains N. of 1/4 sec. cor. bet. sec.
28 and 29. Set temporary
corn at 20.40 and 60 chains and at

8008 Intersect E. bdy 21 1/2 N.
of 1/4 sec. cor. Thence
N. 89° 51' W. on true line.

2002 Deposited charred stake 12 ins
in the ground for 1/6 Sec
cor dug pits 18x18x12 ins E. and N.

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

4004

of stake. 5 1/2 ft dia raised mound
of earth 1 1/2 ft high 3 1/2 ft base over
it and in E. side of stake 2 ft.
long 2 ins square 12 ins in
the ground, marked 1/6 S. on N. face
Deposited charred stake 12 ins in
the ground for 1/6 Sec. cor. dug
pits 18 x 18 x 12 ins E. and W. of stake
5 1/2 ft dia raised mound of earth
1 1/2 ft high 3 1/2 ft base over it
in E. side of stake 2 ft long
2 ins square 12 ins in the
ground marked 1/6 S. on N.
face.

6006

Deposited charred stake 12 ins
in the ground for 1/6 sec. cor.
dug pits 18 x 18 x 12 ins E. and W.
of stake 5 1/2 ft dia raised mound
of earth 1 1/2 ft high 3 1/2 ft base over it
and in E. side of stake 2 ft long 2 ins
square 12 ins in the ground

442

Sub-Subdivision of T. 2 North R. 34 East
 Willamette Meridian, Oregon.

(8093-10 M.)

marked $\frac{1}{6}$ Sec N. face
 8008 To point of beginning
 Landrolling Soil 1st rate
 Not Cultivated

East on random through
 $\frac{1}{4}$ of sec 21

Pa $20\frac{1}{4}^{\circ}$ East

Beginning at $\frac{1}{6}$ sec. cor, 20 chains
 N. of S. N. cor of sec 21

Set temporary $\frac{1}{6}$ sec. cor, at
 20.40^{and} 60 chains and at

7987 Intersect E. by 10th St. N. of $\frac{1}{6}$
 sec. cor. Thence N $9^{\circ} 56'$ North on line

1996 Deposited charred stake 12 ins
 in the ground for $\frac{1}{6}$ sec. cor.
 dug pits 48 x 18 x 12 ins East^{ed} West
 of stake 5 $\frac{1}{2}$ ft dia raised mound
 of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 over it and in E. pit drove stake
 2 ft long 2 ins square 12 ins in

Sub Division of T. 3 North R. 24 East
Willamette Meridian, Oregon.

- 3900 the ground marked $\frac{1}{6}$ S on N. face
Indians House 50 kts S. of line.
- 3993 Deposited charred stake 12 ins in
ground for $\frac{1}{6}$ sec. cor. dug
pits 18 x 18 x 12 ins E. and W. of
stake 5 $\frac{1}{2}$ ft dia raised mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
over it. And in E. pine drove stake
2 ft long 2 ins square 12 ins in
the ground marked $\frac{1}{6}$ S on N. face.
- 5988 Deposited charred stake 12 ins
in the ground for $\frac{1}{6}$ sec. cor.
dug pits 18 x 18 x 12 ins E. and W. of stake
5 $\frac{1}{2}$ ft dia raised mound of earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over it And
in E. pine drove stake 2 ft long
2 ins square 12 ins in the ground
marked $\frac{1}{6}$ S. on N. face
- 7987 To point of beginning
Land rolling. Soil 1st Rate
Not Cultivated

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8098 10 M.)

East on random through center
of sec. 21

Va $20\frac{1}{2}^{\circ}$ East

commencing at $\frac{1}{4}$ sec. cor. bet
secs 20th & 21. Set temporary
1/4 sec. cor. at 20.40th & 60 chains^{2d} & at

7980 Intersect E. by 9th St. of $\frac{1}{4}$ sec
cor. Thence $189^{\circ}56'$ N
on true line

1995 Deposited charred stake 12 ins.
in the ground for $\frac{1}{4}$ sec. cor.
dug pits 18x18x12 ins. E. & N.
of stake 5 $\frac{1}{2}$ ft dist
raised mound of earth
 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over
it and in E pit drove stake
2 ft long 2 ins square
12 ins in the ground marked
 $\frac{1}{4}$ Sec N. face

3990 Deposited charred stake
12 ins in the ground

Sub Subdivisions of T. 3 North R. 37 East
Willamette Meridian, Oregon.

for $\frac{1}{4}$ sec. cor. dug pits
18 x 18 x 12 ins Q. and H. of
stake $5\frac{1}{2}$ ft diam. raised
mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft base over
it and in Q. pin drove
stake 2 ft long 2 ins
square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face

5985

Deposited charred stake
12 ins in the ground for
 $\frac{1}{4}$ sec cor dug pits 18 x 18 x 12
ins Q. and H. of stake $5\frac{1}{2}$ ft diam
raised mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base over it. and in Q. pin
drove stake 2 ft long 2 ins
square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face.

7980

To point of beginning
Land slightly rolling
Soil 1st rate Not cultivated

446

Sub-Subdivisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on random through N. 1/2 of sec. 21

by 21° East

Commencing at 1/4 sec. cor. 20 Chain N. of 1/4 sec. cor. bet sec 20 and 21

For temporary ~~marks~~ cons. at 20.40 and 60 chains and at

7976 Intersect E. by. at 1/4 sec cor Thence West on true line

1994 Deposited charred stake 12 ins in the ground for 1/4 sec cor. dug pits 18 x 18 x 12 ins E. and N. of stake 5 1/2 ft dia raised mound of earth 1 1/2 ft high 8 1/2 ft base over it and in E. dir drove stake 2 ft long 2 ins square 12 ins in the ground marked 1/4 S on N. face

3988 Deposited charred stake 12 ins in the ground for

Subdivisions of T. 3 North R. 34 East 447
Willamette Meridian, Oregon.

1/4 sec. cor. dug pits 18x18x12 ins
End N. of stake 5 1/2 ft dist
raised mound of earth 1 1/2 ft
high 3/4 ft base over it and
in Cipiv drove stake 2 ft long
2 ins square 12 ins in the ground
marked 1/4 S. on N. face

5982 Deposited charred stake 12 ins
in the ground for 1/4 sec. cor.
dug pits 18x18x12 ins End N.
of stake 5 1/2 ft dist raised mound
of earth 1 1/2 ft high 3/4 ft base
over it and in Cipiv drove stake
2 ft long 2 ins square 12 ins
in the ground marked
1/4 S. on N. face

7976 To point of beginning
land rolling Soil 12th rate
Not cultivated

Oct-4-1887

Subdivisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
S. 1/2 of sec 16
Va 21° East

Commencing at 1/4 sec. cor.
20 chains N of S. 1/4 cor of sec 16
Set temporary ~~mark~~ cor
at 20, 40 and 60 chains N at

1980 Intersect E. bay at 1/4 sec.
cor thence West on true line

1995 Deposited charred stake
12 ins in the ground
for 1/4 sec. cor. dug pits
18 x 18 x 12 ins E. and N. of
stake 5 1/2 ft dist raised
mound of earth 1 1/2 ft
high 3 1/2 ft base over
it and in E. pit drove
stake 2 ft long 2 ins
square 12 ins in the
ground marked 1/4 S. on N. face

Sub-Subdivision of T. 3 North R. 34 East

Willamette Meridian, Oregon.

3990 Deposited charred stake 12
 ins in the ground for $\frac{1}{16}$
 sec. cor. dug pits 18 x 18 x 12
 ins E and W of stake
 5 $\frac{1}{2}$ ft. dia. raised mound
 of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft
 base over in Quad in E pin
 drove stake 2 ft long 2 ins
 square 12 ins in the ground
 marked $\frac{1}{16}$ South N. face

5985 Deposited charred stake 12
 ins in the ground for $\frac{1}{16}$ sec.
 cor. dug pits 18 x 18 x 12 ins
 E and W of stake 5 $\frac{1}{2}$ ft
 dia. raised mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over
 in Quad in E. pin drove stake
 2 ft long 2 ins square 12 ins
 in the ground marked $\frac{1}{16}$ South face

7950 To point of beginning
 Land rolling Soil 1st rate

Subdivision of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

(8093-10 M.)

- Q. East on random through
 center of sec 16
 Va 21° East
 Commencing at $\frac{1}{4}$ sec. cor. bet
 Secs 16 and 17 Set temporary
 $\frac{1}{4}$ and $\frac{1}{4}$ sec. cor. at 2040 and 6000. and at
- 7992 Intersect E. by 7th S. of
 $\frac{1}{4}$ sec. cor. Hence
 $N 89^{\circ} 57'$ to true line
- 1998 Deposited charred stake
 12 ins in the ground for
 $\frac{1}{4}$ sec. cor. dug pits 18x18x12
 ins E. and W. of stake $5\frac{1}{2}$ ft
 dist raised mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over
 it and in E. pin drove stake
 2 ft long 2 ins square
 12 ins in the ground
 marked $\frac{1}{4}$ S on N. face
- 3996 Deposited charred stake
 12 ins in the ground

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(M. 01-2000)

for $\frac{1}{4}$ sec. cor. dug pits 18x18x12
ins. E. and N. of stake $5\frac{1}{2}$
ft. dist. raised mound
of earth $1\frac{1}{2}$ ft. high $9\frac{1}{2}$ ft.
base over it and in E. pin
drove stake 2 ft. long
2 ins. square 12 ins. in
the ground marked
 $\frac{1}{4}$ S. on N. face

5994 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18x18x12 ins. E.
and N. of stake $5\frac{1}{2}$ ft. dist.
raised mound of earth
 $1\frac{1}{2}$ ft. high $9\frac{1}{2}$ ft. base over
it and in E. pin drove stake
2 ft. long 2 ins. square
12 ins. in the ground marked
 $\frac{1}{16}$ S. on N. face

7992 To point of beginning
Land level Soil 17 ft. rate

Subdivisions of T. 3 North R. 3 4 East
 Willamette Meridian, Oregon.

(8093-10 M.)

East on random through N^h of
 sec 16

Pa 21° East

Commencing at $\frac{1}{16}$ sec. cor. 20 chains
 N^h of $\frac{1}{4}$ sec. cor. bet. sees. 16 and 17
 Set temporary $\frac{1}{16}$ sec. cor. at
 20 40 and 60 chains and at

8000 Intersect E. bdy at $\frac{1}{16}$ sec. cor.

Thence West on true line

2000 Deposited charred stake

12 ins in the ground for

$\frac{1}{16}$ sec. cor. dug pits 18x15x12
 ins E. and W. of stake 5 $\frac{1}{2}$ ft

dist raised mound of earth

1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base

over it and in E pit drove

stake 2 ft long 2 ins

square 12 ins in the ground

marked $\frac{1}{16}$ S on N. face

4000 Deposited charred stake

12 ins in the ground for the

Sub-Subdivision of T. 3 North R. 34 East 453
 Willamette Meridian, Oregon.

1/16 sec. cor. dug pits 18x18x12
 ins Q. and N. of stake 5 1/2 ft
 dist. raised mound of earth
 1 1/2 ft high 3 1/2 ft base over
 it and in Q. pin drove stake
 2 ft long 2 ins square 12 ins
 in the ground marked
 1/16 S on N. face.

6000 Deposited charred stake 12 ins.
 in the ground for 1/16 sec. cor.
 dug pits 18x18x12 ins Q. and N.
 of stake 5 1/2 ft dist raised
 mound of earth 1 1/2 ft.
 high 3 1/2 ft base over it
 and in Q. pin drove stake
 2 ft long 2 ins square
 12 ins in the ground marked
 1/16 S on N. face.

8000 To point of beginning
 laid level Soil 1st state
 Not cultivated Oct 11th 1887

24

454

Sub-Subdivision of T. 3 North R. 34 East.

Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
1/2 of sec 32 Va. 20 1/2 East.

Commencing at 1/4 sec. cor.
20 chains S. of 1/4 sec. cor. bet.
secs 31 and 32 for temporary
and cons. at 20, 40 and 60 chains
and at

7984 Intersect E. by 13 lbs N. of
1/4 sec. cor. Thence
N. 89° 54' W. on true line

1996 Deposited charred stake
12 ins in the ground for 1/4
sec. cor. dug pits 18 x 18 x 12
ins E. and N. of stake 5 1/2 ft
dist raised mound of earth
1 1/2 ft high 3 1/2 ft base
over it and in E. pine wood
stake 2 ft long, 2 ins square
12 ins in the ground, marked
1/4 S. on N. face

Subdivisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

- 2750 Canon bears S - 100
- 3992 Deposited charred stake 12 ins
in the ground for $\frac{1}{16}$ sec
cor. dug pits 18 x 18 x 12 ins E. and W.
of stake 5 $\frac{1}{2}$ ft dist. raised
mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base over it and in E. pit
drove stake 2 ft long, 2 ins
square 12 ins in the ground
marked $\frac{1}{16}$ S. on N. face
- 5988 SW basalt stone 10 x 9 x 7 ins
6 ins in the ground for $\frac{1}{16}$ sec.
cor. marked $\frac{1}{16}$ SW N. face
dug pits 18 x 18 x 12 ins E. and
W. of stone 5 $\frac{1}{2}$ ft dist. and
raised mound of earth
1 $\frac{1}{2}$ ft high. 3 $\frac{1}{2}$ ft. base over
it
- 7984 To point of beginning
land rolling. Soil 1st rate.
Not cultivated

Subdivisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

- East on random through
Center of sec 32
Va. 20 East
commencing at 1/4 sec. cor;
bet sec 31 and 32
Per temporary ~~to~~
cor at 20 rods to chains and at
1000 Intersect E. by 10 hrs N.
of 1/4 sec. cor thence S 89° 56' W,
on true line
- 2000 Deposited Charred state
12 ins in the ground for 1/16
sec. cor, dug pits 18 x 18 x 12
ins E and W of stake 5 1/2 ft
diam raised mound of earth 1 1/2 ft
high 3 1/2 ft base over in ^W in E
pit drove stake 2 ft long 2 ins
square 12 ins in the ground for
marked 1/16 S on N. face
- 3000 Canon bars S. W. - 50

Sub Divisions of T. 3 North R. 14 East

Willamette Meridian, Oregon.

4000

Deposited charred stake 12 ins in the ground for $\frac{1}{4}$ sec. cor. dug pits 18 x 18 x 12 ins E. side N. of stake 5 1/2 ft dia raised mound of earth 1 1/2 ft high 9 1/2 ft base over in Indian

✓

Q pin drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{4}$ S on N. face

6000

Deposited charred stake 12 ins in the ground for $\frac{1}{16}$ sec. cor. dug pits 18 x 18 x 12 ins E. side N. of stake 5 1/2 ft dia raised mound of earth 1 1/2 ft high 9 1/2 ft base over it and in Q pin drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{16}$ S. on N. face.

8000

To point of beginning Land rolling Soil 1st rate Not Cultivated

458

Sub Divisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
 N. h of sec 32
 Va 20° East
 Commencing at $\frac{1}{4}$ sec. cor. 20 chains
 S of $\frac{1}{4}$ sec. cor. bet. sec. 31 and 32
 S of temporary $\frac{1}{4}$ sec. cor.
 at 20.40 and 60 chains and at

8012 Intersect E. bdy 10 lks N. of $\frac{1}{4}$ sec. cor. Thence N 89° 56' W. on true line

2003 Deposited charred ^{stake} 12 ins in the ground for $\frac{1}{4}$ sec. cor. dug pits 18 x 18 x 12 ins E and W. of stake 5 1/2 ft. dist raised mound of earth 1 1/2 ft high 3 1/2 ft base over it and in Capin drove stake 2 ft long 2 ins square 12 ins in the ground marked $\frac{1}{4}$ S on N. face

2200 Rocky hill side

3400 Canon bears S. Ascend

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

4006 Deposited a basalt stone,
10x9x7 ins 6 ins in the ground
for $\frac{1}{16}$ sec. cor. marked $\frac{1}{16}$
on N. face. dug pits 18x18x12
ins E. and W. of stake 5 1/2 ft
dist raised mound of
earth 1 1/2 ft high 3 1/2 ft
base over it

0009 Deposited charred stake 12
ins in the ground for $\frac{1}{16}$
sec. cor. dug pits 18x18x12
ins E. and W. of stake 5 1/2 ft.
dist raised mound of earth
1 1/2 ft high 3 1/2 ft base over it
and in E. pit drove stake 2 ft.
long 2 ins square 12 ins
in the ground marked $\frac{1}{16}$ S.
on N. face.

8012 To point of beginning
Land rolling Soil, at rate
Not Cultivated

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

East on random through
S. 1/2 of sec. 29
Pa. 20 East.

Commencing at 1/4 sec. cor.
20 chains N. of S. 1/4 cor. of sec.
29. Set temporary 1/4 sec. cor.
at 20.40 and 00 chains and at

2028 Intersect E. by 12 lbs N.
of 1/4 sec. cor. Thence
N 89° 55' W. on true line

2007 Deposited charred stake 12 ins
in the ground for 1/4 sec
cor. dug pits 18 x 18 x 12 ins
E. and W. of stake. 5 1/2 ft dist.
raised mound of earth
1 1/2 ft. high 3 1/2 ft base over
it and in E. spindle
stake 2 ft long 2 ins
square 12 ins in the ground
marked 1/4 S. on N. face

4014 Deposited charred stake 12 ins

Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

in the ground for $\frac{1}{16}$ sec.
cor. dug pits 18x18x12 ins
E. and W. of stake 5 $\frac{1}{2}$ ft. dist
raised, mound of earth 1 $\frac{1}{2}$
ft high 3 $\frac{1}{2}$ ft base over
it and in E. pin drove stake
2 ft long 2 ins square
12 ins in the ground marked
 $\frac{1}{16}$ South N. face,

5030 Wagon road bears N. and S.

6021 Opposite charred stake 12 ins
in the ground for $\frac{1}{16}$ sec. cor.
dug pits 18x18x12 ins E. and W.
of stake 5 $\frac{1}{2}$ ft dist raised
mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base over it and in E. pin
drove stake 2 ft long 2 ins
square 12 ins in the ground
marked $\frac{1}{16}$ South N. face

8028 To point of beginning
land level Soil 12th rate

Subdivisions of T. 3 North R. 34 East

Willamette Meridian, Oregon.

(8093-10 M.)

- East on random through
Center of sec 29
Pa 20° East
Commencing at $\frac{1}{4}$ sec cor.
bet sec 29 and 30
Set temporary $\frac{1}{4}$ sec cor
at 20, 40 and 60 chains and at
8000 Intersect E bdy 15 hrs N.
of $\frac{1}{4}$ sec cor. Thence 189° 54' H.
on true line
- 2000 Deposited charred stakes 12 ins
in the ground for $\frac{1}{16}$ sec cor.
dug pits 18 x 18 x 12 ins E and H.
of stake 5 $\frac{1}{2}$ ft dist raised
mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft \pm over in
and in E. pit drove stake 2 ft
long 2 ins square 12 ins
in the ground marked $\frac{1}{16}$ S on
N. face

Sub-Subdivision of T. 3 North R. 34 E

Willamette Meridian, Oregon.

(11 01-1908)

4000 Deposited charred stake 12 ins
in the ground for $\frac{1}{4}$ sec. cor.
dug pits 18 x 18 x 12 ins E. End N. of
stake 5 $\frac{1}{2}$ ft. dist raised mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
over in ^{and} in E. pit drove stake
2 ft long, 2 ins square, 12 ins
in the ground marked $\frac{1}{4}$ S.
on N. face.

6000 Deposited charred stake
12 ins in the
ground for $\frac{1}{16}$ sec cor. dug pits
18 x 18 x 12 ins E. End N. of stake
5 $\frac{1}{2}$ ft dist raised mound of earth
1 $\frac{1}{2}$ ft high, 3 $\frac{1}{2}$ ft base over in ^{and}
in E. pit drove stake 2 ft long
2 ins square, 12 ins in the ground
marked $\frac{1}{16}$ S on N. face.

8000 To point of commencement
Land level Soil 1st rate
Not Cultivated

34

1464

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

East on random through $\frac{1}{4}$
of sec 29

On 2^d East
Commencing at $\frac{1}{4}$ sec cor, 20
chains N. of $\frac{1}{4}$ sec cor, sec 29
and 30. Set temporary
corn at 20, 40 and 60 chains and at

1988 Intersect E. by 20 lbs. N
of $\frac{1}{4}$ sec cor. Thence
N. $89^{\circ} 51'$ W. on true line

1997 Deposited charred stake 12 ins.
in the ground for $\frac{1}{4}$ sec cor.
dug pits 18 x 18 x 12 ins E. and W.
of stake $5\frac{1}{2}$ ft dist. raised
mound of earth $1\frac{1}{2}$ high $3\frac{1}{2}$
ft base over it and in E
side drove stake 2 ft long
2 ins square 12 ins in the
ground marked
 $\frac{1}{4}$ S. on N. face

3994 Deposited charred stake

Sub Subs of T. 3 N R. 34 E

Willamette Meridian, Oregon.

12 ins in the ground for $\frac{1}{16}$ Sec
 Cor. dug pits $18 \times 18 \times 12$ ins E. & N. of
 stake $5\frac{1}{2}$ ft - dist. raised mound
 of earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft - base
 over it ^{and} in E. pit - drove
 stake 2 ft - long 2 ins square
 12 ins in the ground marked
 $\frac{1}{16}$ S on N. face

5991 Deposited charred stake 12
 ins. in the ground for $\frac{1}{16}$ Sec
 cor. dug pits $18 \times 18 \times 12$ ins. E & N.
 of stake $5\frac{1}{2}$ ft - dist. raised mound
 of earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft - base over
 it and in E. pit - drove stake
 2 ft - long 2 ins square 12
 ins in the ground marked
 $\frac{1}{16}$ S on N face

7988 To place of beginning
 Land Level

Dial 1st rate not improved
 Oct - 6 - 1887

Sub. Subs of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

From the $\frac{1}{4}$ Sec Cor bet Secs 20 & 29
I run N through the center of Sec 20
Var 90° E

20.00 Deposited charred stake 12 ins. in the
ground for $\frac{1}{16}$ Sec. cor. dug pits $18 \times 18 \times 12$
ins N & S. of stake $5\frac{1}{2}$ ft - diel - raised
mound of earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft -
base over it - and in N. pit -
drove stake 2 ft - long 2 ins sq
ware 12 ins in the ground marked
 $\frac{1}{16}$ S. on N. face

40.00 Deposited charred stake 12 ins
in the ground for the $\frac{1}{4}$ Sec. Cor.
dug pits $18 \times 18 \times 12$ ins N and S of
stake $5\frac{1}{2}$ ft - diel - raised mound of earth $1\frac{1}{2}$ ft - high
 $3\frac{1}{2}$ ft - base over it - and in N.
pit drove a stake 2 ft - long and
2 ins. square 12 ins in the ground
marked $\frac{1}{4}$ S. on N. face

Land Level

Soil 1st rate Not Cultivated

Sub. Subs of T. 3 North R. 34 East -
Willamette Meridian, Oregon.

Thence I run

East on a ran down line through
Center of Sec. 20 Var $20\frac{1}{2}^{\circ} E$

Sitting Temporary cor at 20 chs.

39.70 Intersect - E. bdy. 12 chs. N of $\frac{1}{4}$ Sec. Cor.

Thence

N $89^{\circ} 50' W$ on true line

1985 Deposited charred stake 12 ins

in the ground for $\frac{1}{16}$ Sec. cor.

dug pits $18 \times 18 \times 12$ ins. E. & W of

stake $5\frac{1}{2}$ ft - dirt-raised mound

of earth $1\frac{1}{2}$ ft - high $3\frac{1}{2}$ ft base

over it and in E. pit - drove

stake 2 ft - long 2 ins square

12 ins in the ground marked

$\frac{1}{16}$ S on W. face

39.70 The $\frac{1}{4}$ Sec. Corner

Land level

Sail 1st - rate

Not - Cultivated

36 1/2
468

word up on 3 3 1/2 + 3.6

Sub-Divisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8092-10 M.)

East on random through center
of S. E. 1/4 of sec 20.
Va 20th East

Beginning at 1/6 sec cor.
20 chains N. of 1/4 sec. cor. on
S. bdy of sec. 20

Set temporary 1/6 sec. cor.
at 20 chains and at

3996 Intersect E. bdy of sec 8 & N. of 1/6 sec cor thence
N 89° 53' W. on true line

1998 Deposited Charred stake 12 ins in
the ground for 1/6 sec. cor, dug pits 18x18x12
ins E. and W. of stake 5 1/2 ft dia & raise mound
of earth 1 1/2 ft high 3 1/2 ft base over it & in E
side drove stake 2 ft long 2 ins square.
12 ins in the ground marked 1/6 Sec N. face

3996 To point of beginning
Land level Soil 1st rot
Not improved.

Oct 6 - 1887

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

Run random through
S^h of sec 31

to 20 1/2 East

Commencing at 1/4 sec. cor. 20
chains S of 1/4 sec. cor. sec 31
and 32 Set temporary
corn at 20.40 and 60 chains and at

7465

Intersect W. bdy Township
110 kts. S of 1/4 sec. cor. Thence
S 89° 10' on true line

1465

Deposited charred stake 12 ins
in the ground for 1/4 sec. cor.
dig pits 18 x 18 x 12 ins. C. and N.
of stake. 5 1/2 ft dist raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it and in
C. pit drove stake 2 ft long
2 ins square 12 ins in the ground
marked 1/4 S. on N. face

3465

Deposited charred stake 12 ins
in the ground for 1/4 sec. cor.

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

Aug. pits 18x18x12 ins E. & W.
of stake 5 1/2 ft dist raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it. Radium
E. pit drove stake 2 ft long
2 ins square 12 ins in the
ground marked 1/6 South
face

5465 Deposited chawed stake 12 ins
in the ground for 1/6 sec. cor.
Aug pits 18x18x12 ins E. & W.
of stake 5 1/2 ft dist raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it Radium
E. pit drove stake 2 ft long
2 ins square 12 ins in the
ground marked 1/6 S. on N. face

7465 To point of beginning
land level Soil 12th rate
Not cultivated

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

West on random through
center of sec 31
Va 20° East
commencing at 1/4 sec. cor. bet
secs 31 and 32

7470

Set temporary 1/4 sec. cor.
at 20.40 and 60 chains and at
Intersect N. bdy of Township
100 lbs S. of 1/4 sec. cor. thence
S 89° 15' East on true line

1470

Deposited charred stake 12
ins in the ground for 1/4 sec
cor. dug pits 18x18 412 ins End N.
of stake 5 1/2 ft. diam. raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it and in
O pier drove stake 2 ft long
2 ins square 12 ins in the
ground, marked 1/4 S on N.
face.

3470

Deposited charred stake 12 ins

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18 x 18 x 12 ins.
E and W of stake 5 $\frac{1}{2}$ ft dist.
raised mound of earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over
it and in E pit drove stake
2 ft long, 2 ins square
12 ins in the ground
marked $\frac{1}{4}$ S on N. face

5470

Opposite charred stake 12
ins in the ground for $\frac{1}{16}$
sec. cor. dug pits 18 x 18 x 12 ins
E and W of stake 5 $\frac{1}{2}$ ft dist
raised mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base over it
and in E pit drove stake 2 ft
long 2 ins square 12 ins
in the ground & marked
 $\frac{1}{16}$ S on N. face

7470

To point of commencement
Land level Soil 1st rate
Oct 12th

Sub-Subdivision of T. 30 North R. 34 East
Willamette Meridian, Oregon.

West on random through
N¹/₂ of sec 31 Va 20° East

Commencing at ¹/₁₆ sec cor.
20 chains N. of ¹/₄ sec cor. bet
secs 31 and 32.

For temporary ~~marks~~ ^{marks} cor.
at 20 and 60 chains and at

7475 Intersect N. by 110 lbs S of
¹/₁₆ sec cor. Thence

South 89° 10' East on true line

1475 Deposited charred stake 12 ins
in the ground for ¹/₁₆ sec cor.
dug pits 18 x 18 x 12 ins E. and N.
of stake 5 1/2 ft dist raised
mound of earth 1 1/2 ft high
3 1/2 ft base over it and in E.
pit drove stake 2 ft long
2 ins square 12 ins in the
ground marked ¹/₁₆ Sec
N. face

Sub Subdivision of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

(8093-10 M.)

3475 Deposited charred stake
 12 ins in the ground
 for $\frac{1}{6}$ sec. cor. dug pits
 18x18x12 ins Q. Q. Ad. H. of
 stake $5\frac{1}{2}$ ft dia raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ base
 over it Q. Ad. in Q. pin drove stake
 2 ft long, 2 ins square, 12 ins
 in the ground, marked $\frac{1}{6}$ S.
 on N. face

5475 Deposited charred stake 12 ins
 in the ground for $\frac{1}{6}$ sec. cor.
 dug pits 18x18x12 ins Q. Q. Ad. H.
 of stake $5\frac{1}{2}$ ft dia raised
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base over it Q. Ad.
 in Q. pin drove stake 2 ft
 long 2 ins square 12 ins
 in the ground marked $\frac{1}{6}$ S. on N. face

7475 To point of beginning
 Land rolling Soil 1/2 rate.

Sub Divisions of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

West on random through
 S $\frac{1}{2}$ of sec 30

Va 20° East
 Commencing at $\frac{1}{4}$ sec. cor. bet
 sees 29th & 30. 20 chains N. of
 S. E. cor of sec 30

Set temporary ~~marks~~ cor.
 at 20.40th & 60 chainsth & at

7450 Intersect N. bdy. Township
 105 fts S of $\frac{1}{4}$ sec cor Thence
 S. 89° 12' East on true line

1450 Deposited charred stake 12 ins
 in the ground for $\frac{1}{4}$ sec. cor.
 dug pits 18 x 18 x 12 ins E. & W.
 of stake 5 $\frac{1}{2}$ ft dia raised
 mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base over it & in E. pit
 drove stake 2 ft long 2 ins
 square 12 ins in the ground
 marked $\frac{1}{4}$ S. on N. face.

3450 Deposited charred stake 12 ins.

Sub Division of T. 3 North R. 34 East
Willamette Meridian, Oregon.

Went on random through
Center of sec 39
Va 20 East
beginning at 1/4 sec. cor. between
29 and 30 Set temporary
sec. cors at 20, 40 and 60 chains
and at

1460 Intersect H. bdy. Township
102 lbs S of 1/4 sec. cor.
Thence N 89° 14' E, on true line

1460 Deposited charred stake 12 ins
in the ground for 1/4 sec. cor.
dug pits 18 x 18 x 12 ins E and N.
of stake 5/8 ft dia raised
mound of earth 1 1/2 ft high
3/4 ft base over it and in
C. pin drove stake 2 ft long
2 ins square 12 ins in the
ground marked 1/4 South face

3200 Wagon road bears N and S.

3460 Deposited charred stake 12 ins

Sub-Subdivision of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093-10 M.)

in the ground for $\frac{1}{4}$ sec. cor,
dug pits 18 x 18 x 12 ins
E. End N. of stake 5 $\frac{1}{2}$ ft
dist raised mound of earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base over
it $\frac{1}{4}$ in E. pin drove stake
2 ft long 2 ins square
12 ins in the ground
marked $\frac{1}{4}$ South N. face

5460

Deposited charred stake
12 ins. in the ground
for $\frac{1}{6}$ Sec. cor, dug pits
18 x 18 x 12 ins E. End N. of stake
5 $\frac{1}{2}$ ft ^{raised mound of earth 1 $\frac{1}{2}$ ft high} dist. 3 $\frac{1}{2}$ ft base over
it $\frac{1}{4}$ in E. pin drove stake
2 ft long. 2 ins square.
12 ins in the ground
marked $\frac{1}{6}$ South N. face

7460

To point of beginning
land level Soilstrate
Not improved

Subdivisions of T. 3 North R. 34 East
 Willamette Meridian, Oregon.

- West on random through
 N. 1/2 of sec. 30 Va 20° East
 commencing at 1/4 sec. cor, 20 chains
 N. of 1/4 sec. cor. bet. sees. 29 & 30
 Set temporary ~~to~~ ~~the~~ core, at
 20, 40, and 60 chains and at
- 7470 Intersect N. bdy of Township,
 98 kts. S. of 1/4 sec. cor. Thence
 North 89° 15' East on true line
- 1470 Set post 3 ft. long. 3 ins
 square 24 ins in the ground
 for 1/4 sec. cor. marked 1/4 S.
 on N. face dug pits
 18 x 18 x 12 ins and N. of stake
 5 1/2 ft. dist and raised
 mound of earth 1 1/2
 ft. high 3 1/2 ft. base
 over it
- 3470 Set post 3 ft. long
 3 ins square 24 ins in the

Subdivisions of T. 3 North R. 34 East
Willamette Meridian, Oregon.

(8093 10 M.)

ground for $\frac{1}{16}$ sec. cor.
 marked $\frac{1}{16}$ S. on N. face
 dug pits 18 x 18 x 12 ins
 Q. and N. of stake 5 1/2 ft
 dia. and raised mound
 of earth 1 1/2 ft high
 3 1/2 ft base over it

5470 Set post 3 ft long 3 ins
 square. 24 ins in the
 ground for $\frac{1}{16}$ sec. cor.
 marked $\frac{1}{16}$ S. on N. face
 dug pits 18 x 18 x 12 ins
 Q. and N. of stake 5 1/2 ft.
 dia. and raised mound
 of earth 1 1/2 ft high.
 3 1/2 ft base over it.

7470 To point of beginning
 Land level Soil 1st rate
 Not Cultivated
 Oct-7-1887

end

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by James P. Currier
and Jas. E. Toland, U. S. Deputy Surveyor, to assist in
 running, measuring and marking the lines and corners described in the foregoing field
 notes of the survey of the Sub-Subdivisional lines
of Tps 3 and 4 North R 34 East and
T. 4 N. R. 35 East Willamette Meridian, Oregon,
 showing the respective capacities in which they acted:

- L. D. Wooley -----, **Compassman.**
- E. G. Perry -----, **Chainman.**
- Guy Davis -----, **Chainman.**
- J. R. Hadley -----, **Chainman.**
- C. L. Raper -----, **Chainman.**
- C. Moses -----, **Axeman.**
- J. W. Herndon -----, **Axeman.**
- , **Flagman.**

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted James P. Currier and
Jas. E. Toland, U. S. Deputy Surveyor, in surveying all
 those parts or portions of the Sub-Subdivisional lines
of Tps 3 and 4 N R 34 E and
T 4 N R 35 E Willamette Meridian, Oregon,
 as are represented in the foregoing field notes as having been surveyed by him and under
 his direction; and that said survey has been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the corner monuments established, according
 to the instructions furnished by the U. S. Surveyor General of Oregon.

- L. D. Wooley -----, **Compassman.**
- E. G. Perry -----, **Chainman.**
- Guy Davis -----, **Chainman.**
- J. R. Hadley -----, **Chainman.**
- C. L. Raper -----, **Chainman.**
- C. Moses -----, **Axeman.**
- J. W. Herndon -----, **Axeman.**
- , **Flagman.**

Subscribed and sworn to before me, this 13th day of

October 1887

[SEAL.]

James P. Currier
 U. S. Deputy Surveyor

FINAL OATH OF DEPUTY SURVEYOR.

Wm James P. Currier and Jos E. Holand
United States Deputy Surveyor, do solemnly swear that in pursuance of

instructions received from *Congress W Taylor*

U. S. Surveyor General for Oregon, bearing date of the *20th*

day of *August* 188*7*, I have well, faith-

fully and truly, in ~~my~~ ^{the} own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all those

parts or portions of *Tps 3 and 4 N. R. 34 E.*
and T 4 N. R. 35 E.

Willamette Meridian, in the State of Oregon, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and ~~do~~ further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected ~~it~~ will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

James P. Currier

James E. Holand U. S. Deputy Surveyor.

Subscribed and sworn to before me, this *15th*

day of *March* 188*8*

A. B. Woodcock
Notary Public
for Oregon

Office U. S. Surveyor General,

Portland, Oregon, *August 10* 1888.

concerning
The following Field Notes of the Survey of the *Sub-*

Subdivisional lines of Tps 3 & 4
N. R. 34 E. & Tp 4 N. R. 35
E. Will Mer Oregon

executed by *James P. Currier and James E. Nolan*
Special Agents, U. S. Dept. Surveyors
under ~~his~~ Contract No. _____, dated *May*

4th 1887, having been critically examined, the
necessary corrections and explanations made, the said Field Notes
and the survey they describe, are hereby approved.

Douglas W. Taylor.
Surveyor General.