

Index

T. N. R. 35 E.

The following
 notes unapproved -
 by later survey
 See Book 175
 by J. N. R.

1	37
12	38
13	39
24	40
25	41
36	42

31	32	33	34	35	36
43	45	46	47	47	48

Suspended

In error, unapproved - to be
 re-surveyed - Ware

Township 4 N Range 35 East, Will, Mer,
South between sections

21 & 36 Townships 4 N Ranges
25 & 36 East,

Variations 19° E —

4,000 Set $\frac{1}{4}$ Section front corner, $\bar{30}$
on hill side facing the East,
from which a pine
36 in, dia, bears N 58° E, 74 lbs,
~~near~~ other tree near
Dry pits and raised
ground as per instructions

6,390 Pine Creek 20 lbs wide, course
N W 50

8,000 Set a post corner for ~~xxx~~ $\bar{50}$
Townships 3 & 4 North of Base
Line of Ranges 25 & 36 East
of Willamette Meridian, and
for sections 1, 6, 31 & 36,
from which

A Pine 42 in, dia, bears N 54° W, 18 lbs
do do 20 do do do N 27° E, 116 do
do do 15 do do do S 1° E, 50 do,

Township 4 N Range 35 East Will, Mex,
 A Pine 20 in dia, bears South 37° W 68 lbs,
 This line passes down a
 Ravine to Pine Creek,
 Some scattering pines in Ravine
 and Timber to the South
 of Pine Creek,

start ~~X~~ X

Opp
 West on Random between
 Townships 37 4 North
 Range 35 East and South
 at 4000 and 8000 lbs
 set mile and half Mill
 post, at 483.00 Interest
 N, 93, Line 15.0 lbs
 South of post corner
 for Townships 37 N Ranges
 34 & 35 E, Hence the correction
 will be S 89° 45' East on true
 Line,

June 9th 1865

S 89° 45' E on true Line


502

We hereby certify that
 we assisted William H.
 Odell and William S.
 Lewis, deputy surveyors,
 in surveying and marking
 the following lines, to wit;
 The 1st Standard Paralled North
 between Townships 4 & 5 and
 East through Ranges 31. 32,
 33. 34. 35. & 37. East of Will. Mer,
 also the subdivisioral lines
 of Townships 5 N. Ranges 33. 35 & 36,
 do, 6 N, do, 34. 35 & 36 do,
 do 4 do, do, 32 & 33 do,
 and the Extremors of Townships
 5 N Range 35. 36,
 6 do, do, 34. 35. 36 & 37 East
 4 do do 31. 33. & 35 do,
 and that said lines
 have been in all respects

To the best of our knowledge
and belief, well and
faithfully surveyed, and
the boundary monuments
planted according to the
instructions furnished by
the Surveyor General.

Cyrus Dion Chairman
Robert Beck Assessor

State of Oregon }
County of Benton } 1888 Subscribed
and sworn to before me
this 17 day of June 1865
Geo. W. Greer
Notary Public



506

602

P.
666-601
Blank



I hereby certify that I assisted
William H. Odell and William S.

Lewis deputy surveyor, in surveying
the following lines, to wit;

The ~~1st~~ Standard Parallel North
between Townships 4 & 5 North and

East through Ranges 31. 32. 33. 34.

35. & 37. East of Willamette Meridian

also the subdivisional lines

of Townships Nos 5 North Ranges 33. 35. & 36 E,

do, do, 6 do, do, 34. 35. & 36 do,

do, do, 4 do, do, 32 & 33 do,

and the Exterior of Townships

Nos 5 North Range 35 & 36, 37 East

do, 6 do, do, 34. 35. 36 & 37, do,

do, 4 do, do, 31. 33. & 35, do,

and that said lines have
been in all respects

to the best of my knowledge and
belief, well and faithfully surveyed,
and the boundary monuments
planted according to the instructions
furnished by the Surveyor General,
D. C. Wallace Chairman

State of Oregon)
County of Lane) ss.

Sworn & subscribed before me this
24th day of June 1865

Joel Mann

Notary Public

