

B

310 D

FIELD NOTES

Of the *Subdivisional* Lines of

Township 3 North Range 38 East

Willamette Meridian, Oregon,

BY

John W. Kimbrell

Deputy Surveyor.

UNDER

his Contract No. *700* dated *February 9th 1899*

Survey commenced *June 24th*, *1903*

Survey completed *Sept 11.*, *1903*

Platted

Copied for Washington **FEB 4 1904**

JAN 5 1905

Quotin

See Letter from Deputy

9140b100-1-99

No 2039

RECEIVED

RECEIVED

AUG 11 1904

SEP 29 1904

FIELD NOTES

310 F

A RE-

Of the survey of the Subdivisional

Lines of Township 3 North of

Range 38 East Willamette Meridian, Oregon,

as surveyed by John W. Timbrell

U. S. Deputy Surveyor, under his contract No. 700

dated February 9th, 1908

Survey commenced June 24th 1908, 1908

Survey completed Sept 11th 1908, 1908

NAMES AND DUTIES OF ASSISTANTS.

Edward Hays, Chainman.

B. A. Turner, Chainman.

....., Chainman.

....., Chainman.

Elmer Christiansen, Axman.

....., Axman.

George Ort, Flagman.

310 G

PRELIMINARY OATHS OF ASSISTANTS.

WE, I

B. A. Turner

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the survey

of the Subdivisional lines of Township 3 North Range 38 East Willamette Meridian, Oregon.

....., Chainman.
B. A. Turner, Chainman.
....., Chainman.
....., Chainman.

Subscribed and sworn to before me this 29th day of July, 1904

E. B. Morelock Notary Public for Oregon

[SEAL.]

WE, I

Elmer Christensen

and do solemnly swear that we will well and truly perform the duties of axmen, mound men, and flagman in the establishment of corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the survey of the Subdivisional Line of Township 3 North Range 38 East Willamette Meridian, Oregon.

Elmer Christensen, Axman.
....., Axman.
....., Flagman.

Subscribed and sworn to before me this 29th day of July, 1904

E. B. Morelock Notary Public for Oregon

[SEAL.]

FIELD NOTES

Of the survey of the Subdivisional

Lines of Townships 3 North of Range
38 East

Willamette Meridian, Oregon,

as surveyed by John W. Kimball

U. S. Deputy Surveyor, under his contract No. 700

dated February 9th, 1899

Survey commenced 190.....

Survey completed 190.....

NAMES AND DUTIES OF ASSISTANTS.

Edward Hays Chainman.

B A Turner Chainman.

..... Chainman.

..... Chainman.

Elmer Christensen Axman.

..... Axman.

George Erb Flagman.

310 I

PRELIMINARY OATHS OF ASSISTANTS.

WE, I, Edward Hays

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the survey

of the Subdivisional
lines of Township 3 North Range 38 East
Willamette Meridian, Oregon.

Edward Hays, Chainman.
_____, Chainman.
_____, Chainman.
_____, Chainman.

Subscribed and sworn to before me this 6th
day of August, 1904.

John Hainley Jr
Notary Public for Oregon

[SEAL.]

WE, _____

and _____
do solemnly swear that we will well and truly perform the duties of axmen, mound men, and flagman in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the _____

Willamette Meridian, Oregon.

_____, Axman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to before me this _____
day of _____, 190_____

[SEAL.]

310 J

INDEX

REFERRING THE LINES TO THE PAGES OF THE FIELD NOTES.

T. 3 North

R. 38 East

Will. Mer.

6	88	5	67	4	50	3	36	2	19	1
87		86		65		49		34		18
7	84	8	64	9	48	10	33	11	17	12
83		82		63		47		32		15
18	81	17	61	16	45	15	30	14	13	13
80		78		60		44		28		12
19	77	20	58	21	43	22	27	23	10	24
75		74		57		42		25		8
30	72	29	55	28	40	27	24	26	7	25
71		70		54		39		23		5
31	68	32	52	33	37	34	21	35	4	36

Meanders of..... Pages..... to.....

Meanders of..... Pages..... to.....

Subdivision T3 N, R38 E

Thick undergrowth, alder and willow.
 or lands covered with dense undergrowth.
 Mountainous land 80. 40 chs.

July 24, 1903.

July 25, at 7h 10m AM, C.M.T. I set off
 $45^{\circ}42'$ on lat arc, $19^{\circ}49'$ N on decl arc
 and determine a true meridian
 with the solar at the cor of secs 29,
 30, 31 and 32.

Tr bet secs 30 and 31.

16 00 Brook 5 lbs wide course N 72 ⁻²⁰⁰ 200

40 00 A fir 14 ins diam for $\frac{1}{4}$ sec cor I mark ⁺⁴⁰⁰ 400
 $\frac{1}{4}$, S 30 on N, S 31 on S sides

from which

A fir 8 ins diam bears N 88 $^{\circ}$ E 20 lbs
 dist marked $\frac{1}{4}$ S 30 B.T.

A fir 5 ins diam bears S 29 $^{\circ}$ W 25 lbs
 dist. marked $\frac{1}{4}$ S 31 B.T.

From this cor, the old $\frac{1}{4}$ sec cor, a tree
 marked and witnessed bears N 60 0
 lbs dist. I destroy all marks on cor
 and bearing trees.

82 00 Summit of mountain bears N 72 ⁺⁵²⁵ 525

122 82 Intersect to bdy of Tp. 634 lbs N, 31 ⁻⁸⁰⁰ 800

E of the cor of secs 25 and 36, T3 N, R 37 ⁻¹⁰⁰ 100
 E at intersection. I set basal stone
 18 x 12 x 6 ins, 10 ins in the ground

Subdivision T3N, R3+E

for closing cor of secs 30 and 31.
marked CC, T3NR3+E on E face with
1 groove on S, 5 grooves on N sides
~~and raised mound of stone 2 ft~~
base, 1 1/2 ft high E of cor, pits imprac-
ticable.

From this cor, the old closing cor, a
stone, marked and witnessed
bears N10 W, 625 lbs dist. I destroy cor
and marks on bearing trees.

Land now mountainous
Soil 3d and 4th rates. Rocky.
Timber, fir, spruce, pine and
tamarack.

~~W~~ undergrowth alder, willow
and vine maple.

Mountainous land 122, 82 chs.

July 25, 1903.

N 5' bet secs 29 and 30.

Set basalt stone 18x9x6 ins, on solid ⁺450
bed rock, in mound of stone for 1/4 sec
cor, marked 1/4 on N face, and raised
mound of stone 2 ft base, 1 1/2 ft high
W of cor, pits impracticable

From this cor, the old 1/4 sec cor, a
post, marked and witnessed, bears
N20 W 597 lbs dist. I destroy post, cor,

40 46.00
00

Subdivision T3N, R37E

July 26, 1903.

July 26, at this cor, I set off $19^{\circ}33'N$ on declarc, and at oh. on P.M. (M.T.)
Observe the sun on the meridian
the resulting lat is $45^{\circ}43'$

ps bet secs 19 and 30.

- 16 50 Spring branch 1/4 lk wide course $N 72^{\circ} 200$
40 00 Set granite stone $20 \times 12 \times 6$ ins, 12 ins $+150$ 150
in the ground for 1/4 sec cor, marked
1/4 on N face, and raised mound of
stone 2 ft base, 1 1/2 ft high to of cor, pits
impracticable.
- From this cor, the old 1/4 sec cor, a
tree, marked and witnessed bears
N 600 lks dist. I destroy cor and
marks on bearing trees.
- 107 00 Summit of ridge bears $N 70$ and SE $+150$ 150
122 10 Intersect to bdy of Tp. 640 lks $N 0^{\circ} 52' E$ -100 100
of the cor of secs 24 and 25 T3N, R37E, which
is a stone marked and witnessed
From this new cor, the old sec cor as
described by the Surveyor General
destroyed, bears $S 4^{\circ} E$ 210 lks dist
At intersection set granite stone $14 \times$
 8×6 ins 9 ins in the ground for clos-
ing cor of secs 19 and 30, marked CC T3

Sub-division T3 N, R38 E

N R 38 E on E face, with 2 notches on S and 4 notches on N sides

from which

A pine 18 ins diam bears S 10° E 185 lks dist, marked CC, T3 N R 38 E, S 30 B.T.

No tree near in sec 19, raised mound of stone 2 ft base 1 1/2 ft high E of cor. Land mountainous

Soil 4th rate.

Timber, fir, pine and tamarack.

Wense undergrowth of willow.

or lands covered with dense undergrowth

Mountainous land 122.10 lks

From this cor, the old closing cor, bears N 50° E 440 lks dist. I destroy cor and marks on bearing trees.

July 27, at 7h 15m A.M. C.M.J. I set off 45° 43' on lat arc 19° 20' N on decl arc, and determine a true meridian with the solar at the cor of secs 19, 20, 29 and 30.

N 5' W bet secs 19 and 30.

21.75
21 75
40 00
40.00

On sharp rocky ridge bears N 78.

+ 75

Set fir post 3 ft long, 3 ins sq 24 ins in the ground in 1/4 sec cor marked 1/4 S 19 on W, S 20 on E faces.

from which

A fir 5 ins diam bears S 36° E 52 lks dist marked 1/4 S 20 B.T.

Subdivision T3N, R38E

79 86

The cor of secs 17, 18, 19 and 20

Land mountainous

Soil 4th rate.

Timber, fir, spruce and tamarack.

Dense undergrowth, willow.

or land covered with dense undergrowth

Mountainous land 79.86 chs.

July 27, 1903.

July 28, at 7h 35 m AM, LMS, I set off
45° 44' on lat arc 19° 12' N on decl arc, and
determine a true meridian with the
solar at the cor of secs 17, 18, 19 and 20.

W. bet secs 18 and 19.

10 00

N. fork of Huatila River 15 lks wide ⁻⁵⁰ 50'
course S 85° W.

40 00

Set basalt stone 18 x 12 x 8 ins 12 ins in ⁺²⁰⁰ 200'
the ground for 4 sec cor, marked 14
on N face and raised mound of stone
2 ft base, 1 1/2 ft high. N of cor pits impracticable.

121 32

Intersect W bdy 885 lks N 17° E of cor of ⁻⁴⁵⁰ 450'
cor of secs 3 and 24, T3N R 37 E which is
a stone as described by the Surveyor
General. At intersection, a stone in
place 30 x 20 ins, 5 ins high for clos-
ing cor of secs 18 and 19. At exact point
of intersection I mark cross X on
top CC, T3N R 38 E, on E with 3 grooves

Subdivision T3N, R38E

on S and N sides and raised mound of stone 2ft base, $1\frac{1}{2}$ ft high, E of cor pits unpracticable.

From this cor, the old closing cor, bears $N 54^{\circ} E$ 400 lks dist.

The old closing cor, which is a stone mark in place with mound alongside I destroy marks and mound of stone. Land mountainous.

Soil poor, 4th rate, rocky.

Timber scattering fir and pine,

dense undergrowth, willow and

buck-brush on 1st 25 chs.

or *land covered with dense undergrowth*
Mountainous land, 121.32 chs

This line passes along irregular S side of mountain steep & rocky

July 28, 1903.

Sept 9, at 7h 15m AM, LMJ. I set off $45^{\circ} 44'$ on lat arc $5^{\circ} 39'$ on decl arc and determine a true meridian with the solar at the cor of secs 17, 18, 19 and 20.

$N 5^{\circ} W$ bet secs 17 and 18.

N fork of Unatilla River course $N 85^{\circ} W$ 10

Set basalt stone $12 \times 10 \times 4$ ins, 8 ins in 800

the ground for 1/4 sec cor marked $1/4$ on W face from which

50.50
40.00
40 00

Subdivision T3 N, R3 & E

A fir 24 ins diam bears S72° E 65 lbs
dist marked 44 S 17 B. J.

No tree near in sec 18 and raised
mound of stone 2 ft base 1 1/2 ft high
w of cor, pits impracticable. From this
cor, the old 44 sec cor, a stone marked
with mound of stone alongside. I
destroy cor and mound of stone, bears N
450 lbs dist.

80 00 Set boulder stone 18x10x9 ins, 12 ins in the
ground for cor, of secs 7, 8, 17 and 18, mar-
ked with 4 notches on S, 5 notches on E
sides, and raised mound of stone 2 ft
base 1 1/2 ft high. To N cor, pits impracticable
From this cor, the old sec cor, a stone
marked and witnessed bears N 470 lbs
dist. I destroy cor & marks on bearing trees.
Land mountainous.
Soil, surface steep and rocky, poor #4 rate.
Timber scattering fir and pine.
No undergrowth.

Mountainous land 80.00 chs.

Sept 9, at this cor. I set off 5° 32' N on decl
arc and at 0h 5m PM, C.M.T. Observed the
sun on the meridian the resulting lat
is 45° 45'.

Subdivision T3 N, R3 & E

40.00

E on random line bet secs 8 and 17

40 00

Set temp 1/4 sec cor.

80 10

Intersect ^{1/4 sec} Hard Shire, 10 chs N of cor of
secs 8, 9, 16 and 17.

Thence I run

2.50

N 89° 56' W on true line bet secs 8 & 17.

50

Brook 4 lks wide course S 10° W

40.05

Set basalt stone 20 x 6 x 4 ins 12 ins in

75

40 05

the ground for 1/4 sec cor, marked 1/4 on N
face and raised mound of stone 2 ft
base, 1 1/2 ft high N of cor, pits impracticable.
From this cor, the old 1/4 sec cor, a stone
marked with mound of stone along-
side, bears N 3 1/2° W 46 2 lks dist. I de-
stroy cor and mound of stone.

575

80.10

The cor of secs 7, 8, 17 and 18

80 10

This line passes along irregular S face
of mountain steep and rocky.
Land mountainous.

475

Soil rocky, poor 4th rate.

Timber scattering fir and pine

Undergrowth, willow.

Mountainous land 80.10 chs.

Sept 9, 1903.

35.00

W bet secs 7 and 18.

35 00

Spring branch 3 lks wide course S 70° W

375

40 00

Set basalt stone 15 x 8 x 6 ins, 12 ins

Subdivision T3N, R38E

in the ground for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ on N face, and raised mound of stone 2 ft base, $1\frac{1}{2}$ ft high, N of cor pits impracticable. From this cor, the old $\frac{1}{4}$ sec cor, a stone marked and witnessed bears N 413

120 56

lles dist. I destroy cor & marks on bearing tree. Intersect to bdy 875 lles N $0^{\circ}32'E$ of cor of ⁷⁰⁰ 700 sees 12 and 13. T3N, R37E which is a stone marked and witnessed as described by the Surveyor General. At intersection, I set basalt stone 20 x 8 x 6 ins, 12 ins in the ground for closing cor of sees 7 and 18, marked CC T3N, R38E on E face with 4 grooves on S, 2 grooves on N sides and raised mound of stone 2 ft base $1\frac{1}{2}$ ft high, E of cor, pits impracticable.

From this cor, the old closing cor, a post marked and witnessed bears N $0^{\circ}54'E$ 442 lles dist. I destroy cor & marks on bearing trees. Land mountainous.

Soil rocky, poor, 4th rate.

Timber, fir, spruce and pines.

Undergrowth willow and alder.

Mountainous land 120, 56 chs.

Sept 9, 1903.

Subdivision T3 N, R38 E

Sept 10, at 8 h 5 m AM, C.M.J., I set off 45°
 $45'$ on lat arc $5^{\circ}15'$ Non decl arc, and de-
 termine a true meridian with the
 solar at the cor of secs 7, 8, 17 and 18.
 $N 0^{\circ}5' W$ bet secs 7 and 8.

40 00 Set fir post 3 ft long 3 ins sq. 24 ins 250
 in the ground for $\frac{1}{4}$ sec cor, marked
 $\frac{1}{4} S 7$ on W, $S 8$ on E faces from which
 from which

A fir 10 ins diam bears $N 53^{\circ} E 15$ lbs
 dist, marked $\frac{1}{4} S 8 B.T.$

A spruce 12 ins diam bears $N 32^{\circ} W 15$
 lbs dist marked $\frac{1}{4} S 7 B.T.$

From this cor, the old $\frac{1}{4}$ sec cor, a post
 marked and witnessed bears $N 48^{\circ} 3$
 lbs dist. I destroy cor and marks on
 bearing trees.

80 00 40.00 Set pine post 3 ft long 4 ins sq 24 ins in 50
 the ground for cor of secs 5, 6, 7, and 8
 marked T3 N, S5 on NE

R38 E S8 on SE

S7 on S W and

S6 on NW faces with 5 notches
 on S and E edges.

from which

A pine 12 ins diam bears $N 31^{\circ} E 77$ lbs
 dist. marked T3 N R38 E S5 B.T.

Subdivision T3N, R38E

A spruce 10 ins diam bears $S 89^{\circ} E$ 23 lbs
dist, marked T3N, R38E, S8BJ.

A fir 5 ins diam bears $S 80^{\circ} W$ 25 lbs
dist, marked T3N, R38E, S7BJ.

A fir 14 ins diam bears $N 16^{\circ} W$ 23 lbs
dist marked T3N R38E, S6BJ.

From this cor, the old 1/4 sec cor, a stone
marked and witnessed bears $N 50^{\circ}$
lbs dist. I destroy cor and marks
on bearing trees.

Land mountainous.

Soil 2d rate.

Heavily timbered on last 75.00 chs.

Timber, fir, spruce, pine, and tamarack.

Wense undergrowth of willow and alder.

Mountainous land 80.00 chs

Sept 10, at this cor, I set off $590' N$ on decl
arc, and at 04:10 PM, L.M.T. Observe
the sun on the meridian, the result-
ing lat is $45^{\circ} 46'$.

$S 89^{\circ} 56' E$ on random line bet secs 5 & 8

40 00 Set temp 1/4 sec cor.

79 98 Intersect N and S line 24 lbs S of cor
of secs 4, 5, 8 and 9.

Thence I run

$S 89^{\circ} 54' W$ on true line bet secs 5 and 8.

6 25 Spring brook 3 lbs wide course S ⁻¹⁵⁰ 150

Subdivision T3 N, R38 E

39 99 39.99

Set pine post 3 ft long 3 ins sq. 24 ins ⁺ 175
in the ground for 1/4 sec cor marked
1/4 S 5 on N, S 8 on S faces

from which

A tamarack 20 ins diam bears N 15°
W 11 lbs dist, marked 1/4 S 5 B.T.

A tamarack 16 ins diam bears S 14 lbs
dist marked 1/4 S 8 B.T.

From this cor, the old 1/4 sec cor, a tree
marked and witnessed bears N 45°
W lbs dist. I destroy all marks on tree
cor. and bearing trees

79.98

79 98

The cor of secs 5, 6, 7 and 8.

⁺ 125

Land mountainous

Soil 2d rate.

Timber, pine, fir, spruce & tamarack.
Wense. undergrowth of willow, alder,
and small pine and spruce.

or lands covered with dense undergrowth
Mountainous land 79.98 chs.

Sept. 10, 1903.

Sept 11, at 7h 15m AM, C.M.J., I set off
45° 46' on lat arc 4° 53' N on decl arc, and
determine a true meridian with
the solar at the cor of secs 5, 6, 7 and 8.
To bet secs 6 and 7.

40 00 40.00

Set fir post 3 ft long, 3 ins sq. 24 ins

100

Subdivision T3N, R38E

in the ground for 1/4 sec cor, marked
1/4 S 6 on N, S 7 on S faces

from which

A tamarack 10 ins diam bears N41° W
29 lks dist marked 1/4 S 6 B.T.

A tamarack 14 ins diam bears S40° W
18 lks dist marked 1/4 S 7 B.T.

From this cor, the old 1/4 sec cor, a post
marked and witnessed bears N46° W
dist. I destroyed cor and all marks on B.T.

98 25 Spring branch 2 lks wide course S ⁻⁴⁵⁰ 450
10° W.

119 00 Intersect W bdy 965 lks N of cor of sec ⁺³⁰⁰ 300
1 and 12 T3N R37E which is a stone
marked and witnessed as described
by the Surveyor General.

At intersection I set granite
stone 18 x 9 x 8 ins, 12 ins in the ground
for closing cor of secs 6 and 7 mar-
ked CC T3N, R38E on E side with 5
grooves on S, 1 groove on N sides

from which

A fir 16 ins diam bears N35 1/2° E 56 lks
dist. marked CC T3N R38E S 6 B.T.

A fir 16 ins diam bears S67° E 60 lks
dist marked CC, T3N R38E, S 7 B.T.

From this cor, the old closing cor, a post

Subdivision T3 N, R38 E

marked and witnessed, bears $N 0^{\circ} 54'$
 $E 400$ lks dist. I destroy all marks on
 post and bearing trees.

Land mountainous

Soil 3d rate.

Heavily timbered with fir, spruce,
 and tamarack.

Dense undergrowth of willow & alder.

Mountainous land 119.00 chs.

Sept. 11, 1903.

$N 0^{\circ} 5'$ bet secs 5 and 6.

40.00
 00

Set fir post 3 ft long 3 in sq 24 in
 in the ground for $\frac{1}{4}$ sec cor, mar-
 ked $\frac{1}{4}$ S 4 on W, S 5 on E faces
 from which

A fir 3 in diam bears $E 29$ lks dist
 marked $\frac{1}{4}$ S 5 B J.

A pine 3 in diam bears $W 3$ lks dist
 marked $\frac{1}{4}$ S 6 B J.

From this cor the old $\frac{1}{4}$ sec cor, a post
 marked and witnessed bears $N 510$ lks
 dist. I destroy post, cor and marks
 on bearing trees.

Sept 11, at this cor, I set off $4^{\circ} 47'$ N on
 decl arc, and at 0h 10m P.M. L.M.J. Observe
 the sun on the meridian, the resulting

401 A

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by John W. Kimbrell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the surveys of the Subdivision lines of Township 3-North Range 38 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Edward Hays, Chainman.
- B. A. Turner, Chainman.
-, Chainman.
-, Chainman.
- Elmer Christiansen, Axman.
-, Axman.
- George Erb, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted John W. Kimbrell, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivisional Lines of Township 3 North Range 38-East, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General of Oregon:

- B. A. Turner, Chainman.
-, Chainman.
-, Chainman.
- Elmer Christiansen, Chainman.
-, Axman.
-, Axman.
-, Flagman.

Subscribed and sworn to before me this 29th day of July, 1904

[SEAL.]

E. B. Morelock Notary Public for Oregon

RECEIVED

AUG 11 1904

401B

1 State of Oregon, Surveyor General's office.

2 Contract No. 700.

3 John W. Kimbrell, Contractor.

4 State of Oregon,)
5 Umatilla County.) (SS.

6 I, John W. Kimbrell being first duly sworn, say that I am the
7 person who entered into the contract with the government of the
8 United States for Surveying public lands, under and by virtue of
9 contract No. 700 in the above entitled Office, and that pursuant
10 to instructions contained in letter of date July the 26th, 1904,
11 I herewith submit Field Notes, and affidavits of Edward Hays and
12 B. A. Turner as chainmen, Elmer Christainsen axman, and myself as
13 surveyor, in lieu of notes formerly sent, but which were lost in
14 the mails.

15 The Flagman, George Erb, I have made diligent search and in-
16 quiry for, and am unable to learn his whereabouts.

17
18 *John W Kimbrell*
19

20 Subscribed and sworn to before me this 9th day of Aug
21 1904.

22 *Frank Salving*
23 *County Clerk of*
24 *Umatilla County and*
25 *Ex Officio Clerk of the*
26 *Circuit Court of Umatilla*
27 *County State of Oregon*
28
29

401 C

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by John W. Kimbrell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the surveys of the Subdivision lines of Township 3 North Range 38 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Edward Hays, Chainman.
-, Chainman.
-, Chainman.
-, Chainman.
-, Axman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted John W. Kimbrell, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivision of Lewis of Township 3 North Range 38 East, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General of Oregon:

- Edward Hays, Chainman.
-, Chainman.
-, Chainman.
-, Chainman.
-, Axman.
-, Axman.
-, Flagman.

Subscribed and sworn to before me this 6th day of August, 1904

[SEAL.]

John Stanley D
Notary Public for Oregon,

FINAL OATH OF DEPUTY SURVEYOR.

I, John W Kimbell, United States

Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Robert A Habershaw, U. S.

Surveyor-General for Oregon, bearing date of the 9th

day of February 1899, 1900, I have well, faithfully, and

truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for Oregon, the Manual of Surveying Instructions, and the laws of the United States, surveyed

all those parts or portions of the Subdivisional lines of Township 3 North of Range 38 E at

Willamette Meridian, in the State of Oregon, which are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions and the special written instructions of the U. S. Surveyor-General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

John W Kimbell
U. S. Deputy Surveyor.

Subscribed by said John W Kimbell, U. S.

Deputy Surveyor, and sworn to before me this 9th

day of August, 1900

Frank Salung
County Clerk of
Wmatilda County and
Ex officio Clerk of the Circuit
Court of the State of Oregon

401 E

Office of U. S. Surveyor-General,

PORTLAND, OREG., *Feb. 9. 1900*

The foregoing field notes of the survey of the

*Subdivisional Lines of
Township 3 North Range
38 East Will. Mer Oregon*

executed by *John W. Kimbrell*
U. S. Deputy Surveyor
under his contract No. *700*, dated

February 9th, 1899, having been critically examined

and the necessary corrections and explanations made, the said

notes and the surveys they describe, are hereby approved.

J. W. Daley

U. S. Surveyor-Gen