

FIELD NOTES

Of the survey of the *Subdivisional* -----

Lines of Township -----

Willamette Meridian, Oregon,

Executed by *George S. Pershin* -----

U. S. Deputy Surveyor, under his contract No. *332* -----

dated *July 29*, -----, 18*79*

List of the names of the persons employed to assist in running, measuring and marking the lines of the foregoing survey :

Homer C. Pershin ----- Chainman.

Valentine B. Peterson ----- Chainman.

----- Chainman.

Corrington S. Newell ----- Axeman.

----- Axeman.

----- Flagman.

PRELIMINARY OATHS OF ASSISTANTS:

We, Homer C Perskin and
Valentine B Peterson

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we assist in measuring, to the best of our skill and ability.

Homer C Perskin Chainman.

Valentine B Peterson Chainman.

----- Chainman.

Subscribed and sworn to before me, this fourth
day of September 1879

Geo. S. Perskin
U.S. Dep Sur

Corrington S. Newell and

do solemnly swear that ~~we~~ ^I will well and truly perform the duties for which ~~we~~ ^I have been severally employed according to instructions, and to the best of ~~our~~ ^{my} skill and ability.

Corrington S. Newell Axeman.

----- Axeman.

Subscribed and sworn to before me, this fourth
day of September 1879

Geo. S. Perskin
U.S. Deputy Sur.

INDEX.

Referring the Lines to the pages of the Field Notes.

Town. *3 South* Range *30 East* Will. Mer.

6	6	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

Subdivisions of Township No. ~~3~~ North Range 30 East
Willamette Meridian, Oregon.

Using Burt's Improved Solar
Compass and having run the
South and East extremes of this
Township myself I do not
retrace the South and East bound-
aries of Sec. 36 but I begin
at the cor. to Sec. 35 and 36
on the south Boundary and run
North between Sec. 35 and 36
and set half mile and mile
corners. Therea

East on a random line between
Sections 25 and 36
74.78 and intersect East Bounda-
ry. Showing a Material
error in the S. Boundary
of the Township, having
run this South boundary
myself and there having
been no work closed on it,
I therefore assume the responsibility
to re-run this South boundary
and correct the existing error to
avoid irregularity and confusion

For the correction of
Burt's Extent

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

I begin at the cor to Sec. 35 & 36 on the
South Boundary of the Township & I run
North between sections 35 & 36

Pa. 21° 00' East -

^{18.00} 18.00 Brook 8 fms wide co N.E. -100

^{31.00} 31.00 Leave timber N.E. & S.W.

^{40.00} 40.00 Set Basalt Stone 20 x 12 x 5 on S.E.

face of bluff for $\frac{1}{4}$ Sec. cor. +150

Along irregular bluff

^{80.00} 80.00 Set Basalt Stone 14 x 10 x 8 on + 100

plateau for cor to Sec. 25,

26, 35 and 36 also drove

stake and built mounds of

stone around corner stone & stake

Land: Surface mountainous

soil 3rd & 2nd rate; good timber

on S. 30 chs Pine, Fir & Larch

Some good farming land on
S $\frac{1}{2}$ mile

3 395

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec 25 & 36

Pa. $18^{\circ} 00'$ East

40.00 set post for temporary $\frac{1}{4}$ Sec. cor.

79.88 Intersected E. Boundary & this North
of cor to Sec. 25 and 36. from
which cor. I run

N. $89^{\circ} 57'$ West on a true line
between Sec. 25 and 36.

Pa. $14^{\circ} 15'$ E

29.50 Enter timber co. S. E & N. W.

39.94 Set Basalt Stone $14 \times 7 \times 6$ on S.

W. Side of spur. for $\frac{1}{4}$ Sec. cor.

A Pine 20 in. di. br. N. 10° E, 20 lks dist

" " 30 " " S. 67° E. 18 " "

42.00 Brook 15 lks wide co. N. E ⁻⁵⁰⁰ -500

45.00 Leave timber co N. E & S. W

79.88 The cor to Sec 25.26.35 & 36 ⁺³⁰⁰ +300

Land: Surface Mountainous,

Soil 3rd rate: Some good timber
along brook Pine Fir & Tamarack

good grass on open land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between sections 25 & 26

Pa. $18^{\circ} 00'$ East

^{40.00} 40.00 Set Basalt Stone $17 \times 10 \times 5$ on

N.W. slope for $\frac{1}{4}$ Sec. cor.

^{80.00} 80.00 Set Basalt Stone $20 \times 8 \times 6$ - 80

on brow of bluff N. descent
for cor. to sections 23, 24, 25,
and 26 drove stake and
built mounds of stone around
marked stone & stake

Land: Surface, gradual north
descent of table land; Soil
 2^{nd} & 3^{rd} rate. Much of it
good farming land, good
bunch grass

5 397

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between sec. 24 & 25

Pa. $23^{\circ} 30'$ East-

40.00 Set-post for temporary $\frac{1}{4}$ Sec. cor.

80.28 Intersected East-Boundary 38 lks

North of cor. to sec. 24 & 25

from which cor. I run

N. $89^{\circ} 44'$ West on a true line

between Sections 24 & 25

Pa. $22^{\circ} 45'$ East-

1.50 Dry bed of brook co N.

21.00 On ridge Extends N. & S. ⁺⁴⁵⁰ +450

40.14 Set Basalt-stone on steep west side

of ridge for $\frac{1}{4}$ Sec. cor.

47.50 Brook 10 lks wide co N. E. ⁻⁴⁰⁰ -400

80.28 The cor. to sec. 23, 24, 25 and 26 ⁺³⁰⁰ +300

Land: Surface Mountainous
Soil 3rd rate small part on
brook 1st rate some scattering
pine timber in gulches;
good grass

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North between Sec. 23 & 24

Pa. 23° 30' East

- ^{16.50} 16.50 Brook 10 lks wide co N.E. -350
- ^{48.00} 40.00 Set Basalt Stone 18 x 12 x 8 on
South Hillside for 1/4 Sec. Cor. +300
- ^{48.00} 48.00 On bluff + 50
- ^{80.00} 80.00 Set Basalt Stone 17 x 8 x 8 and
Stake in mounds of stone on
east slope for cor. to Sec.
13. 14. 23 & 24

Land: Surface very broken;
Soil 3rd rate small part on
Brook bottom 1st rat. Some
good timber along brook
good grass in open land

7 399

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

East on a random line between sec. 13 & 24

Pa. $18^{\circ} 45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.88 Intersected E. Boundary 18 lks
South of cor. to sec. 13 & 24 from
which cor. I run

S. $89^{\circ} 52'$ West on a true line
between sec. 13 & 24

Pa. 20° East

39.94 Set Basalt Stone $15 \times 10 \times 7$ in
East edge of creek bottom
for $\frac{1}{4}$ sec. cor.

40.25 Butter Creek 15 lks wide w. N. - 500

44.00 Leave creek bottom

79.88 The cor. to sec. 13, 14, 23 & 24 ⁺⁴⁰⁰ + 400

Land: Surface Mountainous,

Soil 3rd rate, small part on

creek bottom 1st rate. Willow Alder

and other brush on creek

good grass

September 7 1879

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 13 & 14

Pa 18° 45' East

^{40.00} 4000 Set Basalt Stone 16 x 14 x 5 on -50

N. slope for 1/4 Sec. cor.

along down East side of ridge

^{80.00} 8000 Set Basalt Stone 14 x 8 x 5 and -150

post, in mounds of stone on E.

side of ridge for cor. to Sec.

11, 12, 13 and 14

Land: Surface very broken
by small ravines and spurs,
soil 3rd rate & stony,
good grass

9

401

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 12 & 13

+ Pa 21° 15' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor

80.64 Intersected E. Boundary 22 lks
North of cor to Sec. 12 & 13

from which cor I run

N. 89° 51' West on a true line
between Sec. 12 & 13

Pa. 24° 30' East

40.32 Set Basalt Stone 16 x 8 x 5 at ⁺²⁵⁰ +250

o. edge of creek bottom for
 $\frac{1}{4}$ sec. cor.

A Pine 10 in. di. brs. North 48 lks. dist.

" Birch 18 " " S. 24° W. 75 " "

43.00 Butter Creek 20 lks wide co. N.

45.00 bluff leave bottom

80.64 The cor. to Sec. 11, 12, 13 & 14 ⁺³⁰⁰ +300

Land: Surface very broken; soil 3rd

rate on creek bottom 1st rate; some

Pine & Balsm timber on creek also

under brush: good grass

10
402

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 11 & 12

^{39.50} Pba. 21° 15' East

39.50 in gulch co. N.W.

- 250

^{40.00} 40.00 Set Basalt Stone 16 x 12 x 8 on

North side of gulch for 1/4 Sec. cor.

^{79.00} 79.00 Gulch opens N.E.

- 100

^{80.00} 80.00 Set Basalt Stone 14 x 10 x 5 and

Marked stake in mounds of stone

on E side of rocky spur for cor

to Sec. 1, 2, 11 & 12

Land; Surface, very broken;
Soil 3rd & 2nd rate, good
grass adapted to
grazing

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North on a random line between sec. 1 & 2

Bea. $23^{\circ} 45'$ East-

^{40.00}

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

^{79.60}

79.60 Intersected N. Boundary 68 lks.

west of cor. to sec. 1 & 2 from

which corner I run

S. 29' West on a true line

between sec. 1 & 2

Bea. $20^{\circ} 49'$ East-

^{13.00}

13.00 Butter Creek 12 lks wide co. N. W. 60

^{39.60}

39.60 Set Basalt Stone $20 \times 12 \times 4$ on

East face of bluff for $\frac{1}{4}$ sec. cor. +100

^{79.60}

79.60 The cor. to sec. 1.2, 11 & 12 -100

Land: Surface broken; Soil
3rd, 2nd, and small part $\frac{1}{4}$
rate on creek bottom; some
Balm & Pine timber on creek
good grass on hill-side
Willow, Alder & other
brush on creek

Sept 8th 1879

13 405

Subdivision of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between sec. 34 & 35

Pa. $21^{\circ} 00'$ East

40.00 Set Basalt Stone on north slope

for $\frac{1}{4}$ sec. cor.

80.00 Set Basalt Stone $20 \times 8 \times 5$ ⁻¹⁰⁰ -100

and post in mound of stone

on west slope for corner to

sections 26, 27, 34, & 35

Land: Surface, undulating;
soil, good 2nd rate; good
hunch grass; nearly all
good farming land;

406¹⁴

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

East on a random line between Sec. 26 & 35

Pa. $21^{\circ} 45'$ East

^{40.00}
40.00 Set post for temporary $\frac{1}{4}$ Sec. cor.

^{79.74}
79.74 Intersected N. & S. line 12 lks.

North of corner to Sec. 25, 26, 34 & 36.

from which corner I run
N. $89^{\circ} 55'$ West on a true line

between Sec. 26 & 35

Pa. $18^{\circ} 00'$ East

^{35.00}
35.00 in gulch opens N.E. -150

^{39.87}
39.87 Set Basalt Stone $14 \times 10 \times 5$ on

east face of hill for $\frac{1}{4}$ Sec Cor +100

^{79.74}
79.74 The cor. to Sec. 26, 27, 34 & 35

Land; surface, rolling; soil
2nd & 3rd grade, good prop.
large part good
farming land

pp. 407 + 408

are Blank

15 409

Subdivision of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North between sec. 26 & 27

Pa. $21^{\circ} 45'$ East

35.00 begin steep descent

37.00 Center Strip of timber

40.00 Set Basalt stone $14 \times 10 \times 6$ on

N.W. hillside for $\frac{1}{4}$ sec. cor.

A. Fir 10 in. di. hrs. S. 46° E. 25 lks. dist.

" Pine 30 " " " S 85° W. 107 "

46.50 Brook 8 lks wide. Co N. E ⁻²⁰⁰ -200

48.00 Leave timber

80.00 Set Basalt Stone $14 \times 8 \times 5$ ⁺²⁰⁰ +200

and post in Mounds of stone

on S. E. face near top of hill

for. cor. to sec. 22. 23. 26 & 27

Land: Surface broken

soil 3rd rate, Pine, Fir

Tamarack & Balsam timber

in gulch good grass on

open land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between sec. 23 & 26
Bearing $21^{\circ} 00'$ East.

^{40.00}
40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
^{80.42}
80.42 Intersected N. & S. line 24 lks
North of cor. to sec. 23, 24, 25 & 26
from which cor. I run
N. $89^{\circ} 50'$ West on a true line
between sec. 23 & 26

Bearing $23^{\circ} 30'$ East

^{16.00}
16.00 Gulch & Spring branch co. N. -100
^{27.00}
27.00 On Spur Extends N. +100
^{34.00}
34.00 Enter timber N, E, & S, W,
^{38.00}
38.00 Brook & leave timber co. N, E -100
^{40.21}
40.21 Set Basalt stone $18 \times 14 \times 5$ on S.E.

hillside for $\frac{1}{4}$ sec. cor.

A Pine 42 in. di. brs. S. 50° E. 195 lks. dist.

^{80.42}
80.42 The cor. to sec. 26, 27, 22 & 23 +200

Land: surface broken; soil 3rd
rate some 2nd rate. Some good timber
Pine Fir & Balm. good grass
on open land

17 411

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North between Sec. 22 & 23

Pa. 21° 00' East;

8.00 On Plateau

+40 +40

40.00, Set Basalt-stone 20x12x4 on N.W.

slope for 1/4 Sec. cor.

77.50 Gulch opens N.E

-100 -100

80.00 Set Basalt-stone 18x8x6

and post in mounds of stone
on east-hill-side for
cor. to Sec. 14, 15, 22 & 23.

Land: Surface rolling; soil
2nd & 3rd rate; good bunch
grass; good farming
land

1412/8

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

East on a random line between Sec. 14 & 23

Pa. $18^{\circ} 00'$ East

^{40.00} 40.00 Set post for temporary $\frac{1}{4}$ Sec. cor.

^{80.18} 80.18 Intersected N. & S. line 32 lbs

North of cor to Sec. 13, 14, 23 & 24

from which cor I run

N. $89^{\circ} 40'$ West on a true line
between Sec. 14 & 23.

Pa. $18^{\circ} 45'$ East

^{40.09} 40.09 Set Basalt Stone $18 \times 12 \times 5$ on
west hillside for $\frac{1}{4}$ Sec. cor.

^{80.18} 80.18 The cor to Sec. 14, 15, 22 & 23

Land: surface rolling;
soil 2nd & 3rd rate good
hunch grass, good
for farming or grazing

Sept-9th 1879

19

413

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North between Sec. 14 & 15

ca. $18^{\circ} 00'$ East -

Down E hillside

4000 Set Basalt Stone $12 \times 10 \times 7$ on
E hillside for $\frac{1}{4}$ sec. cor. ⁻⁵⁰ -50

8000 Set Basalt Stone $14 \times 10 \times 5$ and
post in mounds of stone on
E. side near top of hill for
Cor. to Sec. 10, 11, 14 & 15

Land: Surface, rolling; soil
 3^{rd} & 2^{nd} rate good grass
Some farming lands
also adapted to grazing

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 11 & 14

Pa. 19° 00' East

^{40.00} 40.00 Set post for temporary 1/4 Sec. cor.

^{80.28} 80.28 Intersected N. & S. line 18 lbs. north of cor to Sec. 11, 12, 13 & 14 from which cor. I run

N. 89° 52' West on a true line between Sec. 11 & 14

Pa. 21° 15' East

^{29.00} 29.00 Gulch opens N.E. -100

^{40.14} 40.14 Set Basalt Stone 12 x 12 x 10 on

East hillside for 1/4 Sec. cor. +80

^{46.00} 46.00 On hill +20

^{71.00} 71.00 in gulch opens North -100

^{80.28} 80.28 The cor. to Sec 10, 11, 14 & 15 +80

Land: Surface very broken
Soil 3rd & 2nd rate good
prop. valuable for grazing

24

415

Subdivisions of Township No 3 South Range 30 East

Willamette Meridian, Oregon.

North between Sec. 10 & 11

Pa 19° 00' East

40.00 Set Basalt Stone 16x10x7 on ⁻⁸⁰ -80

N.W. side of spur for 1/4 Sec. cor

46.00 Gulch course N.E. from S.W. ⁻⁸⁰ -80

62.00 on Spur ⁺⁵⁰ +50

74.00 in gulch opens N.W. ⁻⁸⁰ -80

80.00 Set Basalt Stone 14x12x7 ⁺⁵⁰ +50

and post in mound of
stone on S.W. hillside for
cor. to Sec. 2, 3, 10 & 11

Land: Surface broken; soil
3rd and 2nd rate; good
brush grass. good
for grazing.

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

East on a random line between Sec. 2 & 11

Pa. $19^{\circ} 45'$ East

^{40.00}
40.00 Set stake for temporary $\frac{1}{4}$ sec. cor

^{79.68}
79.68 Intersected N. & S. line 10 lbs North
of cor. to Sec. 1, 2, 11 & 12 from
which corner I run

N. $89^{\circ} 56'$ West on a true line
between sections 2 & 11

Pa. $23^{\circ} 45'$ East

^{39.84}
39.84 Set Basalt Stone $14 \times 10 \times 5$ on

^{79.68}
79.68 plateau for $\frac{1}{4}$ sec. cor. +250

79.68 The cor to Sec. 2, 3, 10 & 11 -200

Land: Surface steep hillside
& plateau, soil 3rd rate;
good grass: good for
grazing

23

417

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North on a random line between sec. 2 & 3

Pa. $19^{\circ} 45'$ East -

4000 Set post for temporary $\frac{1}{4}$ sec cor
78.85 Intersected N. Boundary 36 lbs
west of cor. to sec. 2 & 3 from
which cor I run

$500^{\circ} 15'$ West on a true line
between sec. 2 & 3

Pa $21^{\circ} 50'$ East -

38.85 Set Basalt Stone $14 \times 8 \times 6$ on
west hillside for $\frac{1}{4}$ sec cor

53.00 John Gilliford's house
lbs N $47^{\circ} W$ about 35 ch. dist.

78.85 The cor to sec. 2. 9. 10 & 11 ⁻¹⁰⁰ -100

Land: Surface rolling;

Soil 3rd & 2nd rate good
grass. but very little farming
land on sec. 2

Sept 10 1879

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

North between Sec 33 & 34

Pa. 20° 30' East -

- 9.00
- 9.00 Scarce timber co. N.E. & S.W.
- 16.00
- 16.00 Cosby Bowman's house brs N. 64° E
- 35.00
- 35.00 Foot of Mountains proper - 100
- 40.00
- 40.00 Set Basalt Stone 12 x 8 x 6 on N. Slope for 1/4 Sec. cor.
- 47.00
- 47.00 Road to timber E & W.
- 80.00
- 80.00 Set Basalt Stone 20 x 10 x 5 on + 50 South face of hill for cor. to Sec. 27, 28, 33, & 34 also set post in mound of stone

Land: Surface rolling soil 2nd 1st & 3rd rate; good grass; some Pine Fir & Tamarack timber; nearly all excellent farming land good grass

25

419

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

East on a random line between Sec. 27 & 34

Co. $20^{\circ} 45'$ East -

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.88 Intersected N. & S. line 28 lks.

South of cor. to Sec 26, 27, 34 & 35

from which cor. I run

S. $89^{\circ} 48'$ West on a true line

between Sec. 27 & 34

Co. $21^{\circ} 45'$ East

39.94 To Middle of brook co N. ⁻¹⁰⁰ -100

I offset East 30 lks and

39.64 Set Basalt Stone $18 \times 12 \times 10$ in

Mound of stone on E. bank of

brook for $\frac{1}{4}$ sec. cor

Pine 8 in di lks S. 50° E. 120 lks dist

" 14 " " " N. 76° W 203 " "

60.00 Cosby Bowman's house lks. S. 37° E

79.88 The cor to Sec. 27, 28, 33 & 34 ⁺¹⁰⁰ +100

Land: Surface rolling; soil

good 2^d rate good grass; a few

scattering pine; excellent

farming land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between sections 27 & 28

Pa. 20° 45' East

^{20.00}
2000 on plateau + 40

^{40.00}
4000 Set Basalt Stone 20x10x8 on

N. slope for 1/4 Sec. cor.

^{80.00}
8000 Set Basalt Stone 16x10x8 - 80

and post in mound of
stone for cor to Sec. 21, 22, 27
and 28 on N. slope

Land: Surface rolling;
Soil 3rd & 2nd rate good
grass; Much of it good
for farming

27 421

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on @ random line between sec. 22 & 27

Pa. $22^{\circ} 00'$ East-

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.72 Intersected N. & S. line 42 lks
South of cor. to sec. 22, 23, 26 & 27

from which cor. I run
 $S. 89^{\circ} 42'$ West on a true line
between sec. 22 & 27

Pa. 21° East

39.86 Set basalt stone $18 \times 14 \times 5$ on
N. face of hill for $\frac{1}{4}$ sec. cor.

65.00 Shallow gulch to North

79.72 The cor. to sec. 21, 22, 27 & 28

Land: Surface, rolling; soil
3rd. & 2nd rate; good grass
much of it good for
farming

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 21 & 22

Pa. $22^{\circ} 00'$ East -

Down on N. W. slope

^{38.50}

38.50 Shallow gulch opens N. W. - 120

^{40.00}

40.00 Set basalt stone $12 \times 10 \times 10$ on

S. W. face of hill for $\frac{1}{4}$ sec. cor.

^{80.00}

80.00 Set Basalt Stone $20 \times 8 \times 6$ &

post in mound of stone

on west slope near top of

hill for cor to Sec. 15, Twp.

21 & 22

Land: Surface rolling; soil
 3^{rd} & 2^{nd} rate; good grass
large part of it good
for farming

29 423

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 15 & 22

Pa. 20° 30' East

4000 Set post for temporary 1/4 Sec. cor

80.46 Intersected N. & S. line 38 lks

North of cor to Sec. 14, 15, 22 & 23

from which cor I run

N. 89° 44' West on a true line

between Sec 15 & 22

Pa. 18° 00' East

40.23. Set Basalt Stone 16 x 10 x 8

on west hillside among

float rocks for 1/4 Sec. cor.

50.00 Gulch opens North ⁻¹⁵⁰ -150

80.46 The cor to Sec. 15, 16, 21 & 22 ⁺¹⁵⁰ +150

Land: Surface, rolling; soil
2nd & 3rd rate good
grass; most of it good
for farming

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 15 & 16

Or $20^{\circ} 30'$ East

- ^{40.00}
40.00 Set Basalt Stone 15 x 12 x 4
on N.E. Side of Spur for $\frac{1}{4}$ Sec. Cor.
- ^{56.00}
56.00 Brook 6 lbs wide to N.E. - 200
- ^{80.00}
80.00 Set Basalt Stone 18 x 14 x 10
and post in Mound of Stone
for cor. to Sec. 9, 10, 15 & 16 +100

Land: Surface hilly soil
2nd & 3rd rate small part
on brook 1st rate; good
grass: good for farming

31 425

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 10 & 15

Pa. $15^{\circ} 30'$ East

40.00 Set post for temporary $\frac{1}{4}$ Sec. cor

80.20 Intersected N & S. line 24 lks

North of cor. to sec. 10. 11. 14 & 15-

from which cor. I run

N. $89^{\circ} 50'$ West on a true

line between Sec. 10 & 13-

Pa. $19^{\circ} 00'$ East

16.00 on ridge extends North ⁺⁵⁰ + 50

40.10 Set Basalt Stone $20 \times 8 \times 5$ on

East side of ravine for

$\frac{1}{4}$ Sec. cor.

41.00 Ravine co N. & S. -150 -150

55.00 On ridge " " " +100 +100

68.00 Brook 5 lks wide co N. -100 -100

80.20 The cor. to sec 9. 10. 15 & 16 ⁺¹⁰⁰ +100

Land: Surface broken; soil 3rd
& 2nd rate good grass

Some farming land on sec 15-

Sept 19th 1879

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec 9 and 10
Bearing $15^{\circ} 30'$ East-

^{40.00}
40.00 Set Basalt Stone $12 \times 10 \times 8$ on
North descent for $\frac{1}{4}$ Sec. cor.

^{80.00}
80.00 Set Basalt Stone $16 \times 10 \times 4$ & -200
post in mound of stone on
east bank of spring branch
for corner to Sec 3, 4, 9 & 10

Land: Surface hilly; soil 3rd
& small part 2nd rate, good
grass, valuable principally
for grazing

33

427

Subdivisions of Township No. 3 South Range 30' East
Willamette Meridian, Oregon.

East on a random line between Sec. 3 & 10

Pa. $20^{\circ} 30'$ East

40.00 Set post for temporary $\frac{1}{4}$ Sec. cor.
79.94 Intersected N. & S. line 22 lks
North of cor. to Sec. 2, 3, 10 & 11
from which cor. I run
N. $89^{\circ} 51'$ West on a true
line between Sec. 3 & 10

Pa. $19^{\circ} 45'$ East

7.50 Spring branch co. N.W. -50 -50
12.50 on spur. Extends N.
18.00 Brook 8 lks wide co. N.
39.97 Set Basalt Stone $24 \times 12 \times 5$ on
E. hillside for $\frac{1}{4}$ Sec. cor. +100 +100
50.00 on ridge Extends N. & S. +80 +80
79.94 The cor. to Sec. 3, 4, 9 & 10 -160 -160

Land: Surface very broken
Soil 3rd rate; small part on
Brook 1st rate. yeva graf

Subdivisions of Township No. 9 South Range 30 East
Willamette Meridian, Oregon.

North on a random line between sec. 3 & 4
Bearing 20° 30' East

^{40.00} 40.00 Set post for temporary 1/4 sec. cor
^{78.72} 78.72 Intersected N. & S. line 54 lbs
East of cor to sec. 3 & 4 from
which cor I run

S. 00° 23' East on a true line
between sec. 3 and 4

Bearing 21° 03' East

^{28.00} 28.00 Spring branch Co N.W. -140

^{38.72} 38.72 Set Basalt Stone 14 x 12 x 5 on + 80
E hillside for 1/4 sec. cor.

^{78.00} 78.00 Spring Branch Co N.E

^{78.72} 78.72 The cor. to sec. 3, 4, 9 & 10

Land: Surface hilly, soil
3rd & 2nd rate good grass
valuable for grazing

Subdivisions of Township No. 3 South Range 30 East.

Willamette Meridian, Oregon.

North between sec. 32 & 33

Pa. 21° 45' East-

15.50 Springs & Sheep Corral & ⁻¹⁰⁰-100

foot of mountain proper

40.00 Set Basalt Stone 15 x 8 x 6

on North slope for 1/4 sec. cor.

Joel M. Thrasher's house br. N. 28° E

52.00 Fence co E & M. & field

Joel M. Thrasher's house br. S. 30° E

79.00 Fence N. M. & S. E. Seave field

80.00 Set quartz Stone 16 x 10 x 5 on

level in mound of stone &

drive post for cor to sec.

28. 29. 32 & 33

Land: Surface N 65 chs undula-
ting; soil 1st & 2nd rate; good
gras. good farming land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 28 & 33

Oba. $21^{\circ} 15'$ East

^{40.00} 40.00 Set post for temporary $\frac{1}{4}$ Sec. cor.

^{80.02} 80.02 Intersected N. & S. line 28 lks North
of cor. to sections 27, 28, 33 & 34
from which cor. I run
N. $89^{\circ} 48'$ West on a true line
between Sec. 28 & 33

Oba. $20^{\circ} 45'$ East

^{40.01} 40.01 Set Basalt Stone $18 \times 12 \times 4$ on
low ridge for $\frac{1}{4}$ Sec. cor.

^{74.00} 74.00 Road to timber

^{80.02} 80.02 The cor. to Sec. 28, 29, 32 & 33 - 80

Land: Surface rolling; soil
 2^{nd} 1^{st} & 3^{rd} rates good grass
well adapted to farming

Sept - 13th 1879

37

431

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 28 & 29

Pa. $21^{\circ} 15'$ East-

4.50⁰ Wagon road N.W. & S.E

40.00 Set Basalt Stone $14 \times 10 \times 5$ on
west hillside for $\frac{1}{4}$ sec. cor.

44.00 Road N.E & S.W.

47.50 Brook 4 lks wide course N.W.

80.00 Set Basalt Stone $17 \times 12 \times 3$ ⁻⁵⁰ -50
& post in mound of stone
on E hillside for corner
to sections. 20. 21. 28 & 29

Land: surface rolling soil
3rd & 2nd rate good grass
Some good farming
land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between sec. 21 & 28

Pa. $22^{\circ} 30'$ East

^{40.00} 40.00 Set post for temporary $\frac{1}{4}$ sec. cor

^{80.46} 80.46 Intersected N. & S. line 22 lks

South of cor. to sec. 21, 22, 27 & 28

from which cor. I run

S. $89^{\circ} 51'$ West on a true line

between sec. 21 & 28

Pa. $22^{\circ} 00'$ East

^{40.23} 40.23 Set Basalt Stone $17 \times 12 \times 4$ on

West side of ridge for $\frac{1}{4}$ sec. cor

^{52.00} 52.00 brook 6 lks wide cor. N. & S. - 150

& Road N.E. & S.W.

^{80.46} 80.46 The cor. to sec. 20, 21, 28 & 29 + 100

Land: Surface hilly; soil
 3^{rd} & 2^{nd} rate good grass
Some good farming
land on sec. 28

39

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 20 & 21

va. $22^{\circ} 30'$ East

40,00 Set Basalt Stone ^{16x12x8} on East-
hillside for $\frac{1}{4}$ Sec. cor.

80,00 Set Basalt Stone 17x10x5
and put in mound of
stone on level plateau
for cor. to Sec. 16, 17, 20 &
21.

Land: Surface undula-
ting; Soil 2nd & 3rd rate
good grass; some
good farming
land

40
434

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 16 & 21
Bearing $18^{\circ} 30'$ East -

^{40.00}
40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

^{80.62}
80.62 Intersected N. & S. line 18 lks
south of cor to Sec. 15, 16, 21 &
22 from which corner I run
S. $89^{\circ} 52'$ West on a true line
between Sec. 16 & 21

Bearing $20^{\circ} 30'$ East -

^{34.50}
34.50 Brook 6 lks wide co. N. E. & S. W. - 150
Road N. E. & S. W.

^{40.31}
40.31 Set Basalt Stone $20 \times 10 \times 7$ on
S. E. hillside for $\frac{1}{4}$ sec. cor.

^{80.62}
80.62 The cor. to Sec. 16, 17, 20 & 21 + 150

Land: Surface broken; soil
 3^{rd} rate some 2^{nd} rate good
grass. Some good farming
land on Sec. 21

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

435

North between Sec. 16 & 17
 ca. $18^{\circ} 30'$ East -

40.00 Set Basalt Stone ^{14 x 8 x 6} on level plateau
 for $\frac{1}{4}$ Sec. cor.

70.00 begin descending

79.00 in gulch opens S.W. ⁻⁸⁰ -80

80.00 Set Basalt Stone ⁺²⁰ 18 x 12 x 7 +20

and post in mound of stone
 on S.W. hillside for cor
 to Sec. 8, 9, 16 & 17

Land: Surface nearly level
 excep north 10 chs; Soil
 good 2nd rate, good bunch
 grass; well adapted to
 farming

Subdivisions of Township No 3 South Range 30 East
Willamette Meridian, Oregon.

436

East on a random line between Sec. 9 & 16

Oba 20° East

^{40.00}
40.00 Set post for temporary 1/4 sec. cor.
^{80.38}
80.38 Intersected N. & S. line 28 lbs
North of cor. to Sec. 9, 10, 15 & 16
from which cor I run N.
N. 89° 48 West on a true line
between Sec. 9 & 16

Oba 15° 30 East

^{14.00}
14.00 on ridge extends N. & S. +100
^{32.00}
32.00 in gulch -100
^{40.19}
40.19 Set Basalt Stone 16x14x5 on
E. side of ridge for 1/4 sec. cor. +50
^{48.00}
48.00 On ridge extends N. & S. +50
^{80.38}
80.38 The cor to Sec. 8, 9, 16 & 17 -100

Land: surface hilly: soil
2nd & 3rd rate good grass.
about 1/2 of sec. 16 is good
farming land

Subdivisions of Township No. 3 South Range 30 East

437

Willamette Meridian, Oregon.

North between Sec. 8 & 9

Bearing 20° East

40.00 Set Basalt Stone 17x12x5 on

North hillside for $\frac{1}{4}$ sec. cor.

44.00 Small gulch opens N.E

80.00 Set Basalt Stone 14x10x4 and ⁻¹⁰⁰-100post in mound of stone on
North slope for cor. to Sec.
4, 5, 8 and 9

Land: Surface rolling; soil
3rd rate part 2nd rate and
well adapted to farming
good grass

Sept 14th 1879

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

438

East on a random line between Sec. 4 & 9

Pa 21° 00' East

^{40.00}
40.00 Set post for temporary 1/4 Sec. cor.

^{80.16}
80.16 intersected N. & S. line 30 lks North
of cor. to Sec. 3, 4, 9 & 10 from
which cor. I run

N. 89° 47' West on a true line
between Sec. 4 & 9

Pa 20° 30' East

^{6.25}
6.25 Spring branch cor. N. E. - 80

^{16.00}
16.00 on spur extends N. + 80

^{28.00}
28.00 in shallow gulch opens N. W. - 30

^{40.08}
40.08 Set Basalt Stone 16 x 12 x 5 on west + 30

side of ridge for 1/4 Sec. cor

^{57.00}
57.00 in gulch opens North - 100

^{80.16}
80.16 The cor. to Sec. 4, 5, 8 & 9 - 100

Land: Surface hilly. Soil 3rd & 2nd
rate good grass valuable for
grazing. A Spring about
the middle of Sec. 9

45

439

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

North on a random line between Sec. 4 & 5

Pa. $21^{\circ} 00'$ East40.00 Set post for temporary $\frac{1}{4}$ Sec. cor78.80 Intersected N. Boundary 90 lks
East of cor. to Sec. 4 & 5 from
which cor. \mathcal{Q} run $500^{\circ} 39'$ East - on a true line
between Sec. 4 & 5Pa. $20^{\circ} 42'$ East -

24.00 Road N.E. & S.W. to timber

38.80 Set Basalt Stone $17 \times 12 \times 5$ -30 -30
in shallow ravine for $\frac{1}{4}$ Sec. cor.78.80 The cor to Sec. 4, 5, 8 & 9 $+140$ $+140$ Land: Surface rolling;
Soil 2nd rate some 3rd rate;
good grass; large part
good for farming

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between sec. 31 & 32.

Pa. 18° 45' East

Down along east side of and cross
to west side of spur

^{40.00}
40.00 Set Basalt Stone 16 x 8 x 5 on west
side of Spur for 1/4 sec. cor.

^{43.00}
43.00 Foot of mountains proper; cluster - 150
of Springs

^{49.50}
49.50 Fence & field co N.W. & S.E

^{56.50}
56.50 " leave field N. 6 & S.W.

^{74.00}
74.00 Brook 12 lbs wide co N.W. &
Road co N. & S.W.

^{78.50}
78.50 Road co S.E & N.W. to timber

^{80.00}
80.00 Set Basalt Stone 17 x 10 x 4 and +20
post in mound of stone on
S.W. face of hill for cor. to
Sec. 29, 30, 31, & 32

Land: Surface on 5 1/2 mile Mountainway
N. 1/2 mile undulating; Soil 5 1/2 mile
3rd rate N. 1/2 mile 1st & 2nd rate and
excellent farming land

47

441

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

East on a random line between Sec. 29 & 32

Ba 21° 00' East

40.00 Set post for temporary 1/4 sec. cor

80.08 Intersected N & South line at cor

to Sec. 28, 29, 32 & 33 from
which cor I run

West on a true line between

Sec. 29 and 32

Ba 21° 45' East

.50 fence & field co N. W. & S. E.

4.00 W^m H Simon's house 15 lbs N.

16.00 fence co N. & S. leave field

40.04 Set white quartz stone 17x10x4

on S. E. slope for 1/4 sec. cor.

50.00 W^m H Robinson's house brs S. 26° W.

70.00 " " " " " " S 11° E

80.08 The cor. to Sec. 29, 30, 31, & 32

Land: surface undulating soil

2nd & 3rd rate & large part 1st rate

good grass; good farming land

Sec 32. is nearly all good

farming land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

West on a random line between Sec. 30 & 31

Ob. 21° 00' East -

40.00

40.00 Set Post for temporary 1/4 sec. cor

83.55

83.55 Intersected West Boundary 102 lbs
south of cor to Sec. 30 & 31 from
which cor. I run

S. 89° 13' East on a true line

between Sec. 30 & 31

Ob. 21° 45' East -

43.75

43.75 Set Basalt Stone 20 x 12 x 8 on west

side of spur. for 1/4 sec cor.

77.00

77.00 Brook course N. W.

81.00

81.00 Wagon Road co S.E. & N.W. to timber

83.55

83.55 The corner to Sec. 29, 30, 31 & 32

Land: Surface. 6 1/2 mile undu

lating 1/2 mile rolling; soil

6 1/2 mile 1st & 2nd rate 1/2 mile

3rd & 2nd rate; good grass

good for farming

49 443

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

North between Sec. 29 & 30

Pa 21° 00' East

40.00 Set Basalt Stone 24 x 12 x 8 on

Plateau for $\frac{1}{4}$ Sec. cor.

60.50 Wagon road co. N.E. & S.W. to timber

80.00 Set Basalt Stone 20 x 10 x 8 on

plateau, and post in mound
of stone for corner to sections
19. 20. 29 & 30

Land: Surface Undulating; soil

2nd & small part 3rd rate

good crop, good farming
land also good for
grazing

Subdivisions of Township No. 3 South Range 30' East
Willamette Meridian, Oregon.

East on a random line between Sec. 20 & 29

Pa. $19^{\circ} 45'$ East

^{40.00} 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

^{79.82} 79.82 Intersected N. & S. line 48 lks North
of cor. to Sec. 20, 21, 28 & 29 from
which cor. I run

N. $89^{\circ} 39'$ West on a true line
between Sec. 20 & 29

Pa. $22^{\circ} 30'$ East

^{39.91} 39.91 Set Basalt Stone $24 \times 14 \times 6$ on west
slope for $\frac{1}{4}$ Sec. cor.

^{74.00} 74.00 Wagon road to N. & S. N. to timber

^{79.82} 79.82 The cor. to Sec. 19, 20, 29 & 30 - 50

Land: Surface rolling soil
3rd & 2nd rate: good grass
nearly all of Sec. 29 is
good farming land

Sept 15th 1879

51 445

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

West on a random line between Sec. 19 & 30

Pa. $19^{\circ} 45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

82.30 Intersected West Boundary 70 lks
south of cor. to Sec 19 & 30 from
which cor. I run

S. $89^{\circ} 30'$ East on a true line

between Sec. 19 & 30

Pa. $21^{\circ} 45'$ East

14.00 Brook 8 lks wide co. N.W. ⁻⁸⁰ - 80

42.30 Set Basalt Stone $20 \times 12 \times 8$ ⁺¹⁰⁰ + 100

on S.E. face of hill for $\frac{1}{4}$
Sec. cor.

82.30 The cor. to Sec. 19, 20, 29 & 30

Land: Surface rolling; soil
3rd & 2nd rate small part 1st rate
along Brook. good grass
Some good farming land
in Sec. 30

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec. 19 & 20

Co. 19° 45' East

40.00

4000 Set Basalt Stone 14 x 12 x 4 on
E. hillside for 1/4 Sec. cor.

80.00

8000 Set Basalt Stone 20 x 12 x 8 and
post in mound of stone on
East face of hill for cor. to
Sec. 17, 18, 19 and 20

Land: Surface rolling; soil
2nd & 3rd rate; good grass;
Large part good for farming
also good grazing

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

East on a random line between Sec. 17 and 20

Pa. $20^{\circ} 15'$ East40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.08 Intersected N. & S. line 8 lbs.

North of cor to Sec. 16, 17, 20 & 21 from
which cor. I runN. $89^{\circ} 57'$ West on a true line

between Sec. 17 & 20

Pa. $18^{\circ} 30'$ East

35.00 Road Co. N. & S. to timber

35.50 Spring Branch Co North ⁻¹⁵⁰ -15040.04 Set Basalt Stone $15 \times 8 \times 6$ onO hillside for $\frac{1}{4}$ sec. cor. ⁺⁵⁰ +5080.08 The cor to Sec. 17, 18, 19 & 20 ⁺¹⁰⁰ +100

Land: Surface hilly; Soil 3rd
and 2nd rate; good grass;
some farming land but
most of it only good for
grazing

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

West on a random line between Sec. 18 & 19
Ba. 20° 15' East

^{40.00}
40.00 Set post for temporary 1/4 Sec. cor.

^{82.04}
82.04 Intersected W. Boundary 90 lbs
South of cor to Sec 18 & 19 from
which cor. I run
S. 89° 21' East on a true line between
Sec 18 & 19

Ba. 19° 25' East

^{42.04}
42.04 Set Basalt Stone 20x12x5 on +100
plateau for 1/4 Sec. cor.

^{82.04}
82.04 The cor. to Sec. 17, 18, 19 & 20 - 20

Land: Surface rolling; soil
3rd & 2nd rate; good grass
adapted to grazing

55

449

Subdivisions of Township No. 3 South Range 30 East

Willamette Meridian, Oregon.

North between Sec. 17 & 18

Pa. 20° 15' East

22.00 crop to west side of
irregular ridge

40.00 Set Basalt Stone 18x8x6 on
N.W. hillside for $\frac{1}{4}$ Sec cor⁻⁸⁰ - 80

80.00 Set Basalt Stone 17x12x6 on
N.W. face of hill for cor to
Sec. 7, 8, 17 & 18 also post in
Mound of Stone

Land: Surface broken; soil
3rd rate & stony; good grass
good only for grazing

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

East on a random line between Sec. 8 & 17

Pa. 20° 30' East

^{40.00}
40.00 Set post for temporary 1/4 sec. cor

^{80.14}
80.14 Intersected N. & S line 38 lbs. North
of cor. to Sec. 8, 9, 16 & 17 from which

corner I run
N. 89° 44' West on a true line
between Sec. 8 & 17

Pa 20° 00' East

^{31.00}
31.00 Wagon road co N. & S. to timber

^{31.50}
31.50 Spring branch co North -100

^{40.07}
40.07 Set Basalt Stone 14x10x7 on East
hillside for 1/4 sec cor +50

^{80.14}
80.14 The cor to Sec. 7, 8, 17 & 18 +100

Land: Surface broken; soil
3rd & 2nd rate; good grass;
good grazing land

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

West on a random line between Sec. 7 & 18

Pa. $20^{\circ} 30'$ East-

40.00 Set post for temporary $\frac{1}{4}$ Sec. cor
81.18 Intersected W. Boundary 38 lbs
North of cor. to Sec. 7 & 18 from
which cor I run

N. $89^{\circ} 44'$ East on a true line

between Sec. 7 & 18

Pa $20^{\circ} 00'$ East.

17.00 gulch cor NE -100 -100

41.18 Set Basalt Stone $14 \times 10 \times 6$ on

N. W. Slope of hill for +120 +120

$\frac{1}{4}$ Sec. cor.

63.50 Gulch opens NE -100 -100

81.18 The cor to Sec 7. 8. 17 & 18 +100 +100

Land: Surface broken;
Soil 3rd rate, small part 2nd rate
good grass: valuable
for grazing

Sept 16th 1879

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North between Sec 7 & 8

Pa. 20° 30' East

Along down west hillside

38.50^{34.50} Spring Branch cr. N.E. -180

40.00^{40.00} Set Basalt Stone 16x10x5 on
west side of branch for $\frac{1}{4}$ sec cor.

80.00^{80.00} Set Basalt Stone 14x12x6 and -60

post on mound of stone on west
side of branch for cor. to
Sec 5. 6. 7 & 8

Land: Surface broken: soil
3rd & 2nd. Rate good grass,
valuable for grazing

59

453

Subdivisions of Township No. 3. South Range 30 East-

Willamette Meridian, Oregon.

East on a random line between Sec 5 & 8

Pa. 21° 30' East-

40.00 Set post for temporary 1/4 Sec. cor.

80.00 Intersected N. & S. lines 12 lks. North

of cor. to Sec 4, 5, 8 & 9 from
which corner I run
N. 89° 55' West on a true line

between Sec. 5 & 8

Pa. 21° 00' East-

32.50 Wagon Road co. N. & S. to timber

34.00 Brook 6 lks wide co North -130 -130

40.00 Set Basalt Stone 14x12x12 on +40 +40

on hillside for 1/4 Sec. cor.

60.00 On hill +120 +120

79.50 Spring-branch co North -160 -160

80.00 The cor. to Sec. 5, 6, 7 & 8

Land: surface broken: Soil
3rd rate good grass:

Subdivisions of Township No. 3 South Range 30 East -
Willamette Meridian, Oregon.

West on a random line between sec. 6 & 7

Pa. 21° 30' East -

40.00 ^{40.00} Set post for temporary 1/4 sec. cor.
80.46 ^{80.46} Intersected West Boundary 54 lbs
north of cor to sec. 6 & 7 from
which cor. Q run

N 89° 37' East on a true line
between sec. 6 & 7

Pa. 24° 20' East -

40.46 ^{40.46} Set Basalt Stone 16 x 10 x 5 on west
face of hill for 1/4 sec. cor. + 80
80.46 ^{80.46} The cor to sec. 5. 6. 7 & 8 - 150

Land: Surface broken; soil
3rd & 2nd rate; good grass;
Some good farming land
on sec. 7

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

North on a random line between Sec. 5 & 6

Pa. $21^{\circ} 30'$ East -

40.00 Set Post for temporary $\frac{1}{4}$ sec. cor

78.40 Intersected North Boundary 130 lks
East of cor. to Sec. 5 & 6 from
which cor. I run

$500^{\circ} 56'$ East on a true line between
Sec. 5 & 6

Pa. $21^{\circ} 28'$ East -

20.00 Cluster of Springs west about 10 ch

38.40 Set Basalt Stone $18 \times 10 \times 5$ on

West face of hill for $\frac{1}{4}$ sec. cor.

77.50 Spring branch co. N. W. -80 - 80

78.40 The cor. to Sec. 5, 6, 7, & 8

Land. surface rolling soil 3rd &

2nd rate good gras. Sec. 6 has

a farm on N. W. $\frac{1}{4}$. Sec. 5

has some good farming land.

Sept 17 1879

Note - In all cases where necessary I raised Mounds of
Stone instead of digging pits & raising mounds of
earth because they are more permanent and more
easily found

Subdivisions of Township No. 3 South Range 30 East
Willamette Meridian, Oregon.

456

General Description

Surface slopes North. Small strip on South side & S.E. corner is mountainous. The larger part is rolling. Some broken and large part undulating. Soil greater part 3rd rate large part good 2nd rate and some 1st rate and well adapted to farming without irrigation; the land is all well set with bunch grass and is valuable for grazing also; There is some good timber in the S.E. part; There are about ten bona fide settlers in this Township.

FINAL AFFIDAVIT OF ASSISTANTS.

484

We hereby certify that we assisted George S Pershin Deputy Surveyor, in surveying the Subdivision lines of Township 3 South Range 30 1/2 East Willamette Meridian, Oregon, and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor-General; and we do further swear that we each of us performed the work assigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures.

Homer C. Pershin Chainman.

Vaentine Peterson Chainman.

Chainman.

Borington J. Newell Axeman.

Axeman.

Compassman.

STATE OF OREGON,

County of Umatilla }

Subscribed and sworn to before me, this 17th day of September 1879

S G Lightfoot
Justice of Peace

FINAL AFFIDAVIT OF ASSISTANTS.

We hereby certify that we assisted George S

Pershin Deputy Surveyor, in surveying

the Subdivision lines of Township
3 South Range 30 East Willamette Meridian, Oregon,

and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General; and we do further swear that we each of us performed the work assigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures.

Homer C. Pershin Chainman.

Valentine B. Peterson Chainman.

Chainman.

Cornington S. Newell Axeman.

Axeman.

STATE OF OREGON,

County of Umatilla

Subscribed and sworn to before me, this 17th

day of September 1879.

S. Hightfoot

Justice of the Peace

George S. Perkins

Deputy Surveyor, do solemnly swear that in pursuance
of a contract with James C. Tolman

U. S. Surveyor General of the State of Oregon, bearing
date the 29th day of July 1879,

and in strict conformity with the Printed Manual of
Instructions, and the instructions given me by the Sur-
veyor General, I have faithfully surveyed the

Subdivision lines of Township 8
3 South Range 30 & 3 1/2 East aforesaid, and do
further solemnly swear that the foregoing are the true
and original field notes of such survey.

George S. Perkins

Deputy Surveyor.

STATE OF OREGON,

County of Multnomah

Subscribed and sworn to before me, a Justice
of the Peace in and for the said County
and State, this 23 day of September 1879

A. W. Davis

Justice of the Peace

Office U. S. Surveyor General,

Portland, Oregon, *Oct 2* ----- 18*79*.

The foregoing Field Notes of the survey of *the* -----
Subdivisional lines of T3 S. Rgs 30 & 30 1/2 East -----
Will Meer Oregon -----

executed by *George S. Pershin* U.S. Deputy
Surveyor ----- under his contract No. *332* -----

dated *July 29* ----- 18*79*., having been
critically examined, the necessary corrections and ex-
planations made, the said field notes and the survey
they describe, are hereby approved.

James C. Tolson -----
Surveyor General.