

## FIELD NOTES

Of the survey of the *Exterior boundary*  
 Lines of Townships *3 South of Ranges*  
*30 and 31 East Meridian, Oregon.*

Executed by *George S. Pershin*  
 U. S. Deputy Surveyor, under his Contract  
 No. *304* dated *Sept 19<sup>th</sup> 1878*

List of the names of the persons employed to assist in running, measuring and marking the lines of the foregoing survey.

*Herman D. Gradon* Chainman.

*Corrington Newell* Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Compassman.

..... Flagman.

*Errors in S. ldy of T. 39 R 30 E*  
*see page 5 of Cont. in Cont 332*



PRELIMINARY OATHS OF ASSISTANTS.

We, *Hermow D Gradon* and  
*Corrington Newell*

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we assist in measuring, to the best of our skill and ability.

*Hermow D. Gradon* Chainman.  
*Corrington Newell* Chainman.

Chainman.

Subscribed and sworn to before me, this *28<sup>th</sup>*

day of *October* 187*8*

*S G Lightfoot*  
*J. P.*

We, ..... and

do solemnly swear that we will well and truly perform the duties for which we have been severally employed according to instructions and to the best of our skill and ability.

Subscribed and sworn to before me, this.....

day of..... 187



# INDEX.

Referring the lines to the pages of the field notes.

Town. *3 South* Range *31 East* Willamette Meridian.

<i>18</i>	6	5	4	3	2	1	<i>28</i>	
<i>19</i>	7	8	9	10	11	12	<i>29</i>	
<i>20</i>	18	17	16	15	14	13	<i>30</i>	<i>13</i>
<i>21</i>	19	20	21	22	23	24	<i>31</i>	<i>12</i>
<i>22</i>	30	29	28	27	26	25	<i>32</i>	<i>13</i>
<i>23</i>	31	32	33	34	35	36	<i>33</i>	<i>24</i>
	<i>31</i>	<i>32</i>	<i>33</i>	<i>34</i>	<i>35</i>	<i>36</i>		<i>25</i>

*T. 3. S. R. 30 E. W. M. et.*

<i>31</i>	<i>32</i>	<i>33</i>	<i>34</i>	<i>35</i>	<i>36</i>	<i>37</i>
<i>10</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>14</i>	<i>15</i>	



## 363 Exteriors

Subdivisions of Township No. 3 South Range 30  
East Willamette Meridian, Oregon.

West on a random line along  
the South Boundaries of Sections  
36. 35. 34. 33. 32. and 31

Pa.  $21^{\circ} 45'$  East

I set temporary half-mile and  
mile posts at 40.00 and 80.00 chains  
and at 6 miles 1 chain and

84 lbs to a point 186 lbs  
South of corner to Townships 3  
and 4 South Ranges 29 and 30

East. My correction will  
be 31 lbs North per mile

I find the corner stone standing  
as described in the field notes  
furnished me by the surveyor  
generals office.

From the corner to Townships  
3 and 4 South Ranges 29 and  
30 East I run

$S 89^{\circ} 47'$  East on a true line  
along the South Boundary  
of Section 31



FINAL AFFIDAVIT OF ASSISTANTS.

We hereby certify that we assisted George S. Pershin Deputy Surveyor, in surveying the Exteriors of Townships 3 South Ranges 30 & 31 East Willamette Meridian, Oregon, and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General; and we do further swear that we each of us performed the work assigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures.

Herwan D. Gradon Chainman.

Lorington Newell Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Compassman.

STATE OF OREGON,

County of Multnomah }

Subscribed and sworn to before me, this 3<sup>d</sup>

day of December 1878

E. W. Cornell  
Notary Public in  
aforesaid county & State



I George S. Pershin

Deputy Surveyor, do solemnly swear that in pursuance of a contract with James C. Tolman U. S. Surveyor General of the State of Oregon, bearing date the 19<sup>th</sup> day of September 1878, and in strict conformity with the Printed Manual of Instructions, and the instructions given me by the Surveyor General, I have faithfully surveyed the Exterior lines of Townships 3 South Ranges 30 & 31 East aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

George S. Pershin  
Deputy Surveyor.

STATE OF OREGON,  
County of Multnomah

Subscribed and sworn to before me, a Notary Public in and for the said County and State, this 15<sup>th</sup> day of January 1879

E. W. Cornell  
Notary Public for  
Oregon



Office U. S. Surveyor General,

Portland, Oregon, Jan 20 1879

The foregoing Field Notes of the survey of  
the Exterior lines of S. 3 S. Rqs 30<sup>th</sup> & 31 East Will Mer  
executed by George S. Pershir, U.S. Dept Sur  
under his contract No. 304

Dated Sept 19<sup>th</sup> 1878, having been criti-  
cally examined, the necessary corrections and  
explanations made, the said field notes and  
the survey they describe, are hereby approved.

James C. Tolman  
Surveyor General.