

FIELD NOTES

223

Of the survey of the Subdivisional

Lines of Township 3 South

Range 33 East of, Willamette Meridian,

Oregon, as surveyed by Rufus S. Moore

U. S. Deputy Surveyor, under his Contract No. 451

dated June 28<sup>th</sup>, 1882

Survey commenced, November 22<sup>nd</sup> 1882

Survey completed, November 29<sup>th</sup> 1882

NAMES AND DUTIES OF ASSISTANTS.

....., Compassman.

James Guttridge, Chainman.

John Guttridge, Chainman.


....., Chainman.

....., Chainman.

Joe Parodi, Axeman.

....., Axeman.

....., Flagman.



224

# PRELIMINARY OATHS OF ASSISTANTS:

We, James Guttridge and  
John Guttridge

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Subdivisional

lines of Township 3 South

Range 33 East of Willamette Meridian, Oregon.

James Guttridge, Chainman.

John Guttridge, Chainman.

, Chainman.

, Chainman.

Subscribed and sworn to before me, this Fifteenth

day of August 1882

[SEAL.]

Rufus S. Moore  
Notary Public

We, \_\_\_\_\_ and \_\_\_\_\_

Joe Parodi, do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability,

in the survey of the Subdivisional lines of

Township 3 South R. 33E of Willamette Meridian, Oregon.

Joe Parodi, Axeman.

, Axeman.

Subscribed and sworn to before me, this Fifteenth

day of August 1882

[SEAL.]

Rufus S. Moore  
Notary Public

# INDEX.

Referring the Lines to the Pages of the field Notes.

T. *3 South* R. *33 East* Will. Mer.

6	97	5	69	4	51	3	33	2	16	1
95		94		68		50		32		15
7	92	8	66	9	48	10	31	11	14	12
90		89		64		47		29		12
18	87	17	62	16	45	15	28	14	10	13
85		84		61		44		26		9
19	82	20	59	21	42	22	24	23	7	24
80		78		58		41		23		5
30	76	29	56	28	39	27	21	26	4	25
75		74		55		38		20		2
31	72	32	53	33	36	34	18	35	0	36

Meanders of \_\_\_\_\_ Pages \_\_\_\_\_ to \_\_\_\_\_

Meanders of \_\_\_\_\_ Pages \_\_\_\_\_ to \_\_\_\_\_

Subdivision of T. 3 South R. 33 East

Willamette Meridian, Oregon.

A 5 mi claim bears S 2° W 22 listed  
marked '14 S. B. L.

A 8 mi claim bears N 10° W 19 listed  
marked '14 S. B. L.

4800 The corner to Sec 5, 6, 7 & 8.

Learned Mountains

Loc 2<sup>nd</sup> rate

Heavily timbered with pine fir  
and Larch.

Undergrowth of pine & fir.

on true line

North between Sec 5 & 6.

var 19° 30' E.

Ascend hill from corner.

3500 Leave timber, bear East

4000 Set Basalt Stone 16 x 10 x 6<sup>ins</sup> on Honey

ground and piled stone around corner  
marked '14 on N face for '14 Sec corner  
and raised mound of stone alongside.

328  
 Subdivision of T. 3 South R. 33 East  
 Willamette Meridian, Oregon.

put's impracticable 600 ft above  
 Sec. corner.

44 00 Top of Ridge beam N 60° W + 860° E.  
 Second

65 00 Intersect South boundary of  
 Township 2 South Range

32 East 3206 chs West of the  
 Corner to Townships 2 + 3 S R. 32

E which is a just 4 mi square  
 marked, T 2 DD 31 on N E,

R 33 E D 6 on D E, T 3 DD 1 on D W and

marks on D 36 on NW face. I obliterated the  
 the N E and S W faces, and changed Sec. 6. to Sec. 5  
 with 6 notches on each edge

from which:

April 24 mi dearn beam N 30° W 116 lbs dist  
 marked D 36 B J

April 24 mi dearn beam N 50° E 79 lbs dist

The marks upon which I obliterated

A 10 mi dearn beam S 30° E 175 lbs dist

marked R 33 E D 6 B J I changed  
 Sec 6 to Sec 15 on this bearing tree -

April 20 mi dearn beam S 47° W 213 lbs dist

The marks upon which I obliterated -

Subdivision of T. 3 South R. 33 East  
 Willamette Meridian, Oregon.

Here set Basalt Stone  $15 \times 10 \times 5$  ins  
 10 ins in ground for closing  
 corner to line 5 + 6. marked  
 with 5 notches on E and 1 on  
 West edge with C.C. on S  
 face. and raised around  
 of stone along side.

fits impracticable  
 Land Meridian

Line 2<sup>me</sup> + 3<sup>ce</sup> rate.

Heavily timbered with pine + fir timber on  
 S 35 chs

Compared compass with a  
 meridian obtained by an  
 observation taken on star  
 polaris and find compass  
 to run correctly.

November 29<sup>th</sup> 1882

# FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by \_\_\_\_\_

Rufus S. Moore, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Subdivisional

lines of Township 3 South  
Range 33 East of Willamette Meridian, Oregon, showing the respective capacities in which they acted :

- \_\_\_\_\_, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Chainman.
- Joe Parodi, Axeman.
- \_\_\_\_\_, Axeman.
- \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Rufus S. Moore

\_\_\_\_\_, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivisional

lines of Township 3 South  
Range 33 East of Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction ; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- \_\_\_\_\_, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Chainman.
- Joe Parodi, Axeman.
- \_\_\_\_\_, Axeman.
- \_\_\_\_\_, Flagman.

Subscribed and sworn to before me, this Thirtieth day of November 1882

[SEAL.]

Rufus S. Moore  
Notary Public

## FINAL OATH OF DEPUTY SURVEYOR.

I, Rufus S. Moore  
 United States Deputy Surveyor, do solemnly swear that in pursuance of in-  
 structions received from James B. Tolman  
 U. S. Surveyor General for Oregon, bearing date of the Twelfth  
 day of June, 1882, I have well, faith-  
 fully and truly, in my own proper person, and in strict conformity with  
 the instructions furnished by the U. S. Surveyor General for Oregon, the  
 Surveying Manual, and the laws of the United States, surveying all those  
 parts or portions of The Subdivisions at lines  
of Township 3 North - Range 33 East of  
 Willamette Meridian, in the State of Oregon, as are represented in the fore-  
 going Field Notes as having been surveyed by me and under my directions;  
 and I do further solemnly swear that all the corners of said survey have been  
 established and perpetuated in strict accordance with the Surveying Manual,  
 printed instructions, the special written instructions of the U. S. Surveyor  
 General for Oregon, and in the specific manner described in the field notes,  
 and that the foregoing are the *true* field notes of such survey, and should  
 any fraud be detected I will suffer the penalty of perjury under the pro-  
 visions of an Act of Congress approved August 8, 1846.

Rufus S. Moore  
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10<sup>th</sup>  
 day of February 1883

Bamford Robb  
 Notary Public



334

**Office U. S. Surveyor General,**

Portland, Oregon, *June 5* 188*3*

The following Field Notes of the Survey of the

*Subdivisional lines of*  
*T. 3 S. R. 33 E.*

*Will. Mer. Or.*

executed by

*Rufus S. Moore*

under his Contract No. *451*, dated

*June*  
*12<sup>th</sup>* 188*2*, having been critically examined, the

necessary corrections and explanations made, the said field notes

and the survey they describe, are hereby approved.

*James C. Tolman*

Surveyor General.

