

401 A

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by John W. Kimbrell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the surveys of the Subdivisions lines of Township 3-North Range 38 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Edward Hays, Chainman.
- B. A. Turner, Chainman.
- ....., Chainman.
- ....., Chainman.
- Elmer Christiansen, Axman.
- ....., Axman.
- George Erb, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted John W. Kimbrell, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivisional Lines of Township 3 North Range 38-East, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General of Oregon:

- ....., Chainman.
- B. A. Turner, Chainman.
- ....., Chainman.
- ....., Chainman.
- Elmer Christiansen, Axman.
- ....., Axman.
- ....., Flagman.

Subscribed and sworn to before me this 29<sup>th</sup> day of July, 1904

[SEAL.]

E. B. Morelock Notary  
Public for Oregon

RECEIVED

AUG 11 1904

401B

1 State of Oregon, Surveyor General's office.

2 Contract No. 700.

3 John W. Kimbrell, Contractor.

4 State of Oregon, )  
5 Umatilla County. ) ( SS.

6 I, John W. Kimbrell being first duly sworn, say that I am the  
7 person who entered into the contract with the government of the  
8 United States for Surveying public lands, under and by virtue of  
9 contract No. 700 in the above entitled Office, and that pursuant  
10 to instructions contained in letter of date July the 26th, 1904,  
11 I herewith submit Field Notes, and affidavits of Edward Hays and  
12 B. A. Turner as chainmen, Elmer Christainsen axman, and myself as  
13 surveyor, in lieu of notes formerly sent, but which were lost in  
14 the mails.

15 The Flagman, George Erb, I have made diligent search and in-  
16 quiry for, and am unable to learn his whereabouts.

17  
18 *John W Kimbrell*  
19

20 Subscribed and sworn to before me this 9<sup>th</sup> day of Aug  
21 1904.

22 *Frank Salving*  
23 *County Clerk of*  
24 *Umatilla County and*  
25 *Ex Officio Clerk of the*  
26 *Circuit Court of Umatilla*  
27 *County State of Oregon*  
28  
29

401 C

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by John W. Kimbrell, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the surveys of the Subdivision lines of Township 3 North Range 38 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Edward Hays....., Chainman.
- ....., Chainman.
- ....., Chainman.
- ....., Chainman.
- ....., Axman.
- ....., Axman.
- ....., Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted John W. Kimbrell, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivision Lewis of Township 3 North Range 38 East, Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General of Oregon:

- Edward Hays....., Chainman.
- ....., Chainman.
- ....., Chainman.
- ....., Chainman.
- ....., Axman.
- ....., Axman.
- ....., Flagman.

Subscribed and sworn to before me this 6<sup>th</sup> day of August, 1904

[SEAL.]

John Stanley D  
Notary Public for Oregon,

FINAL OATH OF DEPUTY SURVEYOR.

I, John W Kimbell, United States

Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Robert A Habersham, U. S.

Surveyor-General for Oregon, bearing date of the 9<sup>th</sup>

day of February 1899, 1900, I have well, faithfully, and

truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for Oregon, the Manual of Surveying Instructions, and the laws of the United States, surveyed

all those parts or portions of the Subdivisional lines of Township 3 North of Range 38 E at

Willamette Meridian, in the State of Oregon, which are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions and the special written instructions of the U. S. Surveyor-General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

John W Kimbell  
U. S. Deputy Surveyor.

Subscribed by said John W Kimbell, U. S.

Deputy Surveyor, and sworn to before me this 9<sup>th</sup>

day of August, 1904

Frank Salung  
County Clerk of  
Wmatilda County and  
Ex officio Clerk of the Circuit  
Court of the State of Oregon

401 E

Office of U. S. Surveyor-General,

PORTLAND, OREG., *Feb. 9. 1900*

The foregoing field notes of the survey of the

*Subdivisional Lines of  
Township 3 North Range  
38 East Will. Mer Oregon*

executed by *John W. Kimbrell*  
*U. S. Deputy Surveyor*  
under his contract No. *700*, dated

*February 9<sup>th</sup>*, 1899, having been critically examined

and the necessary corrections and explanations made, the said

notes and the surveys they describe, are hereby approved.

*J. W. Daley*

U. S. Surveyor-Gen

"C"

401F

# FIELD NOTES

Of the survey of the.....

Lines of.....

..... Willamette Meridian, Oregon,

as surveyed by *John W. Kimbrell*.....

U. S. Deputy Surveyor, under his contract No. *700*.....

dated *Febry 9.*....., 18*99*

Survey commenced *June 25.*....., 190*3*

Survey completed *September 7.*....., 190*3*

## NAMES AND DUTIES OF ASSISTANTS.

*Edward Hays*, Chainman.

....., Chainman.

*B. A. Turner*, Chainman.

....., Chainman.

*Elmer Christensen*, Axman.

....., Axman.

....., Flagman.

401 G

PRELIMINARY OATHS OF ASSISTANTS.

WE, -----

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the survey of the -----

lines of -----  
Willamette Meridian, Oregon.

-----, *Chainman.*  
-----, *Chainman.*  
-----, *Chainman.*  
-----, *Chainman.*

Subscribed and sworn to before me this -----  
day of -----, 190-----

[SEAL.] -----

WE, -----

and -----  
do solemnly swear that we will well and truly perform the duties of axmen, mound men, and flagman in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the -----

Willamette Meridian, Oregon.

-----, *Axman.*  
-----, *Axman.*  
-----, *Flagman.*

Subscribed and sworn to before me this -----  
day of -----, 190-----

[SEAL.] -----

*Plat*

401 H RECEIVED  
SEP 29 1904

401 H

FIELD NOTES

Of the survey of the *Re-tracement of Exterior*

Lines of *Township 3 North Range*

*38 East*

Willamette Meridian, Oregon,

as surveyed by *John W Kimbrell*

U. S. Deputy Surveyor, under his contract No. *700.*

dated *February 9<sup>th</sup> 1899*, 190...

Survey commenced *June 25<sup>th</sup> 1903*, 190...

Survey completed *September 7<sup>th</sup> 1903*, 190...

NAMES AND DUTIES OF ASSISTANTS.

*Edward Hays*, Chainman.

*B A Turner*, Chainman.

Chainman.

Chainman.

*Elmer Christensen*, Axman.

Axman.

Flagman.

U. S. SURVEYOR GENERAL'S OFFICE.

PORTLAND, OREGON.  
JAN 20 1904

Received with *Deputy Kimbrell*

LETTER DATED.

*Jan 19-1904*

L. B. *21* No. *10576*

DEC 21 1904  
JUN 6 1904

*Copied*

*C. E. D.*



4017

PRELIMINARY OATHS OF ASSISTANTS.

WE, Edward Hays and  
B A Turner

do solemnly swear that we will faithfully execute the duties of chainmen; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us, in the survey

of the Re-tracement of the Exterior  
lines of Townships 3 North Range 38 East  
Willamette Meridian, Oregon.

Edward Hays, Chainman.  
\_\_\_\_\_, Chainman.  
B. A. Turner, Chainman.  
\_\_\_\_\_, Chainman.

Subscribed and sworn to before me this 18  
day of January, 1904

[SEAL.]

WE, E. B. Morlock  
Elinor Christensen

do solemnly swear that we will well and truly perform the duties of axmen, mound men, and flagman in the establishment of corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the survey of the Re-tracement of the  
Exterior lines of Townships 3 North Range 38 East  
Willamette Meridian, Oregon.

Elinor Christensen, Axman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

Subscribed and sworn to before me this 18  
day of January, 1904

[SEAL.]

E. B. Morlock  
Notary Public for Oregon

401 J

# INDEX

REFERRING THE LINES TO THE PAGES OF THE FIELD NOTES.

T. T. 3 North R. 38 East Will. Mer.

	14	14	7	8				5	6		
6		5		4		3		2	1	3	
13	7		8		9		10		11	12	3
12	18		17		16		15		14	13	
12	19		20		21		22		23	24	
11	30		29		28		27		26	25	/
10	31		32		33		34		35	36	/

Meanders of ..... Pages ..... to .....

Meanders of ..... Pages ..... to .....

Retracement <sup>South</sup> North Boundary of T. 4 N

Aug 4<sup>th</sup> 1903 R 38 E Will Aben Verrips  
From the cor of Sec 1-2 11-12 T. 3 N R. 38 E.  
Intersect North Boundary 52 lbs  
<sup>Intersect N between Sec 1 & 2</sup>

West of the old closing cor of  
secs 1 and 2, <sup>which I destroy</sup> and 358 lbs west of  
the 1/4 sec cor on south boundary  
of sec 36 T 4 N R 38 E which is  
a post decayed marked and witnessed  
as described by the surveyor General  
I reestablish it - as follows

Set Granite Stone 20 x 8 x 3 ins 14 ins  
in the ground fr 1/4 sec cor on S Bdy  
sec 36 marked 1/4 on N face

I proceed to the established cor  
of secs 35 and 36 on south boundary  
of T 4 N R 38 E which is a stone marked  
and witnessed as described by the  
surveyor General

The bearing tree in sec 36 has fallen  
down and decayed, I destroy  
all marks on it - and mark  
a fir 40 ins diam bears N 21° E 209 lbs  
dist marked T 4 N R 38 E sec 36 B.S.

Thence I run  
East on S. Bdy sec 36

- 2750 Spring branch 2 lbs wide course South
- 3697 The closing cor of sec 1 and 2
- 4050 The 1/4 sec cor on S Bdy sec 36

Exteriors

Retracement of <sup>South</sup> North Boundary of J. 4 N R 38 E ~~Continued~~  
 8050 The cor. of J 4 N 6° 38' and 39 E  
 Which is a stone marked and  
 witnessed as described by the  
 surveyor General  
 Land mountainous  
 Soil 4<sup>th</sup> rate poor and rocky  
 Timber fir pine and Sawrack  
 dense Undergrowth willow and alder  
 Mountainous land 80.50 chs.

Retracement of South bdy of J. 4 N R 39 E  
~~House~~ <sup>from the corner to J. 4 N R 38. 39 E</sup> ~~W. 1000 ft on N~~

East bet fees 1 and 31.  
 750 Spring branch 3 lks wide course South  
 3999 Intersect - 15 lks North of the  
 established cor of J 3 N 6° 38' and 39 E  
 Which is a post in mound of stone  
 marked and witnessed as described  
 by the surveyor General  
 The true course of line is  
89° 47' E

Land mountainous  
 Soil poor 4<sup>th</sup> rate  
 dense Undergrowth Willow and alder  
 Timber fir Spruce and Pine  
 Mountainous land heavily timbered and  
 dense Undergrowth 39.99 chs.

Aug 4<sup>th</sup> 1903

Retracement of ~~North~~ <sup>South</sup> Boundary of ~~T. 4 N~~ <sup>P. 38 E</sup>

Sept 7<sup>th</sup> 1903 at 1h 56 m pm l m I set off

45° 46' on lat arc 7° 23' N on decl arc  
and determine a true meridian with  
the solar at the cor of Secs 32 and 33

Post cor as described by surveyor  
General destroyed by fire and  
bearing trees also partly destroyed  
I reestablish in exact location  
as follows

Set Pine Post 3ft long 4 ins dia, 24 ins  
in the ground for cor. of Secs 32 and 33  
on South Boundary of T 4 N R 38 E marked  
T 4 N S 33 on NE

R 38 E S 32 on NW faces

With 4 notches on E and  
2 notches on W edges from which  
a Tamrack 8 ins diam bears N 56° W  
30 lbs dist marked

T 4 N R 38 E S 32 B. T.

a pine 3 ins diam bears N 46° E 15 lbs  
dist marked T 4 N R 38 E S 33 B. T.

Hence I run

East bet. Secs ~~5~~ and 33

3757 a point - 73 lbs south of old closing cor  
of Secs 4 and 5 established in 1899

4040 The 1/4 sec cor on South Boundary of Sec  
33 standing in thick clump of bushes

~~Exterior~~

Retracement of <sup>South</sup> ~~North~~ Boundary of <sup>Sec 33 & 34</sup> ~~of T. 4~~  
 and escaped my search. Two fallen  
 Trees decayed, original witness trees  
 as described by Surveyor General.  
 I reestablish this cor in original position  
 as follows

Set fir post 3 ft long 3 ins dia, 24 ins  
 in to ground for  $\frac{1}{4}$  sec cor on post

Boundary of sec 33 marked  
 $\frac{1}{4}$  S 33 on N face from which  
 a pine 4 ins diam bears  $S 89^{\circ} W 5$  lbs  
 dist-marked  $\frac{1}{4}$  S B.T.

a pine 4 ins diam bears  $N 33^{\circ} E 15$  lbs.  
 dist-marked  $\frac{1}{4}$  S 33 B.T.

Land mountainous

April 3<sup>rd</sup> note

Timber Spruce fir and Tamarack scattered  
 dense Undergrowth alder and willow  
 Mountainous land 40.40 chs

From this  $\frac{1}{4}$  sec cor. the old  $\frac{1}{4}$  sec cor  
 established by me in 1899 bears North  
 $74$  lbs dist. I destroy post and  
 marks on leaning trees

East between secs 4 and 33

4000

Set Temporary cor of secs 33 and 34  
 all face of cor as described by  
 Surveyor General has been destroyed

Retracement of S. bdy of T 4 N R 38 E

~~Continued~~

8000 by forest fires some years ago  
 The  $\frac{1}{4}$  sec cor on South Boundary  
 of sec 34 which is a stone marked  
 and witnessed as described by  
 the surveyor General  
 Thence I run  
West on true line on South Boundary  
 of sec 34

325 to closing cor of secs 3 and 4  
 4000 set Basalt Stone 14x8x5 10 ins. in the  
 ground for cor of secs 33 and 34  
 Marked ~~SE~~ on N face with 3 notches  
 on E and W sides from which  
 a Sawrack 20 ins diam bears  $N 17^{\circ} E$   
 80 lbs dit. Marked  $T 4 N R 38 E S 34 B.S.$   
 a fir 5 ins diam bears  $N 57^{\circ} W 110$  lbs dit.  
 Marked ~~SE~~  $T 4 N R 38 E S 33 B.S.$   
 from this cor the old sec cor established  
 by me in 1899 bears  $N 33^{\circ} W 72$  lbs dit.  
 I destroy all traces of it.

8000 The  $\frac{1}{4}$  sec cor on South Boundary sec 33  
 Low mountainous  
 Soil 3<sup>d</sup> rate

Timber fir Spruce and Sawrack  
 dense Undergrowth alder and willow  
 Mountainous land 80.00 chains  
Sept 7<sup>th</sup> 1903