


FIELD NOTES

Of the survey of the Estero  
 Lines of Townships 3, 4 + 5 North of  
Range 39 East of, Willamette Meridian,  
 Oregon, as surveyed by Rufus S. Moore  
 U. S. Deputy Surveyor, under his Contract No. 437  
 dated June 30, 1882

Survey commenced, July 30, 1882  
 Survey completed, Aug 30, 1883

NAMES AND DUTIES OF ASSISTANTS.

- Rufus S. Moore, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Chainman.
- Joseph Parodi, Axeman.
- \_\_\_\_\_, Axeman.
- \_\_\_\_\_, Flagman.



# INDEX.

Referring the Lines to the Pages of the field Notes.

T. *3 North* R. *39 East* Will. Mer.

	<i>21</i>	<i>23</i>	<i>25</i>	<i>26</i>	<i>28</i>	<i>30</i>	
<i>16</i>	6	5	4	3	2	1	<i>2</i>
<i>16</i>	7	8	9	10	11	12	<i>9</i>
<i>15</i>	18	17	16	15	14	13	<i>8</i>
<i>15</i>	19	20	21	22	23	24	<i>6</i>
<i>15</i>	30	29	28	27	26	25	<i>3</i>
<i>14</i>	31	32	33	34	35	36	<i>1</i>

Meanders of ----- Pages ----- to -----

Meanders of ----- Pages ----- to -----

# INDEX.

Referring the Lines to the Pages of the field Notes.

T. *3 North* R. *39 East* Will. Mer.

	<i>21</i>	<i>23</i>	<i>25</i>	<i>26</i>	<i>28</i>	<i>30</i>	
<i>16</i>	6	5	4	3	2	1	<i>2</i>
<i>16</i>	7	8	9	10	11	12	<i>9</i>
<i>15</i>	18	17	16	15	14	13	<i>8</i>
<i>15</i>	19	20	21	22	23	24	<i>6</i>
<i>15</i>	30	29	28	27	26	25	<i>3</i>
<i>14</i>	31	32	33	34	35	36	<i>/</i>

Meanders of ----- Pages ----- to -----

Meanders of ----- Pages ----- to -----

682

12

Esterwin of T. 3 North R. 39. East  
 Willamette Meridian, Oregon.

North Between Secs 1 and 6

on a  $21^{\circ}30' E$

8.00 Ravine course to 100 ft above corner  
 Ascend 100 ft to:

16.36 Small Ravine course to:

4000 Set a post 3 ft long 3 in diam 24 in  
 in ground marked "4 S. on N face  
 for "4 Sec. corner,

Given which:

Approx 34 in diam bears  $S 31^{\circ} E$  60 lds dist  
 marked "4 S. B. T.

Approx 24 in diam bears  $S 54^{\circ} W$  73 lds dist  
 marked "4 S. B. T.

Note: Knowing from a former survey that  
 the West boundary of this Township  
 is 16.64 chs short in length. as per notes  
 of Retracing of W. boundary of T. 3 N.

R. 39. E. further on I set at 67.48 chs

67.43 A post  $4\frac{1}{2}$  ft long 4 in square 24 in  
 in ground for corner to Township

Estuaries of T. <sup>3</sup> South R. 39, East  
Willamette Meridian, Oregon.

3 and 4 North Range 39 and 40 E  
marked

T 4 N S. 31 on N. E

R 40 E S. 6 on S. E

T 3 N. S 1 on SW and

R. 39. E S. 36 on NW face with  
6 notches on each edge.

from which:

A Lamarack 8 mi deani bears  $N 51^{\circ} W 37$  lbs dist  
marked T. 4. N. R. 39. E. S. 36. B. T.

A Lamarack 8 mi deani bears  $N 66^{\circ} E 9$  lbs dist  
marked T. 4. N. R. 40. E. S. 31. B. T.

A Lamarack 8 mi deani bears  $S 58^{\circ} E 33$  lbs dist  
marked T. 3. N. R. 40. E. S. 6. B. T.

A Spruce 12 mi deani bears  $S 46^{\circ} W 54$  lbs dist  
marked T. 3. N. R. 39. E. S. 1. B. T.

Land Mountaneous

Soil 2<sup>nd</sup> rate

Heavily timbered with fir + Lamarack  
Some undergrowth of fir + Lamarack

July 30<sup>th</sup> 1882

780

# FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Rufus S Moore, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Exterior boundary lines of Townships 3, 4 + 5 North Range 39 East Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Frank W Campbell, Compassman.
- J. S. Guttridge, Chainman.
- Frank Ellis, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Chainman.
- C. V. Matlock, Axeman.
- \_\_\_\_\_, Axeman.
- \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Rufus S Moore, U. S. Deputy Surveyor, in surveying all those parts or portions of the Exterior boundary lines of Townships 3, 4 and 5 N. of Range 39 East of the Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- Frank W Campbell, Compassman. U.S.D.
- J. S. Guttridge, Chainman. Survey
- Frank Ellis, Chainman.
- \_\_\_\_\_, Chainman.
- \_\_\_\_\_, Chainman.
- C. V. Matlock, Axeman.
- \_\_\_\_\_, Axeman.
- \_\_\_\_\_, Flagman.

Subscribed and sworn to before me, this Thirtieth day of September 1883

[SEAL.] J. L. Carter  
Notary Public for Union Co Oregon

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Rufus S. Moore, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Extension boundary lines of Taps 3, 4 and 5 North Range 39 East, Willamette Meridian, Oregon, showing the respective capacities in which they acted :

- James Guttridge, Compassman.
James Guttridge, Chainman.
John Guttridge, Chainman.
Chainman.
Chainman.
Joe Parodi, Axeman.
Axeman.
Flagman.

FINAL OATHS OF ASSISTANTS

We hereby certify that we assisted Rufus S. Moore, U. S. Deputy Surveyor, in surveying all those parts or portions of the Extension boundary line of Taps 3, 4, 5 North of Range 39 East of Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction ; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- James Guttridge, Compassman.
James Guttridge, Chainman.
John Guttridge, Chainman.
Chainman.
Chainman.
Joe Parodi, Axeman.
Axeman.
Flagman.

Subscribed and sworn to before me, this First day of August 1882. Rufus S. Moore Notary Public

[SEAL.]

## FINAL OATH OF DEPUTY SURVEYOR.

I, Rufus S. Moon  
 United States Deputy Surveyor, do solemnly swear that in pursuance of in-  
 structions received from Jos. C. Johnson  
 U. S. Surveyor General for Oregon, bearing date of the Third  
 day of June, 1882, I have well, faith-  
 fully and truly, in my own proper person, and in strict conformity with  
 the instructions furnished by the U. S. Surveyor General for Oregon, the  
 Surveying Manual, and the laws of the United States, surveying all those

parts or portions of Exterior line of Twp.  
3, 4 + 5 North Range No 39 East  
 Willamette Meridian, in the State of Oregon, as are represented in the fore-  
 going Field Notes as having been surveyed by me and under my directions;  
 and I do further solemnly swear that all the corners of said survey have been  
 established and perpetuated in strict accordance with the Surveying Manual,  
 printed instructions, the special written instructions of the U. S. Surveyor  
 General for Oregon, and in the specific manner described in the field notes,  
 and that the foregoing are the *true* field notes of such survey, and should  
 any fraud be detected I will suffer the penalty of perjury under the pro-  
 visions of an Act of Congress approved August 8, 1846.

Rufus S. Moon  
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10<sup>th</sup>  
 day of February, 1883

Bamford Robb  
 Notary Public.



764

**Office U. S. Surveyor General,**

Portland, Oregon, *April 11* 188*3*

The following Field Notes of the Survey of the  
*Exteriors of Twp. 3, 4 and 5 North*  
*Range 39 East, Will. Mer., Oregon*

executed by *Rufus S. Moore*

under his Contract No. *437*, dated *June 3<sup>d</sup>*

*1882*, having been critically examined, the  
necessary corrections and explanations made, the said field notes  
and the survey they describe, are hereby approved.

*James C. Tolman*  
Surveyor General.