

Index

To the Field notes of the Exterior
 line of Township No 5th North,
 of Base Line in Range No 31
 East of Willamette Meridian,

24	24	25	26	26	27	
6	5	4	3	2	1	22

12 21

13 21

24 20

25 19

36 19

May 10th 1865

641

537

Commenced the Survey of Exterior
Line Township No 5 North Range 31 E.
North on East Boundary of Sec 30.
Town 5 North Range 31 East
Variation 20° East.

4000 Set 1/4 Sec Post on Hill side
Sloping to the West Wrote Charred
Stake. Dug Pit, raised mound
as per instructions.

8000 Set Post Corner for Secs 25, 30,
31 & 30. On side of Prairie foot
of Hill erect High Wrote
Charred Stake. Dug Pit, &
raised mound as per instructions.
Land Broken. Grass good,
Soil 2° rate.

North on East Boundary of Sec
25. Town 5 North Range 31 East
Variation 20° 30' East.

4000 Set 1/4 Sec Post on west side
of Prairie sloping to the South
east. Wrote Charred Stake

Township 5 North Range 31 East,
Wey Pit raised mound as
Per Instruction.

8000 Set Post corner for Secs 24, 25,
19 & 30, Head of gully on East
Side Grove Charred Stake
Wey Pit raised mound as
Per Instruction.

Land Broken good grass
Soil 2^o Rate.

North on East Boundary of Sec
24, Town 5 North Range 31, East
Variation 19° 45' East.

4000 Set 1/4 Sec Post, Land sloping
to the South West, Grove Charred
Stake, Wey Pit raised
mound as Per Instruction.

8000 Set Post corner for Secs 13, 24,
18 & 19, on Bank of Hill East
side of gully corner South West,
Grove Charred Stake, Wey Pit,
raised mound as Per Instruction.

Township 5 North Range 31, East,
 Sand Broken, Grass good
Soil 2^o Rate.

North on East Boundary of Sec
 13, Township 5 North Range 31, E.
 Variation 21^o East.

4000 Set 1/4 Sec Post Head of Ravine
 Corner West Wrote Charred
 Stake Dug pit, raised
 Mound as per Instructions.

8000 Set Post Corner for Secs 12, 13,
 18 & 19, on East Side of Ravine
 Corner West. Wrote Charred
 Stake Dug pit, raised
 Mound as per Instructions,
 Sand Broken, Grass good,
Soil 2^o Rate.

North on East Boundary of Sec
 12, Town 5 North Range 31, East,
 Variation 21^o East.

4000 Set 1/4 Sec Post, Head of small

Township 5 North Range 31, East,
 Ravine Course West from
 Charred Stake Bug Pit
 raised mound as per
 instructions.

8000 Set Post Corner for Secs 1, 12,
 604. On top of High Hill
 drove Charred Stake Bug Pit
 raised mound as per instructions,
 Sand broken good grass
 Soil 2^o Rali.

North on East Bound of Sect.
 Town 5 North Range 31, East,
 Variation 21^o East.

4000 Set 1/4 Sec Post on top of Ridge
 sloping to West. Drove
 Charred Stake Bug Pit
 raised mound as per
 instructions.

8000 Set Post Corner for Townships
 5 & 6 North Ranges 31 & 32,
 Secs 1, 6, 31 & 36, on Flat.

23
645 ~~543~~

Township 5 North Range 31 East,
Drove Charred Stake Aug 21st
raised Mound as per Instructions,
Sand Broken Grass good,
Soil 2^o Rate,

May 11th 1865

Went on Random Between
Townships 5 & 6, North Range 31, East
Variation 21^o East.

At 40 & 80 Set 1/4 & Mile Posts,
480, Not finding Township Corner
Character of Land being such
as to render it difficult to make
Permanent Corner, I therefore
conclude that the Original
Town Corner has been removed
or destroyed, Hence I set Corner
for Townships 5 & 6, North Range
30 & 31, In Basin Low Sand
Hills Surrounding, Drove
Charred Stake, Aug 21st
raised Mound as per
Instructions.

624

Surveyor General's Office
Eugene City, Aug. 23^d 1865

The foregoing field notes of the Survey of the Exterior
lines of ~~Tps. 4 N. R. 31, 32, 33, & 4 East; and of~~
Tp 5 N. Ranges 31, 32 and 36 East; and of
Tp 6 N. Ranges 34, 35 and 36 East, Will. Mer,
Oregon, Executed by Odell and Lewis under contract
No. 110 bearing date February 7th 1865, having
been critically examined, the necessary explanations
and corrections made, the said field notes and
the surveys they describe are hereby approved.

E. L. Applegate
Surveyor General.