

# Index

To the Field notes of the Exterior  
 line of Township No 5<sup>th</sup> North,  
 of Base Line in Range No 31  
 East of Willamette Meridian,

24	24	25	26	26	27	
6	5	4	3	2	1	22

---

12 21

---

13 21

---

24 20

---

25 19

---

36 19

---

23  
645 ~~543~~

Township 5 North Range 31 East,  
Drove Charred Stake Aug 21st  
raised Mound as per Instructions,  
Sand Broken Grass good,  
Soil 2<sup>o</sup> Rate,

May 11<sup>th</sup> 1865

Went on Random Between  
Townships 5 & 6, North Range 31, East  
Variation 21<sup>o</sup> East.

At 40 & 80 Set 1/4 & 1/2 Mile Posts,  
480, Not finding Township Corner  
Character of Land being such  
as to render it difficult to make  
Permanent Corner, I therefore  
conclude that the Original  
Town Corner has been removed  
or destroyed, Hence I set Corner  
for Townships 5 & 6, North Range  
30 & 31, In Basin Low Sand  
Hills Surrounding, Drove  
Charred Stake, Aug 21st  
raised Mound as per  
Instructions.

624

Surveyor General's Office  
Eugene City, Aug. 23<sup>d</sup> 1865

The foregoing field notes of the Survey of the Exterior  
lines of ~~Tps. 4 N. R. 31, 32, 33, & 4 East; and of~~  
Tps 5 N. Ranges 31, 32 and 36 East; and of  
Tps 6 N. Ranges 34, 35 and 36 East, Will. Mer,  
Oregon, Executed by Odell and Lewis under contract  
No. 110 bearing date February 7<sup>th</sup> 1865, having  
been critically examined, the necessary explanations  
and corrections made, the said field notes and  
the surveys they describe are hereby approved.

E. L. Applegate  
Surveyor General.