

We C. C. Harcum and
 Albert H. Shibles, do solemnly
 swear that we will well and
 faithfully execute the duties
 of chain carriers; that we will
 level the chain upon uneven ground,
 and plumb the tally pins,
 whether by sticking or dopping
 the same; that we will well
 report the true distance to all
 notable objects, and the true
 length of all lines that we
 assist in measuring to the
 best of our skill and ability

C. C. Harcum
 A. H. Shibles

State of Oregon }
 County of Yamhill } ss sworn
 and subscribed to before
 me this 1st day of
 April 1855

J. W. Northrup
 A Justice of the Peace

248

I William Warren, do
solemnly swear that I
will well and truly
perform the duties of
Juror, according to the
best of my skill and
ability and the instructions
furnished me.

William Warren

State of Oregon }
County of Wmatilla } 89 sworn
and subscribed to before
me this ^{10th} day of
April 1865.

J. W. Northrup
~~State of Oregon~~ Justice of Peace

I Walter W. Johnson of Walla Walla County
 W. T. do solemnly swear that I will well and
 faithfully ~~perform~~ and to the best of my skill
 and ability executed the duties of compassman
 pursuant to a contract N^o. 110 issued by the
 Surveyor General of Oregon to W. H. Odell and
 S. Lewis bearing date the 7 day of February
 1865 according to the laws of the United States
 and the instructions received from said Surveyor
 General.

W. W. Johnson

Swoon and subscribed before me this
 13th day of April, A.D. 1865

B. A. Sexton,
 Clerk U.S. Dist Court
 First Judicial District,
 Washington Territory



250

All Book over

Index
T. 4 N. R. 33 E.

6	30	5	30	4	29	3	29	2	28	1
41		37		39		21		14		6
7	36	8	29	9	28	10	27	11	26	12
41		35		28		20		12		5
18	30	17	29	16	29	15	28	14	27	13
40		34		27		18		11		4
19	31	20	26	21	28	22	27	23	26	24
39		33		25		17		9		3
30	29	29	25	28	27	27	26	26	25	25
39		32		24		16		8		1
31	31	32	24	33	34	34	35	35	36	36

Township N 4, N. R. 33, E. Will. Mer.

True Line

39.94 Set 1/4 Sec Post Drive Chained
Stake Dug Pit - raised mound
as per instructions

79.91 To Post Corner Sand Rolling
good grass, Soil T. Rate.

North on Random between
Secs 1 & 2, Town 4, N, R. 33, E,
Variation 21° E.

40.00 Set Temporary 1/4 Sec Post.

69.50 Intersect Standard Parallel

6.50 West of Post Set Closing
Corner Post for Secs 1 & 2. Drive
Chained Stake. Dug Pit - raised
mound as per instructions,
from which I run South on
true line

29.50 Set 1/4 Sec Post Drive Chained
Stake Dug Pit - raised mound
as per instructions.

69.50 To Post Corner.

14 264

Township No 4 N, R, 33 E, Will, Mer,
April 28th 1865

East on Random between
Sections 2 & 11. T, 4 N, R, 33 E,
40.00 Set $\frac{1}{4}$ Section Temporary
Corner,

79.85 Intersect N & S line 60 fms
South of post from which
I run S 89° 34' W on true
line.

39.92 Set $\frac{1}{4}$ Section post, drove
charred post, dug pits,
and raised mound
as per instructions

79.85 To Post corner,
Land rolling good
grass soil 2nd rate,

North between Secs 3 & 2,
Town 4, N, R 33, E,
Variation 21° E.

Hand set $\frac{1}{4}$ Sec Post Drove Chained

Township No 4, N. R. 33 E. Mill, Minn.
Stake dug & raised
Ground as Per Instructions.

69.40 Intersect Standard Line 6.30
West of Standard Corner for Secs
34 & 35, Town 5, N, R 33, E.

Set Post for Closing Corner
for Secs 2 & 3, Town 4, N, R 33, E.
Drove Chained Stake dug & raised
& raised ground as Per
Instructions.

Land Rolling grassy
Soil 2nd Rate.

Township No 4, N. R. 33, E. Will. M.
34, 9+10, Drove Chained State
Dug Pit - raised mound
as per instructions, Sand
Broken, grassy good soil
2^o Rate,

Easton Random between
Sec 3+10, Town 4, N. R. 33, E.
40.00 Set Temporary 1/4 Sec Post,
79.63 Intersect north & south line
23 S. 1/4, north of Post, from
which I run N. 89° 40' W.
on true line,

39.81 Set 1/4 Sec Post Drove Chained
Post, Dug Pit - raised mound
as per instructions,

79.13 To Post Corner, Sand
Rolling grassy good soil
2^o Rate,

North between Secs 3+4,
Town 4, N. R. 33, E.

2272

Township North, N. R. 33. E. Will. M.
Twp 21. E.

40.00 Sec 1/4 Sect Post Home Chano
State Buy Pit + raised
Ground, as per Instructions,
69.75 Interest, First Standard
Parallel, 6.80 West of
Standard Corner, Set
Post for Closing Corner
for Sec 3 + 4. Sand
Broken Limestones good
Soil 2. Rate

The foregoing surveys were
made by William A. Lewis,
Dep't. Surveyor, Assisted by
Cyrus D. Dixon, Chairman
W. H. Wallace }
Robert Cook. } Assessor

30 280

Township No 4 N. R. 33 E. T11 S. Mex,

East on random between
sections 44 & 45 T. 4 N., R. 33 E.,

4000 Set temporary 1/4 Section Corner

7900 Intersect N 43 line

80 lbs North of Post,

from which I run

N 89° 26' West on true line

39,50 Set post corner for 1/4

Section, Drove churned

Stake one foot and

raised ground as per
instructions,

7900 To post corner,

Land Rolling

Good Grass Soil 2⁰⁰/₉

Rate,

x

North between sec

44 & 45 T. 4 N., R. 33 E.,

Bar 21 East

Township 4 N, R 33 E, W 11, Mer,
40,000 Set 1/4 Section post
Drove charred stake
dug pits and raised
foundations as per instruc-
tions.

* 70,20 To 1st Standard Parallel
North 6.84 chs West of
Standard corner for sections
32483 S 4 N, R 33 E,
Set post closing corner
for section 48574 N R 33 E
Drove charred stake dug
pits and raised mound
as per instructions
Land broken soil
2nd rate, Good grass

North between sections
31432, S 4 N, R 33 E,
Varri, 21° E.

40,000 Schyke Lee Post Drove charred

38 288

Township No 4 N, R. 33 E, Will, Mex,

North between sections
545, 4 N, R. 33 E,
Bearing 20° E.

40.00 Set 4 Section Post Corner,
Drove Charred stake, dug
pit and raised Mound
as per instructions,

71.20 Intersect 1st Standard
Parallel North to 80 chs
West of Standard ~~Parallel~~
Corner for Sections 31432

L 5 N, R. 33 E,

Set Closing Corner
for Section 546, Drove
Charred stake, dug pit
and raised mound as

per instructions
Land broken grass
good Soil 2nd Rate,

42
292

Township No 4, N. Range 33 E, T11, M,
from which I run S. 89° 59' E,
on true line,

35.25 Set up Sec Post, Iron Chained
Stake, Aug Pits, & raised Monuments
as per instructions.

75.25 To Post Corner. Land
Broken Grass good. Soil
2^d Rate.

The foregoing surveys, of the
West half of Township 4 N. R. 33 E,
were executed by William Adell
Deputy Surveyor assisted by
W. W. Johnson Comptroller,
C. C. Harcum } Chainmen,
A. H. Shibles }
William Warren Axenham,

The lands in this Township
are well set to grass making
them very desirable for
stock raising,

I William H. O'Neil, do hereby certify that the foregoing are the true and original field notes of the subdivisional lines of Township 4 North of Range 33 East, embraced in the West half of said Township as will appear from Affidavits duly made at the close of Contract No. 110, bearing date February 7th 1865; and attached to the field notes for the Exterior lines of Township No. 6 N., R. 37 E.

William H. O'Neil

Deputy Surveyor

44

294

Surveyor General's Office
Eugene City Feb. 9, 1866

The foregoing field notes of the survey of the
Subdivisional lines of Township No. 4 N.
Range No. 33 East, Willamette Meridian, Ore.
executed by Odell & Lewis, Deputy Surveyors, under
their contract No. 110, dated February 7, 1865,
having been critically examined, the necessary
explanations and corrections made, the said field
notes and the surveys they describe are hereby
approved.

E. L. Applegate
Surveyor General of Oregon