

Bk 117


See Page 74 - Line between 13824 not
within limit with the line bet 24825 ⁴⁷⁰
See Page 102. No Variation given at the
corner Osces 5, 6, 7 & 8

Transcript for Washington, made
July 29th, 1873,
W. B. W.

A. H. Simmons having been
Employed by George William Deputy
Surveyor as compassman do solemnly
swear that I will well and faithfully
and to the best of my skill and ability
execute the duties as compassman
according to the Laws of the United
States and the instructions furnished
by the Surveyor General of Oregon

Subscribed and sworn
to before me this 13th
day of May A.D. 1873
C. Moore
Notary Public

A. H. Simmons



2
P. 472
blank

473

no

I, Erchas H. Love, and Benjamin
Baxter do solemnly swear
that I will faithfully execute
the duties of Chain Carrier
that I will level the chain
on uneven ground and plumb
the tall pins ^{no} ~~no~~ ^{no} ~~no~~ by dropping
or sticking the same that
I will report the true distance
on line to all notable objects
and the true length of all
lines measured by me to
the best of my skill and ability

E. H. Love,

B. Baxter

Sworn and subscribed to before
me this 27th Sept 1873

J. P. Deary
Notary Public

Field notes To complete
the exterior lines of Township
5 & 6 N. R. 37 & 38 East of
the Wadumette Meridian by
Grover Williams Dep. Surv.
under his Contract No.

Dated 1872

Assisted by E. M. Love and
B. Bayter Chumman
Andrew Jasper Teagman
and R. Hays Aronson
and A. H. Linnins Compsman
Work commenced September
29th 1872

Township 6 N. R. 37 E. Will. Mer.

Begin at the established corner
for Sec 19, 24, 25 & 30 on the
Range line between Ranges
37 & 38 E Township 6 N. Witness
trees standing and agree with
description furnish me by

587 To N.R. 27 E Hill Meridian

for Secs 20, 21, 28 & 29 from which I run
N 89° 44' W on a true line between Secs 20 & 29

40,39 Set post & stone for 1/4 Sec Cor. Sec 20 Hill

80,78 The Cor for Secs 19, 20, 29 & 30

Saw hills Good grass

Nov 9, 1872

A severe Snow Storm lasting until
the 16th layed by December 1872

Went on a sunline between Secs 19 & 30

40,00 Set post for temporary 1/4 Sec Cor

80,66 Entered N. boundary at the post for
the Cor of Secs 19, 24, 25 & 30 from which
I run E on a true line between Secs 19 & 30

31,10 Enter bottom

36,00 road N.W.

40,00 Set post & marked stone for 1/4 Sec Cor, ~~Sec~~

44,00 have ploughed ground of Mr Jones enter timber

46,50 Cross river Nth walk walk

53,00 recross river

55,60 recross river

58,00 have bottom and account

80.60 The Cor for Secs 19, 20, 29 & 30
 Sand Hill Limber Birch & Cottonwood
 Mr Jones is settled in S W 1/4 of Sec 19

North between Secs 19 & 20
 Bas. 21° E
 Acorns

40.00 Set post & stone for 1/4 Sec Cor.
 56.00 ridge falls to deced 400ft
 80.00 Set stone 9x12x20 for Cor to Sec
 17, 18, 19 & 20

Sand Hill Good grass

East on sundown line between Secs 17 & 20

40.00 Set post for temporary 1/4 Sec Cor
 80.10 Pulveriser N & S line 30 lbs S of the Cor
 for Secs 16, 17, 20 & 21 from which Cor
 run S 89° 47' W on a true line between

Secs 17, 18, 20

40.05 Set post for 1/4 Sec corner
 64.10 Spr branch 1 lbs with

80.10 The Cor for Secs 17, 18, 19 & 20
 Sand Hill Good grass

I George William Deputy Surveyor do solemnly swear that in pursuance of a contract with W. H. Odell Surveyor General of the public lands of the United States in the State of Oregon bearing date the 20th day of July 1872 and in strict conformity to the Laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Exterior and Subdivisional lines of Township 5 North Range 37 East, the Exterior and Subdivisional lines of Fractional Townships 6 North Ranges 37 & 38 East and the Subdivisional lines of Fractional Township 5 North Range 38 East ^{in the State of} Oregon aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey.

George William
Deputy Surveyor

Subscribed & sworn to
before me this 6th day
of May A. D. 1873

W. H. Odell
Surveyor General

584

585

List of Persons Employed to
assist in running measuring or
marking the lines and corners described
in the foregoing field notes showing
the respective capacities in which
they acted

E H Love, & B Baxter Chairman

Richard Hays Assessor

Andrew Jasper Flagman

A H Simmons Comptroller

We hereby certify that we have appointed
Geo Williams, deputy surveyor, in
surveying the exterior boundaries and in subdividing
Townships Number 5 & 6 N R 37 & 38 N, R 28 & 29 and
four sections in Township 5 N 38 E, of the Willamette
Meridian Territory of Oregon and that said
Townships have been in all respects, to the
best of our knowledge and belief well
and faithfully surveyed and the boundary
monuments planted according to the instructions
furnished by the Surveyor General,

E H Love, Chairman

B Baxter ..

R Hays Assessor

Andrew Jasper Flagman

A H Simmons Comptroller

Given and subscribed to before me
on this 24th day Dec 1872

O P Lacey
Notary Public

We the undersigned Bondsmen in the Contract No. 176 made between George Williams Deputy Surveyor and the Surveyor General of the United States for the State of Oregon bearing date the 20th day of July 1873 hereby consent to the substitution of fractional Township 5. & 6. North Range 38 East. Surveyed instead of Township 4 North Range 37 East left unsurveyed by reason of unfitness; And we hold ourselves in every respect liable under said Contract with said Substitution as under the original Contract
G. Williams

Mr S. C. Adams the other Bondsmen on the above mentioned contract is out of the State, he being in Cincinnati Ohio and will not return the present year.

L. H. Williams
Dep. Sur.

Salem, May 7th 1873.

586

587

U.S. Surveyor General's Office
Eugene City Oregon
September 1st 1873

The foregoing field notes of the Survey of
the ^{4th quarter of} Subdivisional lines of T. 6 N R. 30
37 & 38 East fractional T. 5 N R
37 East and T. 5 N R 38 East
(fractional) Willamette Mer-
idian Oregon executed by
George Williams US deputy Sur-
veyor under contract No 176
bearing date July 20th 1872
having been entirely
examined the necessary
corrections and any plannings
made the said field notes
and the survey they con-
tain are hereby approved

W. H. Colwell
US Survey Genl.