

Index
 To the Field notes to the
 Exterior lines of Township No. 5
 North. Range 36 East Will. Mer.

51	52	53	54	55	56
6	5	4	3	2	1

49

 12 48

 13 48

 24 47

 25 46

 36 46

Copy this

Township 5 North Range 36, East,
Township 5 North Range 31, East
Variation 21° East.

40,000 Set 1/4 Sec Post Drive Charred
Stake, Drive 2 1/2 - raised
mound as per instructions.

80,000 Set Post Corner for Sec 1, 12,
64, on Hill Side facing
East, Drive Charred Post,
Drive 2 1/2 - raised mound
as per instructions.

North on East boundary
of section 1, T5N, R36E,
Var 21° E.

28,000 Road course N, W,

40,000 Set 1/4 Section post,
Drive Charred Stake
Drive 2 1/2 and
Raised Mound as per
instructions.

80,000 Set post corner for
Townships 5 & 6 North

50 574

674

Township 5 N Range 36 East
Ranges 36 & 37 East
Drove chert
Stake dug pits and
raised mound as
per instructions.
Land Rolling
Grass good
Soil good 2 $\frac{ac}{11}$
Route

West on Buncom
on North boundary
of Township 5 N
Range 36 East,
Bar 21^o 9,

April 4th 1865
On North town
at 40 and 80 chs
set temporary
 $\frac{1}{2}$ mile and still
post, 478.44

624

Surveyor General's Office
Eugene City, Aug. 23^d 1865

The foregoing field notes of the Survey of the Exterior
lines of ~~Tps. 4 N. R. 31, 32, 33, & 4 East; and of~~
Tps 5 N. Ranges 31, 32 and 36 East; and of
Tps 6 N. Ranges 34, 35 and 36 East, Will. Mer,
Oregon, Executed by Odell and Lewis under contract
No. 110 bearing date February 7th 1865, having
been critically examined, the necessary explanations
and corrections made, the said field notes and
the surveys they describe are hereby approved.

E. L. Applegate
Surveyor General.