

Index

To the Field notes of the Exterior
 line of Township No 5th North,
 of Base Line in Range No 31
 East of Willamette Meridian,

24	24	25	26	26	27	
6	5	4	3	2	1	22

12 21

13 21

24 20

25 19

36 19

Township 5 North Range 31, East,
 Ravine Course West from
 Charred Stake Bug Pit
 raised mound as per
 instructions.

8000 Set Post Corner for Secs 1, 12,
 604. On top of High Hill
 drove Charred Stake Bug Pit
 raised mound as per instructions,
 Sand broken good grass
 Soil 2^o Rali.

North on East Round of Sect.
 Town 5 North Range 31, East,
 Variation 21^o East.

4000 Set 1/4 Sec Post on top of Ridge
 sloping to West. Drove
 Charred Stake Bug Pit
 raised mound as per
 instructions.

8000 Set Post Corner for Townships
 5 & 6 North Ranges 31 & 32,
 Secs 1, 6, 31 & 36, on Flat.

23
645 ~~543~~

Township 5 North Range 31 East,
Drove Charred Stake Wagon Pit
raised Mound as per Instructions,
Sand Broken Grass good,
Soil 2^o Rate,

May 11th 1865

Went on Random Between
Townships 5 & 6, North Range 31, East
Variation 21^o East.

At 40 & 80 Set 1/4 & Mile Posts,
480, Not finding Township Corner
Character of Land being such
as to render it difficult to make
Permanent Corner, I therefore
conclude that the Original
Town Corner has been removed
or destroyed, Hence I set Corner
for Townships 5 & 6, North Range
30 & 31, In Basin Low Sand
Hills Surrounding, Drove
Charred Stake, Wagon Pit
raised Mound as per
Instructions.

624

Surveyor General's Office
Eugene City, Aug. 23^d 1865

The foregoing field notes of the Survey of the Exterior
lines of ~~Tps. 4 N. R. 31, 32, 33, & 4 East; and of~~
Tps 5 N. Ranges 31, 32 and 36 East; and of
Tp 6 N. Ranges 34, 35 and 36 East, Will. Mer,
Oregon, Executed by Odell and Lewis under contract
No. 110 bearing date February 7th 1865, having
been critically examined, the necessary explanations
and corrections made, the said field notes and
the surveys they describe are hereby approved.

E. L. Applegate
Surveyor General.