

54 ~~394~~

494

Index

To Exterior lines of Township N^o 5 N, R^o 34 E.

See Page 67

71	72	73	73	74	75	
6	5	4	3	2	1	70
						12 69
						13 69
						24 68
						25 67
						36 67

To 419 510

Township No. 5 N, R. 34 E, Will. Mer,
677. Dug pits drove charred
Stake, and raised mound as per
instructions,

Land hill grass poor Soil
3rd Rate,

North between Ranges 34 & 35 on
East boundary of Sec, 1 S 5 N
Var, 2^o East,

40.00 Set 1/4 Sec post corner

20

Drove Charred Stake, dug
pits, and raised Mound as
per instructions

80.00 Set post Corner for Towns,

60

5 & 6 N in Ranges 34 & 35 E
on Secs 1. & 31 & 36. Land

Slopes to the North

Drove Charred Stake, dug
pits, and raised Mound
as per instructions,

Land hill fair grass
Soil 3rd Rate,

Surveyor General's Office
Eugene City Aug 23 1865

The foregoing field notes of the Survey of the ~~the~~
~~Standard Quarter North, through Ranges 31,~~
~~32, 33, 34, 35, 36 & 37 East Will. Mer. Oregon,~~
~~and of the~~ exterior lines of Tps. 5 North Ranges
33, 34, 35 East Willamette Meridian, Oregon,
executed by Odell & Lewis, Deputies, under con-
tract No. 110, bearing date February 7th 1865,
having been critically examined, the necessary ex-
planations and corrections made, the said field
notes and the surveys they describe, are hereby approved.

E. L. Applegate
Surveyor General of Oregon.