

Bk 117


See Page 74 - Line between 13824 not  
within limit with the line bet 24825 <sup>470</sup>  
See Page 102. No Variation given at the  
corner Osces 5, 6, 7 & 8

Transcript for Washington, made  
July 29<sup>th</sup>, 1873,  
W. B. W.

A. H. Simmons having been  
Employed by George William Deputy  
Surveyor as compassman do solemnly  
swear that I will well and faithfully  
and to the best of my skill and ability  
execute the duties as compassman  
according to the Laws of the United  
States and the instructions furnished  
by the Surveyor General of Oregon

Subscribed and sworn  
to before me this 13<sup>th</sup>  
day of May A.D. 1873  
C. Moore  
Notary Public

A. H. Simmons



2  
P. 472  
Blank

473

no

I Charles H. Love, and Benjamin  
Baxter do solemnly swear  
that I will faithfully execute  
the duties of Chain Carrier  
that I will level the chain  
on uneven ground and plumb  
the tall pins <sup>no</sup> whether by dropping  
or sticking, the same that  
I will report the true distance  
on line to all notable objects  
and the true length of all  
lines measured by me to  
the best of my skill and ability

C. H. Love,

B. Baxter

Sworn and subscribed to before  
me this 27<sup>th</sup> Sept 1853

J. P. Deacy  
Notary Public

Field notes To complete  
 the exterior lines of Township  
 5 & 6 N. R. 37 & 38 East of  
 the Wadumette Meridian by  
 Grov Williams Dep. Sur.  
 under his Contract No.

Dated 1872

Assisted by E. H. Love and  
 B. Bayter Chumman  
 Andrew Jasper Teagman  
 and R. Hays Aronson  
 and A. H. Linnins Compsman  
 Work commenced September  
 29<sup>th</sup> 1872

Township 6 N. R. 37 E. Will. Mer.

Begin at the established corner  
 for Sec 19, 24, 25 & 30 on the  
 Range line between Ranges  
 37 & 38 E Township 6 N. Witness  
 trees standing and agree with  
 description furnish me by

533

Loc R R 37 E Hills, Minnesota

45.70 Cross ridge

59.70 Cross gulch

79.70 The Cor for Secs 19, 20, 29 & 30

Soil 2<sup>nd</sup> rate Good Grass no timber

Western section line between Secs 19 & 30

40.00 Set stone for temporary  $\frac{1}{4}$  Sec. Cor.

79.95 Intersect W. boundary of Twp. 67 lks S

of the round Cor. for Secs 19, 24, 25 & 30  
(post gone) from this Cor & run  $89^{\circ} 31' E$   
on a true line between Secs 19 & 30

17.45 Cross fence

39.93 Set post marked stone monument pits for  $\frac{1}{4}$  Sec Cor

42.00 In Kennis's house 5150 lks distant

44.00 Cottonwood Cr. 13 lks wide

60.95 Sewer field Cross fence

79.95 The Cor for Secs 19, 20, 29 & 30

Soil 2<sup>nd</sup> rate no timber Good grass

North between Secs 19 & 20

Cor.  $21\frac{3}{4}^{\circ} E$

10.00 Cross ridge

I George William Deputy Surveyor do solemnly swear that in pursuance of a contract with W. H. Odell Surveyor General of the public lands of the United States in the State of Oregon bearing date the 20<sup>th</sup> day of July 1872 and in strict conformity to the Laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Exterior and Subdivisional lines of Township 5 North Range 37 East, the Exterior and Subdivisional lines of Fractional Townships 6 North Ranges 37 & 38 East and the Subdivisional lines of Fractional Township 5 North Range 38 East <sup>in the State of</sup> Oregon aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey.

George William  
Deputy Surveyor

Subscribed & sworn to  
before me this 6<sup>th</sup> day  
of May A. D. 1873

W. H. Odell  
Surveyor General

584

585

List of Persons Employed to  
assist in running measuring or  
marking the lines and corners described  
in the foregoing field notes showing  
the respective capacities in which  
they acted

E H Love & B Baxter Chairman  
Richard Hays Assessor  
Andrew Jasper Flagman  
A H Simmons Comptroller

We hereby certify that we have appointed  
Geo Williams, deputy surveyor, in  
surveying the exterior boundaries and in subdividing  
Townships Number 5 & 6 N R 37 & 38 N, R 28 & 29 and  
four sections in Township 5 N 38 E, of the Willamette  
Meridian Territory of Oregon and that said  
Townships have been in all respects, to the  
best of our knowledge and belief well  
and faithfully surveyed and the boundary  
monuments planted according to the instructions  
furnished by the Surveyor General,

E H Love, Chairman

B Baxter ..

R Hays Assessor

Andrew Jasper Flagman

A H Simmons Comptroller

Given and subscribed to before me  
on this 24<sup>th</sup> day Dec 1872

O P Lacey  
Notary Public

We the undersigned Bondsmen in the Contract No. 176 made between George Williams Deputy Surveyor and the Surveyor General of the United States for the State of Oregon bearing date the 20<sup>th</sup> day of July 1873 hereby consent to the substitution of fractional Township 5. & 6. North Range 38 East. Surveyed instead of Township 4 North Range 37 East left unsurveyed by reason of unfitness; And we hold ourselves in every respect liable under said Contract with said Substitution as under the original Contract  
G. Williams

Mr S. C. Adams the other Bondsmen on the above mentioned contract is out of the State, he being in Cincinnati Ohio and will not return the present year.

L. H. Williams  
Dep. Sur.

Salem, May 7<sup>th</sup> 1873.



586

587

U.S. Surveyor General's Office  
Eugene City Oregon  
September 1<sup>st</sup> 1873

The foregoing field notes of the Survey of  
the <sup>4<sup>th</sup> quarter</sup> Subdivisional lines of T. 6 N R. 30  
37 & 38 East fractional T. 5 N R  
37 East and T. 5 N R 38 East  
(fractional) Willamette Mer-  
idian Oregon executed by  
George Williams US deputy Sur-  
veyor under contract No 176  
bearing date July 20<sup>th</sup> 1872  
having been entirely  
examined the necessary  
corrections and replacings  
made the said field notes  
and the survey they con-  
tain are hereby approved

W. H. Colwell  
US Survey Genl.