

Index  
 To the Field notes to the  
 Exterior lines of Township No. 5  
 North. Range 36 East Will. Mer.

51	52	53	54	55	56
6	5	4	3	2	1

49

---

 12 48

---

 13 48

---

 24 47

---

 25 46

---

 36 46

Copy this



Township 5 North Range 36, East,  
Township 5 North Range 31, East  
Variation 21° East.

40,000 Set 1/4 Sec Post Drive Charred  
Stake, Drive 2 1/2 - raised  
mound as per instructions.

80,000 Set Post Corner for Sec 1, 12,  
64, on Hill Side facing  
East, Drive Charred Post,  
Drive 2 1/2 - raised mound  
as per instructions.

North on East boundary  
of section 1, T5N, R36E,  
Var 21° E,

28,000 Road course N, W,

40,000 Set 1/4 Section post,  
Drive Charred Stake  
Drive 2 1/2 and  
Raised Mound as per  
instructions.

80,000 Set post corner for  
Townships 5 & 6 North



50 574

674

Township 5 N Range 36 East  
 Ranges 36 & 37 East  
 Durool chert  
 Stake dug pits and  
 raised Mound as  
 per instructions.  
 Level Rolling  
 Grass good  
 Soil good 2  $\frac{ac}{11}$   
 Route

---

West on Buncom  
 on North boundary  
 of Township 15 N  
 Range 36 East,  
 Bar 21<sup>o</sup> E,  
 April 4<sup>th</sup> 1865  
 On North town  
 at 40 and 80 chs  
 set temporary  
 $\frac{1}{2}$  mile and still  
 post, 478.44



624

Surveyor General's Office  
Eugene City, Aug. 23<sup>d</sup> 1865

The foregoing field notes of the Survey of the Exterior  
lines of ~~Tps. 4 N. R. 31, 32, 33, & 4 East; and of~~  
Tps 5 N. Ranges 31, 32 and 36 East; and of  
Tp 6 N. Ranges 34, 35 and 36 East, Will. Mer,  
Oregon, Executed by Odell and Lewis under contract  
No. 110 bearing date February 7<sup>th</sup> 1865, having  
been critically examined, the necessary explanations  
and corrections made, the said field notes and  
the surveys they describe are hereby approved.

E. L. Applegate  
Surveyor General.