

FIELD NOTES

Of the survey of the Estuaries

Lines of Township 7 South Range 30 East

Willamette Meridian, Oregon,

Executed by Henry McLarson

U. S. Deputy Surveyor, under his contract No. 380

dated March 19th, 1881

List of the names of the persons employed to assist in running, measuring and marking the lines of the foregoing survey :

H. W. Lushington Chainman.

W. B. Murrent Chainman.

Chainman.

E. M. Keys Axeman.

Axeman.

Flagman.

Exterior of T. 7 South R. 30 East
Willamette Meridian, Oregon.

North on E. ldy. Sec. 1
Va. $20^{\circ}45' E.$

- Descend hill from cor. tran E. & W.
11.25 Foot of hill brook 4 lks. wide, W. ⁻²⁰⁰
- Ascend hill from brook tran E. & W.
40.00 Set a basalt stone $14 \times 12 \times 10$ in +200
a mound of stone for 1/4 sec. cor.
- 60.00 Top of hill tran N. W. & S. E. +200
- 65.00 Descend hill tran N. W. & S. E.
- 80.00 Set a basalt stone $18 \times 14 \times 6$ in a
mound of stone for cor. to Tps.
6 & 7 S. Rq. 30 & 31 E. from which a
Pine 36 in. in dia. tran S. $38^{\circ} E.$ 172 lks.

Land mountainous

Soil 2nd rate

Scattering pine, fir, & juniper
Undergrowth of mahogany
fir & wild currant

May 27th 1881

FINAL AFFIDAVIT OF ASSISTANTS.

We hereby certify that we assisted Henry Meldrum

Deputy Surveyor in surveying

the Extensions of T6 7 & 8 S R 29 E, T8 S R 28 E, T6 S R 20 E
T7 S R 30 & 31 East Willamette Meridian, Oregon,

and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General; and we do further swear that we, each of us, performed the work assigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures.

W. B. Murray Chainman.

H. W. Cushing Chainman.

Chainman.

E. M. Keys Axeman.


Axeman.

STATE OF OREGON, }
County of Grant }

Subscribed and sworn to before me, this 28th

day of June 1887.

Henry Meldrum
Notary Public



STATE OF OREGON, }
County of Union. } ss.

FINAL OATH OF DEPUTY SURVEYOR.

I, Henry Meldrum

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person, and with the necessary assistance, well, truly and faithfully executed the

Entered boundary surveys of of T6.708 SR 29 E
T8 SR 28 E T6 SR 30 E T7 SR 30 & 31 E under my contract with

James Le Folmar, United States Surveyor-General for Oregon, No. 380, bearing date March 19

1881; that in making the said survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true and correct returns of the said surveys.

Henry Meldrum
Deputy Surveyor.

Subscribed and sworn to before me, this 14th day of

July 1881.

Geo. M. King
Notary Public for Oregon.



161

Office U. S. Surveyor General,

Portland, Oregon, *Nov 23* 188*1*

The foregoing Field Notes of the survey of

*The E. of T-6-7 & 8 S-R
29 E - T 8 S R 28 E - T 6 S R 30
and T 7 S. R 30 and 31 E.*

executed by *Henry Meldrum*

under *joint* contract No. *380*

dated *March 7.9* 188*1*, having been

critically examined, the necessary corrections and explanations made, the said field notes and the survey they describe, are hereby approved.

James R. Tolman

Surveyor General.

