FIELD NOTES

Of the survey of theZelinite
Lines of Township_I South Renge 30 Sax
Willamette Meridian, Oregon,
Executed by Hurry_Meloures
U. S. Deputy Surveyor, under his contract No. 380
dated_Macele 19", 1881_
List of the names of the persons employed to assist in running, measuring and marking the lines of the foregoing survey:
Ho- 12 Coushing Chainman.
M. 03 Murrent Chainman.
Chainman.
E.M. Keys:Axeman.
Axeman.
Flaaman

6 107 Exterior of T. 7 South R. 30 Cast Willamette Meridian, Oregon. North on E. ledy, Sec. 1 Va, 20°45'E, Descend hill from cor. bran E. W. - 20 11.25 Frant of hill broak 4 lks. wide, W. arend hill from brunkbrare stv. 40,00 Set a basalt stone 14x12x10 in +200 a mound of stone for 14 sec. cor. 60,11 Japa hill branz N. W. & S. E. + 200 65,00 Descend hill bran N.W. & S. E. 8 avo Seta basaltstine 18x14x4 in a mound of stone for cor. to The. 627 8. 124.30031 E. from which a Pine 36 in. in dia, bran S. 38° E. 172 lks. Land muntuinuur Svil 2"rate Scuttening pine, fir, & jumper Mondergrowth of muhogany firdwild currant May 27"/881

FINAL AFFIDAVIT OF ASSISTANTS. We hereby certify that we assisted. ... Deputy Surveyor in surveying the Exteriors of J67 + 8 & R 29 & J8 & R 28 & J6 & R 20 £

Y7 & R 30 & 31 & cust Willamette Meridian, Oregon, and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General; and we do further swear that we, each of us, performed the work asssigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures. 2/3 Murray! Chainman. He M. Cushing __ Chainman. Chainman. - & M. Mens... Axeman. Axeman. STATE OF OREGON, County of - Trank---Subscribed and sworn to before me, this_2_2_8_'_

County of Union. ss.

FINAL OATH OF DE

Marie Ma

FINAL OATH OF DEPUTY SURVEYOR. United States Deputy Surveyor, do solemnly swear that I have, in my own proper person, and with the necessary assistance, well, truly and faithfully executed the Externe burnangemires of y 6.748 8.129 2 J8 & R 28 2 9.6 8 1230 84 77 8 30 & 31 & under my contract with -anus le Holman , United States Surveyor-General for Oregon, No. 380 , bearing date. March 19 ; that in making the said survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing publicland surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true and correct returns of the sajesurveys. day of Subscribed and sworn to before me, this.

Office U. S. Surveyor General,

Portland, Oregon, 200-231881_
The foregoing Field Notes of the survey of
The Est. of 1-6-748 S-12
296-788B286-768B300
End 77 S. B 30 and 31 E.
executed by Stenry Ulleldrenn
under form & contract No. 380
datedunder form & contract No. 380 datedlareh _ 7.9188/, having been
critically examined, the necessary corrections and ex-
planations made, the said field notes and the survey
they describe, are hereby approved.
James C. Tolman
Surveyor General.