FIELD NOTES

Extrice of Township No I South Range 31 & ast
Willamette Meridian, Oregon.

North on E. bedy, Sec. 1. 27.60 Old mining ditch bran N. W. 28,35 Derolation Cresh 1 oo lks. wide -100 nuns N.W. Set flag at this point and offset E. to point on N. bank, sun N. on affect line 164 lbs. then offset W. to trus line at pt. 64 lbs. N. of stram 4 ovo Seta hasalt stone 24x 12x5 in a mound Mation for 14 sec. cor. +150 71,00 Top of hill bran N.W. & S. E. +400 77,25 Descend hill bran E. DW. 80,00 Set a fir past for cor. to This. 6278. Rigis. 31032 East, from which a
3.3. Fir10 in in dia bran N.44°E, 22 lks. dist. Eist Pine 16" " S, 13°W. 13 " " 332 Pine 22" " S. 60°E. 9" Land hilly. N3/4 broken Soil 3" rate S/4 2" rate

Strang pines fix timber on 8.28

Scattering pines fix on mainder

June 2" 1881.

FINAL AFFIDAVIT OF ASSISTANTS. We hereby certify that we assisted. ... Deputy Surveyor in surveying the Exteriors of J67 + 8 & R 29 & J8 & R 28 & J6 & R 20 £

Y7 & R 30 & 31 & cust Willamette Meridian, Oregon, and that said lines have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General; and we do further swear that we, each of us, performed the work asssigned us, faithfully to the best of our ability, in the capacity hereby indicated by our signatures. 2/3 Murray! Chainman. He M. Cushing __ Chainman. Chainman. - 8 M. Mays... Axeman. Axeman. STATE OF OREGON, County of - Trank---Subscribed and sworn to before me, this_2_2_8_'_

County of Union. ss.

FINAL OATH OF DE

Marie Ma

FINAL OATH OF DEPUTY SURVEYOR. United States Deputy Surveyor, do solemnly swear that I have, in my own proper person, and with the necessary assistance, well, truly and faithfully executed the Externe burnangemires of y 6.748 8.129 2 J8 & R 28 2 9.6 8 1230 84 77 8 30 & 31 & under my contract with -anus le Holman , United States Surveyor-General for Oregon, No. 380 , bearing date. March 19 ; that in making the said survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing publicland surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true and correct returns of the sajesurveys. day of Subscribed and sworn to before me, this.

Office U. S. Surveyor General,

Portland, Oregon, 200-231881_
The foregoing Field Notes of the survey of
The Est. of 1-6-748 S-12
296-788B286-768B300
End 77 S. B 30 and 31 E.
executed by Stenry Ulleldrenn
under form & contract No. 380
datedunder form & contract No. 380 datedlareh _ 7.9188/, having been
critically examined, the necessary corrections and ex-
planations made, the said field notes and the survey
they describe, are hereby approved.
James C. Tolman
Surveyor General.