


FIELD NOTES

Of the survey of the Subdivisional
 Lines of Town 5 South Range
34 East of the, Willamette Meridian,
 Oregon, as surveyed by Rufus S. Moore
 U. S. Deputy Surveyor, under his Contract No. 451
 dated June 12, 1882

Survey commenced, October 15th 1882
 Survey completed, October 22nd 1882

NAMES AND DUTIES OF ASSISTANTS.

- Rufus S. Moore, Compassman.
- James Guttridge, Chainman.
- John Guttridge, Chainman.
- _____, Chainman.
- _____, Chainman.
- Joe Parodi, Axeman.
- _____, Axeman.
- _____, Flagman.



759

PRELIMINARY OATHS OF ASSISTANTS:

We, James Guttridge and
John Guttridge

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Subdivisional
_____ lines of Town 5 South
Range 33 1/2 East Willamette Meridian, Oregon.

James Guttridge, Chainman.

John Guttridge, Chainman.

_____, Chainman.

_____, Chainman.

Subscribed and sworn to before me, this Fifteenth
day of August 1882

[SEAL.]

Rufus D. Moore
Notary Public

We, Joe Parodi and

do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability,

in the survey of the Subdivisional lines of
Town 5 S, R. 34 East of Willamette Meridian, Oregon.


Joe Parodi, Axeman.

_____, Axeman.

Subscribed and sworn to before me, this Fifteenth
day of August 1882

[SEAL.]

Rufus D. Moore
Notary Public



INDEX.

Referring the Lines to the Pages of the field Notes.

T. *5 South* R. *34 East* Will. Mer.

6	93	5	68	4	52	3	35	2	19	1
91		90		67		51		34		17
7	89	8	66	9	49	10	33	11	15	12
87		86		64		48		31		13
18	84	17	63	16	46	15	30	14	11	13
83		81		62		45		28		10
19	80	20	59	21	43	22	27	23	8	24
78		77		58		42		26		7
30	75	29	57	28	40	27	24	26	5	25
74		72		55		39		22		3
31	71	32	54	33	37	34	20	35	2	36

Meanders of ----- Pages ----- to -----

Meanders of ----- Pages ----- to -----

Subdivision of T. 5 South R. 34 East

Willamette Meridian, Oregon.

S 15° W on a true line bet. Secs. 3 & 4

Var 20° 30' East

40,000 Set a post 3 ft. long 3 ins. sq. or 4 ins. in
ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ D on W. face, from which

A fir 28 ins. in dia. bears S 18° E 81 k. dist,
marked $\frac{1}{4}$ D B F

A fir 18 ins. in dia. bears S 55° W 90 k. dist,
marked $\frac{1}{4}$ D B F

80,000 Three cor. to secs. 3, 4, 9 & 10

Land mountainous

Soil 2" rate,

Heavily timbered with pine and
tamarack and some dense under-
growth of same woods

October 18th - 1882

From the Standard cor. to secs. 32 &
33. on the South boundary of the
township which is a post 4 ins. sq.
marked. D. C. F 5 A R 34 E on North
S 33 on E and S 32 on W. face.

814

54

Subdivisions of T. 5 South R. 34 East
Willamette Meridian, Oregon.

with 4 notches on E and 2 notches
on W. face. from which

A pine 12 ins. in dia, bears N 25° E 17 k
dist. marked T 5 S R 34 E D 33 B J

A fir 14 ins. in dia, bears N 29° W 12.9 k
dist. marked T 5 S R 34 E D 32 B J

Iron

North between Secs. 32 & 33

Tor. 20° East

40.00 Set a post 3 ft. long 3 ins. sq. 24 ins.
in ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ D on W. face, from which

A pine 9 ins. in dia, bears N 55° E 29 k
dist. marked $\frac{1}{4}$ D B J

A pine 6 ins. in dia, bears S 22° W 25 k
dist. marked $\frac{1}{4}$ D B J

62.00 Top of hill bears E & W 150 ft.
above $\frac{1}{4}$ sec. cor.

71.00 Descend hill bears E & W

80.00 Set a post 4 ft. long 4 ins. sq. 24 ins.
in ground for cor. to secs. 28, 29,
32 & 33, marked, T 5 S R 34 E

FINAL OATHS FOR SURVEYS.

856

A list of the names of the individuals employed by Rufus S. Moore, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Subdivisional lines of Town 5 South Range 33 1/2 34 East of Willamette Meridian, Oregon, showing the respective capacities in which they acted :

- James Guttridge, Compassman.
John Guttridge, Chainman.
Joe Parodi, Axeman.
James Guttridge, Chainman.
John Guttridge, Chainman.
Joe Parodi, Axeman.
James Guttridge, Chainman.
John Guttridge, Chainman.
Joe Parodi, Axeman.

FINAL OATHS OF ASSISTANTS

We hereby certify that we assisted Rufus S. Moore, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivisional lines of Town 5 South of Range 33 1/2 34 East of the Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction ; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- James Guttridge, Compassman.
John Guttridge, Chainman.
Joe Parodi, Axeman.
James Guttridge, Chainman.
John Guttridge, Chainman.
Joe Parodi, Axeman.

Subscribed and sworn to before me, this Twenty First day of November 1882

[SEAL.] Rufus S. Moore Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Rufus S. Moore
 United States Deputy Surveyor, do solemnly swear that in pursuance of in-

structions received from James G. Tolman

U. S. Surveyor General for Oregon, bearing date of the Twenty Eighth

day of June, 1882, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws of the United States, surveying all those

parts or portions of The Subdivisional lines of Township 5 South Range ^{33 1/2} 34 East of

Willamette Meridian, in the State of Oregon, as are represented in the foregoing Field Notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

Rufus S. Moore
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 10th
 day of February, 1883

Benford Robb
 Notary Public

853

Office U. S. Surveyor General,

Portland, Oregon, *Feb 1,* 188 *4*

The following Field Notes of the Survey of the
Subdivisions of Twp. 5 S.
R. 34 E., Will. Mer., Oregon

executed by *Refus S. Moore*

under his Contract No. *H 57*, dated *12*

June, 188 *2*, having been critically examined, the
necessary corrections and explanations made, the said field notes
and the survey they describe, are hereby approved.

James C. Tolman
Surveyor General.

