

FIELD NOTES

Of the survey of the Auxiliary Meridian
through Lines of Tps 6, 7, 8, 9, 10
Between Rs 35 + 35 1/2 E, Willamette Meridian,
Oregon, as surveyed by Eugene P.
McComack, U. S. Deputy Surveyor,
under his Contract No. 398, dated
July 2, 1881

Survey commenced, July 8th 1881
 Survey completed, July 15th 1882

NAMES AND DUTIES OF ASSISTANTS.

_____, Compassman.
J. A. Bean, Chainman.
N. H. McGhee, Chainman.
J. K. McComack, Chainman.
 _____, Chainman.
Wm Shaw, Axeman.
 _____, Axeman.
 _____, Flagman.

PRELIMINARY OATHS OF ASSISTANTS:

We, J. H. Beaw W. H. McGhee, S. S. Garner

and J. K. McCormack

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Auxiliary Meridian through
Tps 6, 7, 8, 9 & 10, lines of Bet Rds 35 & 35 1/2 E

Willamette Meridian, Oregon.

J. H. Beaw, Chainman.

W. H. McGhee, Chainman.

S. S. Garner, Chainman.

J. K. McCormack, Chainman.

Subscribed and sworn to before me, this

5th

day of

July

1882

W. B. McCormack

[SEAL.]

Notary Public for Oregon

We,

and

J. W. Shaw

do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our

skill and ability, in the survey of the Auxiliary Meridian

through Tps 6, 7, 8, 9 & 10

Bel Ranges 35 & 35 1/2 E

Willamette Meridian Oregon.

J. W. Shaw

Axeman.

Axeman.

Subscribed and sworn to before me, this

Fifth

day of

July

1882

W. B. McCormack

[SEAL.]

Notary Public for Oregon

Index -

61	
59	
58	S. 6. S. R. 35 1/2 E.
56	
54	
52	
50	
48	
46	S. 7. S.
44	R. 35 1/2 E.
42	
41	
39	
37	
35	S. 8. S.
33	R. 35 1/2 E.
31	
30	
28	
26	
25	S. 9. S.
24	R. 35 1/2 E.
23	
20	
17	
14	
11	S. 10. S.
8	R. 35 1/2 E.
5	
2	

Auxiliary meridian

Auxiliary Meridian

61

through of T. 6A Bet R. 35 + 35 ^{6.85}/₂₆
Willamette Meridian, Oregon.

Northwest boundary Sec 4

to 20° E

Ascend 250 feet

22.50 Crest of ridge course E + W

Descend 300 feet

40.00 Set Post 3 ft long 3 ins square with
marked stone 12 ins in the ground
for 1/4 Sec cor marked 1/4 on a face.
Aug pits 18 x 18 x 12 ins E + W of post
5 1/2 feet dist and raised a mound
of earth 1 1/2 ft high 3 1/2 feet base
around post

76.00 Creek 3 hrs wide flows W, E.

86.50 Intersect First Standard standard

parallel south at a point

7 chains west of 1/4 Sec cor on the

South boundary of Section 33-

T 6A R 35 East - at which point

Set a Post 4 1/2 ft long 4 ins square

with marked stone 12 ins in the

ground marked

to do T 6A on S

62

686

Auxiliary Meridian

through of T. 6 N. Bet R. 35 + 35 1/2 E

Willamette Meridian, Oregon.

R 35 1/2 E D 4 on E

R 35 E D 1 on W faces with 6 notches on N + W faces and 4 notches on the

E face: aug pits 24 x 18 x 1 1/2 ins

lengthwise on each line D E, + W

of post 6 ft dist and raised a

mound of earth 2 ft high 4 1/2 ft

base around post

Land mountainous for first half mile, rolling last half.

Soil brown 2^o red

Timber Pine and Samaraack with

undergrowth ^{of Pine + Samaraack} ~~the same~~ 86,500 chs

July 15, 1882

690

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Eugene
B. McLennack, U. S. Deputy Surveyor, to assist in
 running, measuring and marking the lines and corners described in the foregoing
 field notes of the survey of the Auxiliary Meridians
through Tps 6, 7, 8, 9 and 10 S. Bet
Ranges 35 and 35 1/2 East of Willamette Meridian, Oregon,
 showing the respective capacities in which they acted:

-, Compassman.
- J. H. Beau....., Chainman.
- W. H. Mayhew....., Chainman.
- S. S. Garner....., Chainman.
- J. K. McLennack....., Chainman.
- Wm Shaw....., Axeman.
-, Axeman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Eugene B. McLennack
, U. S. Deputy Surveyor, in surveying all
 those parts or portions of the Auxiliary Meridians
through Tps 6, 7, 8, 9 + 10 S. Bet Ranges 35
and 35 1/2 East of the Willamette Meridian, Oregon,
 as are represented in the foregoing field notes as having been surveyed by him and
 under his direction; and that said survey has been in all respects, to the best of our
 knowledge and belief, well and faithfully surveyed, and the corner monuments es-
 tablished, according to the instructions furnished by the U. S. Surveyor General of
 Oregon.

-, Compassman.
- J. H. Beau....., Chainman.
- W. H. Mayhew....., Chainman.
- S. S. Garner....., Chainman.
- J. K. McLennack....., Chainman.
- Wm Shaw....., Axeman.
-, Axeman.
-, Flagman.

Subscribed and sworn to before me, this 13th day of

Sept 18821
W. R. McLennack

[SEAL]

Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Eugene P W Tomack

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions

received from James L. TolmanU. S. Surveyor General for Oregon, bearing date of ~~the~~ July 2^d 1881 day of1881, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor General for Oregon, the Surveying Manual, and the laws ofthe United States, surveyed all those parts or portions of The AuxiliaryMeridian through Tps 6, 7, 8, 9 + 10 R. 35 + 35 1/2 East-Willamette Meridian, in the State of Oregon, as are represented in the foregoing Field Notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special written instructions of the U. S. Surveyor General for Oregon, and in the specific manner described in the field notes, and that the foregoing are the *true* field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.Eugene P W Tomack

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this twenty-ninthday of November 1881Edmond F. LewisNotary Public

692

Office U. S. Surveyor General,

Portland, Oregon,

January 9, 1883

The following Field Notes of the Survey of the
Auxiliary Meridian thro' Towns
6, 7, 8, 9 & 10 S., bet. Ranges
35 & 35 1/2 E., Will. Mer. Co.
executed by E. A. McCormack

under his contract No. 398
dated July 2, 1881, having been
critically examined, the necessary corrections and ex-
planations made, the said field notes and the survey
they describe, are hereby approved.

James C. Tolman
Surveyor General.