

FIELD NOTES.

On the survey of the Exterior  
 Lines of T5S. R29E. T6S. R32, 33 & 34 E. T9S.  
R33 & 34 E. T8S. R33 & 34 E. T7S. R33 & 34 E Willamette Meridian,  
 Oregon, as surveyed by Frank W. Campbell  
 U. S. Deputy Surveyor, under his Contract No. 468  
 dated April 12" — 1883

Survey commenced April 28" — 1883

Survey completed July 17" — 1883

NAMES AND DUTIES OF ASSISTANTS.

- ....., Compassman.
- ....., Chainman.
- ....., Chainman.
- John S. Sutcliffe....., Chainman.
- Frank Ellis....., Chainman.
- Cory W. Wetlock....., Axeman.
- ....., Axeman.
- ....., Flagman.



PRELIMINARY OATHS OF ASSISTANTS.

We, John S. Guttridge and  
Frank Ellis

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we will assist in measuring, to the best of our skill and ability, and in accordance with the instructions given us in

the survey of the Exterior lines of T. 5 S. R. 29 E. T. 6 S.  
R. S. 32, 33 & 34 E. T. 9 S. R. S. 33 & 34 E. & T. 8 S.  
R. S. 33 & 34 E. & T. 7 S. R. S. 33 & 34 E. Willamette Meridian, Oregon.

John S. Guttridge, Chainman.

Frank Ellis, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Chainman.

Subscribed and sworn to before me, this Eighteenth

day of April 1883

[SEAL.] Frank W. Campbell  
U.S. Deputy Surveyor

J. Carey W. Matlock and

\_\_\_\_\_, do solemnly swear that we will well and truly perform the duties of Axemen in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability

T. S. 7 in the survey of the Exterior lines of T. 5 S. R. 29 E. T. 6 S. R. S. 32, 33 & 34 E.  
8 & 9 S. R. S. 33 & 34 E. Willamette Meridian, Oregon.

Carey W. Matlock, Axeman.

\_\_\_\_\_, Axeman.

Subscribed and sworn to before me, this Eighteenth

day of April 1883

[SEAL.] Frank W. Campbell  
U.S. Deputy Surveyor



Exteriors of T. 7 S. bet. R. S. 34 & 35 E.

Willamette Meridian, Oregon.

North bet. Secs. 156

va 20° E

19.10 Spring branch 3 lks wide runs N.  
40.00 Set a basalt-stone 12x10x10 ins  
8 ins in the ground for  $\frac{1}{4}$  Sec. cor  
marked  $\frac{1}{4}$  on N. face from which  
A pine 10 ins diam bears  $N 11^{\circ} W$  31 lks dist.  
marked  $\frac{1}{4}$  S B. T.

A pine 10 ins diam bears  $S 34^{\circ} E$  50 lks dist.  
marked  $\frac{1}{4}$  S B. T.

78.50 Creek 10 lks wide runs N.

80.00 Set a basalt-stone 20x20x8 ins 15 ins  
in the ground for cor. to  $\frac{1}{4}$  Sec. 6 &  
7 S. Rys 34 & 35 E. marked with  
6 notches on each edge from which  
A pine 10 ins diam bears  $N 36^{\circ} E$  34 lks dist.  
marked  $\frac{1}{6}$  S R 35 E. S 31 B. T.

A pine 11 ins diam bears  $S 38^{\circ} E$  34 lks dist.  
marked  $\frac{1}{7}$  S R 35 E. S 6 B. T.

A pine 10 ins diam bears  $S 60^{\circ} W$  23 lks dist.  
marked  $\frac{1}{7}$  S R 34 E. S 1 B. T.

A pine 12 ins diam bears  $N 70^{\circ} W$  28 lks dist.



Exteriors of T. 7 S. bet. R. S. 34 & 35 E

Willamette Meridian, Oregon.

marked 16 S R 34 & 35 E B, 1  
 Sand rolling  
 Soil 2d rate  
 Densely covered with forests  
 of pine, fir, tamarack and  
 spruce 80 chs.  
 Thick undergrowth of huckle  
 berry - balsam, pine and  
 tamarack 80 chs.

July 13<sup>th</sup> 1883

General Description.  
 These Townships are high  
 and mountainous, and  
 covered with dense  
 forests of pine, fir  
 and tamarack.  
 Soil good 2d rate



FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by Frank W. Campbell, U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Exterior lines of T5S R29E, T6S, Rs 32, 33 & 34 E. lines of T7, 8 & 9 S. Rs 33 & 34 E. Willamette Meridian, Oregon, showing the respective capacities in which they acted:

- Compassman.
Chainman.
John S. Guttridge, Chainman.
Frank Ellis, Chainman.
Axeman.
Carey N. Matlock, Axeman.
Flagman.

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Frank W. Campbell, U. S. Deputy Surveyor, in surveying all those parts or portions of the Exterior lines of T5S R29E, T6S, Rs 32, 33 & 34 E. & T7, 8 & 9 S. Rs 33 & 34 E. Willamette Meridian, Oregon, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the U. S. Surveyor General of Oregon.

- Compassman.
Chainman.
John S. Guttridge, Chainman.
Frank Ellis, Chainman.
Chainman.
Chainman.
Carey N. Matlock, Axeman.
Axeman.
Flagman.

Subscribed and sworn to before me, this twenty fifth day of August 1883

[SEAL] Frank W. Campbell, U.S. Deputy Surveyor



FINAL OATH OF DEPUTY SURVEYOR.

246

I, Frank W Campbell

United States Deputy Surveyor, do solemnly swear that in pursuance of

instructions received from James E Tolman

U. S. Surveyor General for Oregon, bearing date of the 12th

day of April, 1883, I have well, faith-

fully and truly, in my own proper person, and in strict conformity with

the instructions furnished by the U. S. Surveyor General for Oregon, the

Surveying Manual, and the Laws of the United States, surveying all those

parts or portions of Exterior lines of T. 5 S. R. 29 E. T. 6 S

R. S. 2, 33, & 34 E. T. 7 S. 7, 8 & 9 S. R. S. 33 & 34 E.

Willamette Meridian, in the State of Oregon, as are represented in the

foregoing Field Notes as having been surveyed by me and under my di-

rections; and I do further solemnly swear that all the corners of said sur-

vey have been established and perpetuated in strict accordance with the

Surveying Manual, Printed Instructions, the Special Written Instructions

of the U. S. Surveyor General for Oregon, and in the specific manner de-

scribed in the Field Notes, and that the foregoing are the *true* Field Notes

of such survey, and should any fraud be detected I will suffer the penalty

of perjury under the provisions of an Act of Congress approved August

8th, 1846.

Frank W Campbell

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 18

day of October 1883

W. H. Busfield

Notary Public for Oregon.



24247

OFFICE U. S. SURVEYOR GENERAL,

Portland, Oregon, *Jan'y 7,* 1884

The following Field Notes of the Survey of the  
*Exteriors of the foregoing Town-*  
*ships, as*

executed by *Frank W. Campbell*

under his Contract No. 468, dated *April*

*12<sup>th</sup>* 1883, having been critically examined,

the necessary corrections and explanations made, the said

Field Notes and the survey they describe are hereby approved.

*James C. Tolman*  
Surveyor General.