

South Boundary of T. 2 N., R. 37 E.
 Surveyed by Jacob C. Cooper, contract No. 397.
 Dated July 1, 1881.

Chains	<p>From the cor. to Tps. 1 and 2 N., R. 36 and 37 E. I run East on a random line between said townships. The variation of my compass being 19°30'E. at this cor. I set temporary mile and half mile corners at each 40 and 80 chains and find the township line to be 6 miles, 20 chs. and 58 links long, and the falling to be 46 links North of the cor. to Tps. 1 and 2 N., Rs. 37 and 38 E. The correction for the true line will, therefore, be $7 \frac{2}{3}$ lks. South and 20.58 chs. E. per mile and its course will be N.89°56'W.</p>
	<p>From the cor. to Tps. 1 and 2 N., Rs. 37 and 38 E., which is a post 4 ft. long, 5 ins. square marked T 2 N S 31 on N.E., R 38 E S 6 on S.E., T 1 N S 1 on S.W., and R 37 E S 36 on N.W. faces with 6 notches on each edge.</p>
	<p>I run North 89°56'W. on a true line between secs. 1 and 36. Var. 20°15'</p>
	<p>Ascend gradually through fir timber and windfall.</p>
16.00	<p>Undergrowth & scattering fir timber. Ascend abruptly.</p>
40.00	<p>Set post $3 \frac{1}{2}$ ft. long, 3 ins. square, $1 \frac{1}{2}$ ft. in ground, marked $\frac{1}{4}$ S on N. and S faces for $\frac{1}{4}$ sec. cor. A fir, 30 ins. diam., bears S.21°E., 43 lks. dist., marked $\frac{1}{4}$ S B T. A fir, 24 ins. diam., bears N.72°W., 56 lks. dist., marked $\frac{1}{4}$ S B T.</p>
	<p>Var. 24°15'.</p>
52.00	<p>Summit of mountain ridge. Descend through heavy fir timber and dense undergrowth.</p>
64.00	<p>Ascend slightly.</p>
74.00	<p>Descend slightly.</p>
80.00	<p>Set post 4 ft. long, 4 ins. square, 2 ft. in the ground, for cor. to secs. 1, 2, 35 and 36 in East margin of small glade marked T 2 N S 36 on N.E., R 37 E S 1 on S.E., T 1 N S 2 on S.W., S 35 on N.W. faces and with one notch on E. and 5 notches on W. edges. Raised mound of stone around base of post 18 ins. high, and</p>