

## Subdivisions of T. 1 N., R. 37 E.

Chains	
	<p>A fir, <math>2\frac{1}{2}</math> ins. diam., bears N.18°E., 20 lks. dist., marked T 1 N R 38 E S 7 B T.</p> <p>A fir, 6 ins. diam., bears S.70°E., 18 lks. dist., marked T 1 N R 38 E S 18 B T.</p> <p>A fir, 7 ins. diam., bears S.53°W., 9 lks. dist., marked T 1 N R 37 E S 13 B T.</p> <p>A fir, 7 ins. diam., bears N.69°W., 27 lks. dist., marked T 1 N R 37 E S 12 B T.</p> <p>Thence I run</p> <p>N.89°47'E. on a true line between secs. 12 and 13.</p>
39.91	Set a basalt stone, 16x12x4 ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside.
79.82	<p>The cor. to secs. 12, 13, 7 and 18.</p> <p>Land, mountainous.</p> <p>Soil, 2nd rate.</p> <p>Timber, scattering pine, fir and tamarack, with dense undergrowth of mountain laurel.</p>
	<p>North between secs. 11 and 12.</p> <p>Var. 20 <math>3\frac{1}{4}</math>°E.</p> <p>Through brush and timber.</p>
40.00	Set a basalt stone, 17x10x6 ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside.
80.00	<p>Set a basalt stone, 16x11x7 ins., 11 ins. in the ground, for cor. to secs. 1, 2, 11 and 12, marked with 5 notches on S. and 1 notch on E. edges. Dig pits, 18x18x12 ins., in each sec., <math>5\frac{1}{2}</math> ft. dist., and raised a mound of earth 2 ft. high, <math>4\frac{1}{2}</math> ft. base alongside.</p> <p>Land, mountainous.</p> <p>Soil, stony, 3rd rate.</p> <p>Timber, scattering pine, fir and tamarack, with dense undergrowth of mountain laurel.</p>