

Subdivisional Lines, T.1 S., R.35 E., W.M.

Chains		Feet
	Sec. Cor., marked $\frac{1}{4}$ S. on W. face; raised mound of stone alongside. Pits impracticable.	
44.00	Enter timber and underbrush.	
65.00	Pine opening.	
75.00	Timber and underbrush.	
80.00	Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground for Cor. to Secs. 16; 17, 20 & 21, marked T.1 S., R.35 E., S.16 on N.E. S.17 on N.W. S.20 on S.W. S.21 on S.E. faces 3 notches on S. and 4 " " E. edges, from which, A fir, 8 ins. diam., brs. N.45°E, 27 lks. dist., marked T.1 S., R.35 E., S.16, B.T. A pine, 24 ins. diam., brs. S.30°W., 35 lks. dist., marked T.1 S., R.35 E., S.21, B.T. A pine, 20 ins. diam., brs. S.70°W., 34 lks. dist., marked T.1 S., R.35 E., S.20, B.T. A fir, 4 ins. diam., brs. N.40°W., 29 lks. dist., marked T.1 S., R.35 E., S.17, B.T. Land; rolling. Soil; 2nd rate. Heavy pine timber and underbrush, 26.00 chs.	
	E. on random, bet. Secs. 16 & 21. Var. 18 $\frac{1}{2}$ °E.	
37.45	To U.R.Bdy., set temp. C.C.	
40.00	To $\frac{1}{4}$ Sec. Cor., which is a post, 3 ft. long, 3 ins. sq., 20 ins. above ground, marked $\frac{1}{4}$ S. on N. face, from which, A pine, 24 ins. diam., brs. N.53°W., 126 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 20 ins. diam., brs. S.20°E., 25 lks. dist., marked $\frac{1}{4}$ S., B.T.	
	Thence I run W. on a true line	