

Subdivisional Lines, T.1 S., R.36 E., W.M.

Chains		Feet
	A pine, 20 ins. diam., brs. N.50°E., 39 lks. dist., marked $\frac{1}{4}$ S., B.T.	
	A pine, 16 ins. diam., brs. S.50°W., 31 lks. dist., marked $\frac{1}{4}$ S., B.T.	
45.00	Top of ridge, about 150 ft. above gulch, course E. Descend about 100 ft. to	
51.00	Dry bed of creek, course S.E. Ascend about 150 ft. to	
63.25	Top of ridge, course W. Descend about 100 ft. to	
80.00	Set basalt stone. 20 x 12 x 9 ins., 15 ins. in ground for Cor. to Secs. 14, 15, 22 & 23, marked with 3 notches on S. and 2 notches on E. edges and raised a mound of stone alongside.	
	Land; mountainous.	
	Soil; 2nd rate.	
	Timber; scattering fir and pine.	
	E. on a random line bet. Secs. 14 & 23.	
		Var. 20°E.
	Ascend about 100 ft. to	
10.00	Top of ridge, course N. Descend about 75 ft. to	
35.00	A ravine, course N.	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
44.00	Top of ridge, about 75 ft. above ravine, course N.E. Descend about 400 ft. to	
75.00	Dry bed of creek, course N.	
80.74	Intersect, 49 lks. N. of the Cor. to Secs. 13, 14, 23 & 24. Thence I run N.89°39' W. on a true line bet. Secs. 14, & 23.	
40.37	Set basalt stone, 16 x 12 x 6 ins., 11 ins. in ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.	
80.74	The Cor. to Secs. 14, 15, 22 & 23.	
	Land; mountainous.	
	Soil; sandy loam, 2nd rate.	
	Timber, scattering fir and pine.	